



Mobilizing Public Health Action on Climate Change in Canada

The Chief Public Health Officer of Canada's Report
on the State of Public Health in Canada 2022



Public Health
Agency of Canada

Agence de la santé
publique du Canada

Canada

La version française est également disponible sous le titre : *Rapport de l'administratrice en chef de la santé publique du Canada sur l'état de la santé publique au Canada 2022 : Mobiliser la santé publique contre les changements climatiques au Canada*

Suggested citation: Public Health Agency of Canada. Chief Public Health Officer of Canada's Report on the State of Public Health in Canada 2022: Mobilizing Public Health Action on Climate Change in Canada. Ottawa, ON: Public Health Agency of Canada; 2022.

To obtain additional information, please contact:
Public Health Agency of Canada
Address Locator 09002
Ottawa ON K1A 0K9
Tel.: 613-957-2991
Toll free: 1-866-225-0709
Fax: 613-941-5366
TTY: 1-800-465-7735
Email: hc.publications-publications.sc@canada.ca

This publication can be made available in alternative formats upon request.

© His Majesty the King in Right of Canada,
as represented by the Minister of Health, 2022

Publication date: December 2022

This publication may only be reproduced for personal or internal use without permission if the source is fully acknowledged.

Cat: HP2-10E-PDF
ISBN: 1924-7087
Pub: 220351

Table of Contents

Message from the Chief Public Health Officer of Canada	3
About this Report	5
SECTION 1:	
Climate Change: A Threat to Health, Well-Being, and our Planet	8
Climate Change as a Global Problem	9
Health in a Changing Climate: The Canadian Context	11
From Climate Hazards to Health Impacts: The Health Risks of Climate Change in Canada	15
Climate Hazards, Exposure Pathways, and Health Impacts	17
Vulnerability and Inequitable Health Risk	26
Ecological and Social Conditions that Shape Health in a Changing Climate	29
Bringing Public Health and Climate Action Together to Address the Threat	30
Current Public Health Action in a Changing Climate	31
SECTION 2:	
Opportunities to Advance Climate Action in Public Health	34
Implement a Range of Interventions to Address Immediate Health Challenges and Prevent Future Health Risks from a Changing Climate	36
Prioritize Community Expertise and Engagement for Equitable and Effective Climate Action	40
Embedding Equity and Justice in Public Health Action on Climate Change	40
Collaborating with Communities for Climate Action Built on Place-Based Knowledge and Leadership	41
Advance Knowledge to Understand, Predict, and Respond to the Health Impacts of Climate Change	43
Understanding the Full Picture of Climate Impacts on Health	43
Strengthening Climate-Health Monitoring and Surveillance	44
Fostering Indigenous Research Leadership and Indigenous Knowledges Sovereignty	46
Collaborate Across Sectors for Transformative Climate-Health Action and Intersectoral Co-benefits	49
Strengthen Public Health Leadership for Climate Action and Public Health Building Blocks for Climate Resilience	53
Public Health Advocacy for Change	53
Dedicated Climate-Health Action	53
Building Low Carbon Health Systems	54
A Strong Public Health Foundation to Tackle Climate Change	55

The Way Forward	57
Integrate Climate Considerations into Public Health Systems	58
Centre Health in Climate Change Action	58
Build Climate-resilient Public Health Systems and Workforce	59
APPENDIX A:	
Essential Public Health Functions and Public Health Climate Action	61
APPENDIX B:	
An Update on COVID-19 in Canada	63
Preamble	63
The Arrival of Omicron Changed the Trajectory of the Pandemic	63
New Ways of Monitoring the Spread of SARS-CoV-2	65
Evolution in Requirements, Guidance, and Recommendations	65
Importance of Pharmaceutical Interventions – Vaccines and Therapeutics	65
Ongoing Broader Consequences of COVID-19	66
The Impact of Post COVID-19 Condition on Individuals and Communities is Likely to be Substantial	68
Canada’s Public Health Response Has Helped to Minimize COVID-19 Harms	68
Preparedness and Prevention can Better Equip us to Manage COVID-19 Moving Forward	69
APPENDIX C:	
Methodology	70
Process	70
Epidemiological Data	70
Research Reviews	70
Public Health Reports and Other Grey Literature	71
Discussion Groups and Key Informant Interviews	72
Limitations	72
Scope and Literature Search	72
Language	72
Acknowledgements	73
References	74



Message from the Chief Public Health Officer of Canada



Over the past two and a half years, we have been challenged by the COVID-19 pandemic. Through our collective response as a society, we have made tremendous progress across Canada, averting many infections and saving many lives. And while we must continue to evolve our management of COVID-19 and its longer-term impacts, we must also turn our attention to other health threats. This includes what is arguably the largest looming threat to the health of our communities and our planet: the climate crisis.

Climate change is making weather patterns more unpredictable and causing more frequent and intense extreme weather events, like heatwaves, hurricanes, flooding, and wildfires. It also threatens the availability and safety of our water and food.

The changing climate is already having a measurable impact on our health, both physically and mentally. For example, it is exacerbating the spread of climate-sensitive infectious diseases and worsening chronic conditions due to heat exposure or poor air quality. And whether it is weeks of breathing wildfire smoke, or suffering through record-setting heatwaves, or being unable to reach traditional grounds to hunt for food, no one is immune to the impact of our changing climate. Not all communities are affected equally, however. Like COVID-19, some face greater risk of exposure, are less able to adapt and more vulnerable to serious health outcomes.

This is a pivotal time for public health systems to draw on the lessons learned from the pandemic, show leadership, and work collaboratively with other sectors. We must continue to bring climate considerations into public health work to prepare for, and respond to, the now inevitable health impacts. This means supporting communities to adapt to the climate risks they will face.

But we also need to put health at the centre of climate action and focus on efforts that will lead to significant and near immediate health and environmental benefits. By advocating for healthy environments like walkable neighbourhoods, cycling, and public transit, we can reduce chronic diseases, premature deaths and hospital admissions, promote positive mental well-being and reduce air pollution. By supporting more tree canopies and building retrofits, we can promote and protect health while mitigating greenhouse gas emissions.

It is clear, climate action is good for our health and public health systems have a critical role to play.

In last year's report, [*A Vision to Transform Canada's Public Health System*](#), I raised the alarm that, without immediate attention, Canada's public health systems will not be able to respond to overlapping emergencies or carry out essential core functions that keep communities healthy and safe. Even now, as we continue to contend with COVID-19, monkeypox has emerged as a threat globally.

My 2022 annual report lays out a roadmap for the broader public health system in Canada to organize and mobilize around climate-health action. It provides concrete direction on how we can use our existing tools and knowledge, while also expanding them to meet new challenges that will come along with a changing climate.

Climate change will truly test our readiness on all fronts. Our actions now will determine the magnitude of future impacts, how quickly they occur, and the extent to which our communities and future generations are able to recover and thrive.

First Nations, Inuit, and Métis Peoples have long recognized the interconnected nature of human, animal, and environmental health. This knowledge has been central to Indigenous identity, resilience, and survival and is essential to a healthy and sustainable future for us all. It is time to embrace Indigenous ways of looking at our place in the natural world. We are not separate from our environment. To be healthy, our air, water, land, and ecosystems must also be healthy.

What lies ahead is no small task. But we know climate action works. We have the tools to understand climate change and figure out how to address this complex and growing challenge to our collective health. By acting together now, we have hope.

Dr. Theresa Tam

Canada's Chief Public Health Officer



About this Report

Every year, the Chief Public Health Officer of Canada (CPHO) writes a report on the state of public health in Canada to raise the profile of public health issues, stimulate dialogue, and catalyse action. This year's report focuses on the impacts of climate change in Canada and the role that public health systems can play in taking climate action. It builds on the 2021 CPHO annual report by presenting the possibilities of what a strengthened and resilient public health system can do in the face of complex and urgent public health challenges.

The following key concepts are central to the report.

Adaptation: The process of modifying our decisions, activities, and ways of thinking to be proactive and better prepared, as well as reactive and better able to respond to a changing climate and its impacts on health.^{1, 2}

Adaptive capacity: The ability to adjust to or take protective measures against climate hazards and respond to or cope with the health consequences of climate hazards. Existing social inequities mean not all communities or populations have the knowledge, tools, strategies, or financial resources to implement needed climate change and health adaptation actions.^{1, 3, 4}

Co-benefits: The positive effects that a policy or measure aimed at one objective might have on other objectives. For example, climate mitigation efforts across energy, infrastructure, agriculture, and transportation sectors can improve population health by way of cleaner air, improved housing standards, healthier diets, and increased physical activity.^{1, 5-7}

Ecological determinants of health: The elements of nature that are vital for life on Earth, including food sources, fresh water, oxygen, materials to construct shelters and tools, abundant energy, and reasonably stable global climate with temperatures conducive to human and other life forms. Maintaining the integrity, stability, and equitable distribution of these natural systems is an essential condition for health, survival, and prosperity.^{8, 9}

Intersectoral work: Collaborative approaches used between groups, including government agencies, non-governmental organizations, and relevant stakeholders that have a common goal in addressing a specific issue. In a changing climate, this refers to the actions of many sectors in collaboration, including the health sector, that benefit health and climate change outcomes.¹⁰⁻¹²

Maladaptation: Deliberate adjustments in natural or human systems that increase vulnerability to climatic impacts, resulting in an adaptation that fails in reducing vulnerability and may, instead, increase it.¹³

Mitigation: An intervention that aims to reduce the causes of climate change, remove heat-trapping greenhouse gases from the atmosphere, and stabilize their levels.^{1, 2}

One Health: A collaborative, multi-sectoral, and transdisciplinary approach to achieving optimal health outcomes that recognizes the interconnection between people, animals, plants, and their shared environment.¹⁴

Social determinants of health: Forces and systems that shape the conditions of people's daily lives (e.g., income, education, employment) and influence their health and well-being outcomes. These include economic, social, and political policies and systems, as well as social norms.^{15, 16}

System resilience: The capacity of social, economic, and environmental systems to cope with a hazardous event, trend, or disturbance. It involves responding in ways that maintain their essential function, identity, and structure, while also maintaining the capacity for adaptation, learning, and transformation.^{1, 5}

Vulnerability: The predisposition for health to be adversely affected by climate change. This is shaped by the degree of exposure to climate change hazards, the susceptibility to climate change impacts, and the ability to cope with the health impacts of climate change. In public health, the concept of vulnerability can be highly stigmatizing, so it is important to recognize that climate vulnerability is not a label for communities or populations.^{1, 5, 17}

Orientation of the Report

Section one describes the urgency of climate change. It provides an overview of how climate change is impacting the health and well-being of people living in Canada. Like COVID-19, these impacts are disproportionate and compounding, with some communities affected more than others. These far-reaching population health impacts offer compelling evidence for why public health systems must prioritize and mobilize around this issue.

Section two offers a roadmap for public health action on climate change. It explores opportunities to build on and expand current public health activities, while strengthening public health systems to address this and other complex public health issues.

The **Way Forward** outlines cross-cutting priority areas with tangible ideas for system-level actions.

The **COVID-19 appendix** gives a brief update on the evolution of the COVID-19 pandemic in Canada between August 2021 and August 2022.

This report benefits from the leadership and expertise of many contributors. This includes text boxes provided by partners at the National Collaborating Centres for Public Health that illustrate practical examples of public health action.

What We Heard Report: Perspectives on Climate Change and Public Health in Canada is a companion resource that has informed the development of this report. It is a summary of interviews and focus group discussions with university-based researchers, public health practitioners, non-governmental public health organization leaders, municipal-to-federal government public health system employees, community leaders, and medical practitioners. These experts' voices are woven through the CPHO report.

An additional way in which the report can be actioned is through generating new knowledge or research. *Generating Knowledge to Inform Public Health Action on Climate Change* provides a list

of research opportunities relating to the report to help guide researchers, funders, and others wishing to mobilize research and knowledge.

Land Acknowledgement

We respectfully acknowledge that the lands on which we developed this report are the homelands of First Nations, Inuit, and Métis Peoples. Specifically, this report was developed in the following cities:

- ▶ In Ottawa, also known as Adawe, on the traditional and unceded territory of the Algonquin People, members of the Anishinabek Nation Self-Government Agreement.
- ▶ In Halifax, also known as K'jipuktuk, a part of Mi'kma'ki, the ancestral and unceded territory of the Mi'kmaq People. This territory is covered by the "Treaties of Peace and Friendship" which Mi'kmaq and Wolastoqiyik (Maliseet) Peoples first signed with the British Crown in 1725. The treaties did not deal with surrender of lands and resources but in fact recognized Mi'kmaq and Wolastoqiyik (Maliseet) title and established the rules for what was to be an ongoing relationship between nations.
- ▶ In Montreal, also known as Tiohti:áke, the traditional and unceded territory of the Kanien'kehà:ka. A place which has long served as a site of meeting and exchange amongst many First Nations including the Kanien'kehà:ka of the Haudenosaunee Confederacy, Huron/Wendat, Abenaki, and Anishinaabeg.
- ▶ Lastly, in Toronto, also known as Tkaronto, the traditional territory of many nations including the Mississaugas of the Credit, the Anishnabeg, the Chippewa, the Haudenosaunee, and the Wendat peoples and is now home to many diverse urban First Nations, Inuit, and Métis Peoples. Toronto is within the lands protected by the Dish With One Spoon Wampum Belt Covenant, an agreement between the Haudenosaunee and Anishinaabe and allied nations to peaceably share and care for the resources around the Great Lakes.

We recognize that there is much more work ahead to address the harmful impacts of colonialism and racism that continue to generate inequities between Indigenous and non-Indigenous communities. We remain strongly committed to working collaboratively to advance reconciliation in Canada.



SECTION 1:

Climate Change: A Threat to Health, Well-Being, and our Planet

“When the WHO [World Health Organization] says it’s the greatest threat to health in the 21st century, why aren’t we taking them at their word? Why aren’t we accepting that? If this is the greatest threat to population health in the 21st century, let’s start treating it like that.”

—What We Heard Report participant

Our changing climate is a crisis that threatens all aspects of life. The impacts can already be seen in our environment, our economy, and — crucially — our health and well-being.^{5, 18} Climate hazards will continue to emerge over the next two decades and beyond, and without significant action, the livability of the planet is at risk.¹⁹ Climate change influences the core

conditions of life, including the air we breathe, the food we eat, the water we drink, and the land we live on.^{5, 18, 20–23} The rapidly changing climate also multiplies existing population health challenges, including the spread of climate sensitive infectious diseases, and exacerbates health inequities.^{5, 18, 24}

Without immediate and effective action, climate change poses catastrophic risks for present and future generations. We must act urgently to reduce these risks, as national and international assessments warn that the window to do so is closing.^{5, 25} Reducing heat-trapping greenhouse gas emissions is critical to limiting climate change. However, even with the most stringent mitigation efforts to reduce them, the planet will continue to warm over the next few decades because of the greenhouse gases already in the atmosphere.¹⁹ To ensure continued livability of the planet and reduce the harm to our communities, ecosystems, and economies, we must act now and continue to

reduce emissions while also working to adapt to the unavoidable current and future impacts.

For public health systems, the urgency of the situation requires assertive and effective action across jurisdictions and sectors to prevent, reduce, and address the health impacts of climate change. It will also require us to detect and monitor health threats and move forward with direct and collaborative action to address them. Through this work, public health can bring its focus on equity, health promotion, and intersectoral partnerships to the collective effort and contribute to climate action in a way that supports and protects health.

Climate Change as a Global Problem

Climate change refers to the long-term shift in the average weather conditions of a region, such as temperature, precipitation, and winds.²⁶ It involves changes in average conditions as well as variability, such as extreme weather events.²⁷ The unprecedented heatwaves experienced across North America and Europe in the summers of 2021 and 2022, are recent consequences that have affected the day-to-day lives of many people.

These changes are caused by greenhouse gases, a large portion of which are released as a consequence of our heavy reliance on the burning of fossil fuels.^{5, 28, 29} Every year, the combustion of coal, oil, and gas releases billions of tonnes of carbon dioxide into the atmosphere.³⁰ Other major greenhouse gases include methane, nitrous oxide, and chlorofluorocarbons, released through fossil fuel production, agriculture, landfills, and the use of fertilizers.³¹ Increasing concentrations of these gases in our atmosphere have resulted in

unprecedented rises in average temperatures.²⁹ This warming has intensified weather systems, causing extreme heatwaves, wildfires, rising sea levels, floods, and droughts. Global temperatures will reach critical levels soon unless significant steps are taken around the world to drastically reduce our emissions.^{32, 33}

As with COVID-19, the impacts of climate change are global, including threats to the necessities of life. Over 800 million people are currently undernourished, while climate change is increasing food insecurity through rising temperatures, changing patterns of precipitation, and more frequent extreme weather events.^{5, 34–36} Modelling suggests that 529,000 deaths worldwide could occur between 2010 and 2050 due to reductions in food availability and changes in consumption patterns related to climate change.^{5, 37} Even under a negative emissions scenario, which refers to activities which remove carbon dioxide from the atmosphere, increased deaths will occur.^{5, 37} These changes will aggravate living conditions broadly and the health of people globally.^{35, 38} Further, it is estimated that by 2050, 200 million people a year could need international humanitarian aid as a result of climate change. This is almost twice the number of people who required assistance in 2018 due to floods, storms, and wildfires.^{5, 39}

Climate change threatens the livability of our cities and communities. Almost two-thirds of cities with populations of over five million are in areas at risk of sea level rise, while almost 40% of the world's population lives within 100 kilometres of a coast.⁴⁰ Without strong and coordinated action, places like New York, Shanghai, Abu Dhabi, Osaka, and Rio de Janeiro could be underwater within our lifetime, displacing millions of people.⁴¹

The Intergovernmental Panel on Climate Change (IPCC), a body of the United Nations responsible for advancing knowledge on climate change, regularly assesses the latest science.⁴² Its Sixth Assessment Report, *Climate Change 2022: Impacts, Adaptation and Vulnerability* assesses the impacts of climate change on ecosystems, biodiversity, and human communities at the global and regional levels.⁴³ It projects that under all scenarios, health risks will increase this century, causing injury and loss of life, impacting physical and mental health, damaging infrastructure and ecosystems, disrupting health care and other critical services, and threatening livelihoods.⁴⁴

These impacts will not be equally shared. Those who contribute the most to climate change are the least likely to experience its adverse impacts.⁴⁵ Globally, children will bear 88% of the burden of disease from climate change.^{5, 46} Conditions such as poverty and socio-economic or political marginalization can put women, children, older adults, and other populations at a disadvantage in coping.^{35, 47, 48} For example, children facing poverty are at increased risk during urban floods and droughts, which can contaminate water and lead to diarrhoeal illness.^{35, 49} People living in low- and medium-income countries, the most vulnerable in high-income countries, and Indigenous communities, are already bearing an inequitable and disproportionate share of climate impacts.⁴⁵

Importantly, the IPCC recognizes colonialism as one driver of climate change vulnerability across the globe.¹⁹ For that reason, international climate action must acknowledge and respect the rights of Indigenous Peoples. Worldwide, Indigenous Peoples are particularly sensitive to the impacts of climate change because of their close relationships with and dependence on the land, ecosystems, and natural resources.⁵⁰

Through intergenerational and traditional knowledge, Indigenous Peoples were amongst the first to notice changes in our climate and have critical understanding for navigating and adapting to it.⁵¹ Globally, Indigenous worldviews are gaining prominence, emphasizing the interconnected nature of the land, animals, plants, and people.^{52–54} Further, the United Nations Declaration on the Rights of Indigenous Peoples (UNDRIP) sets out the right to the “conservation and protection of the environment”.^{55–58} If we are to take strong and sustainable action on climate change at all levels, it must honour Indigenous rights and expertise.

While the situation is urgent, there is still hope. The global response to climate change is increasingly focused on the health impacts. In 2021, over 200 international health journals published editorials about the catastrophic harm to health, and the critical need for action.⁵⁹ At the 26th United Nations Climate Change Conference (COP26), the World Health Organization (WHO) led a parallel conference focused on health, equity, and climate change. Currently, 60 countries have committed to at least one of the initiatives on climate-resilient and low carbon sustainable health systems promoted under the COP26 Health Program.⁶⁰ The upcoming COP27 is expected to convene the global health community and partners to ensure health and equity are at the centre of the conference’s climate negotiations.⁶¹ Findings from a global survey published by the WHO indicate that over 60 countries have either conducted a climate change and health vulnerability assessment or are currently carrying out one. These assessments are crucial to establish an evidence base to understand health risks, evaluate which groups are more vulnerable, identify gaps in current action, and identify effective adaptation measures to support decision-making.⁶²

International public health organizations and communities have also been actively working to bring attention to the climate-health issue. The International Association of National Public Health Institutes (IANPHI) released a [*Roadmap for Action on Health and Climate Change*](#) at COP26. It highlights existing and potential roles for national public health institutes in climate action and includes commitments for supporting their adaptation and mitigation efforts and policy development.⁴⁵ In 2020, IANPHI created a climate change working group to promote international collaboration between national public health institutes and other stakeholders.⁶³

Health in a Changing Climate: The Canadian Context

There is plenty of evidence that climate change is already impacting the health and well-being of people living in Canada.⁵ In June 2021, Western Canada experienced a historic heat dome, which set a Canadian record high temperature of 49.6°C in Lytton, British Columbia and led to 619 heat-related deaths.^{64–66} A major heat-wave in Quebec resulted in 86 deaths in 2018, which was the hottest summer on record in 146 years of meteorological observations in the province.^{5, 67–69} Further, the area burned by wildfires in Canada has doubled from the 1970s to the 2000s.^{5, 70} In 2021, a record dry spring across the country fueled an early start of wildfire season which ultimately saw 2,500 more active fires recorded than the previous year.⁶⁵ Millions of people in Canada were exposed to wildfire smoke and nearly 50,000 evacuations occurred in British Columbia alone.⁶⁵

In a country with over 243,000 kilometres of coastline populated by about 6.5 million people, rising sea levels pose serious threats to Canada's coastal areas, ecosystems, and communities.⁷¹ While sea level changes vary significantly by location some regions, such as Atlantic Canada, are expected to exceed the global average.^{5, 72} This poses immediate and long-term risks, including coastal erosion, increased storm surge risk, saltwater intrusion, flooding, and damage to infrastructure, personal property, and transportation.^{65, 71, 72} Additionally, in the North, where temperatures are warming most rapidly, thawing permafrost, changing ice and snow conditions, and shifting wildlife habitat threaten entire ways of life. The range of impacts include culture, infrastructure, livelihoods, food security, and water quality.^{5, 21, 72–74} Currently, permafrost underlies 40% of Canada's landmass; however, estimates suggest this could decrease by 16% to 20% by 2090.^{75, 76}

Offshore, the warming and acidification of oceans create irreversible ecosystem shifts that disrupt wildlife populations and food supplies.⁵ Increasing atmospheric temperatures and humidity can worsen air pollution and create favorable conditions that facilitate the spread of vector-borne diseases, such as Lyme disease.^{5, 77–81} [Figure 1](#) illustrates a few of the wide-ranging climate change impacts experienced across Canada, each of which influences health and well-being. Through interactive maps, videos, and articles, the Climate Atlas of Canada provides further information on projected climate change impacts and how they affect regions differently.⁸² It is important to note, however, that even though many climate hazards are seen regionally, their impact can have far reaching effects.

FIGURE 1: Examples of Climate Change Impacts across Canada^{72, 83}



Source: Figure adapted from Council of Canadian Academies. [Canada's Top Climate Change Risks](#) (2019).


In 2015, Canada ratified the Paris Agreement, along with 195 other countries.³² This legally binding treaty sets long-term goals for member states to limit global warming to well below 2°C compared to pre-industrial levels, with significant efforts to limit global temperature increases to no more than 1.5°C.³² To date, average global temperatures have increased 1.1°C.⁸⁴ If global greenhouse gas emissions continue at their current rate, there is a high risk that the world will exceed the 1.5°C target between 2030 and 2052. The current pace of international climate action is too slow. Evidence indicates that global temperatures will exceed the 2°C threshold by the end of this century, unless there are significant and rapid emission reductions across every sector.⁸⁵

Each increment of future warming poses significant risks and increases the probability of compounding impacts to human, animal, and plant health and survival. However, limiting average increases in global temperatures to 1.5°C will reduce the risks of severe climate change outcomes. Exceeding that threshold will lead to numerous preventable illnesses, injuries, and deaths worldwide as a result of disease outbreaks and extreme weather events.⁸⁶ Meanwhile, a 2°C average rise in global temperatures will cause more extreme conditions and dramatic alterations to land, air, and water systems that support survival of all species.

The resulting damage will be irreversible in some cases. It is projected that a 2°C increase over pre-industrial levels will regularly expose over one-third of the world's population to health-threatening heatwaves, along with rising sea levels that will increase the risk of flooding for 10 million more people worldwide.^{84, 87}

As a whole, Canada is warming at a rate two times faster than the global average, while the North is warming three to four times faster (Figure 2).^{5, 23, 74} Since 1948, average temperatures in this country have increased by 1.7°C, while northern Canada, which encompasses nearly two-thirds of the nation's total landmass, has warmed on average by an alarming 2.3°C.²³ With a low greenhouse gas emission scenario that is in line with the Paris Agreement, climate models project annual mean temperature will increase in Canada by a further 1.8°C by 2050. In a high heat-trapping greenhouse gas emission scenario, Canada's annual mean temperature will increase by more than 6°C by the end of this century.⁸⁸ The reality is that with even the most stringent greenhouse gas mitigation efforts in place, we are locked into warming patterns for the next few decades because of the greenhouse gases already in the atmosphere.^{89, 90} However, the worsening situation in a high emissions scenario will potentially exceed our ability to respond and protect health.

FIGURE 2: Canada and the Paris Agreement^{88, 90}



Sources: Government of Canada. *Canada's Changing Climate Report* (2019); Intergovernmental Panel on Climate Change. Summary for Policymakers. In: *Climate Change 2021: The Physical Science Basis. Contribution of Working Group I to the Sixth Assessment Report of the Intergovernmental Panel on Climate Change* (2021).

The health impacts of climate change will become more severe as average annual temperatures increase in the absence of rapidly scaled up adaptations.^{5, 22, 91} These progressive changes also have the potential to limit the effectiveness of available adaptation efforts, making it more difficult to protect the health of the population.¹⁹ This underscores the importance of international agreements in climate mitigation and adaptation, which can offer significant co-benefits to health. These co-benefits occur when policies aimed at other sectors, such as the environment, also produce positive impacts for health and well-being.¹ For example, effective mitigation efforts across energy, transportation, building, infrastructure, and agriculture sectors can result in cleaner air, increased levels of physical activity, improved housing standards, healthier diets, lower chronic diseases burden, and lives saved.⁷


From Climate Hazards to Health Impacts: The Health Risks of Climate Change in Canada

The pathways that connect exposure to climate hazards to health impacts are complex and layered ([Figure 3](#)). Vulnerabilities, such as socio-economic status or geographic location, increase the potential for negative health impacts at individual, community, and population levels.^{5, 43}

While some climate hazards, such as severe storms, can result in easily identified negative health outcomes (e.g., injury or death), the health impacts of climate change often do not occur in isolation.^{5, 44} For example, exposure to extreme weather events can cause injury, but may also result in long-term mental health impacts due to displacement, property damage, or loss. Individuals and communities can face multiple and cascading threats at the same time, or compounding impacts over time.^{5, 44} Floods may cause destruction to crucial community infrastructure like power and water supplies, but also lead to food security issues as a result of disruptions or damage to food production processes and systems.⁹² These risks can become more severe if climate threats multiply or repeat. Understanding these pathways, as well as the conditions that create vulnerability, helps identify entry points for public health action and intervention.

Climate-resilient health systems that are able to cope with climate change while continuing to deliver essential public health functions are the foundation of an effective response. Resilient public health systems can anticipate, respond, cope, recover from, and adapt to climate-related shocks and stresses.^{5, 93} This goes hand-in-hand with healthcare systems that are more resilient to adverse weather conditions, supply chain disruptions, and service delivery. As the WHO has identified, climate resilience is necessary for health systems to increase their capacity to protect and promote health in an unstable and changing climate.⁹⁴

FIGURE 3: Impacts of Climate Change on Health



These are examples and do not represent the full spectrum of possible climate sensitive health outcomes.

Climate Hazards, Exposure Pathways, and Health Impacts

As our climate continues to change, existing health threats will intensify, and new risks will emerge. While we are still learning about the full scope of the health impacts of climate change, existing research has generated important evidence about climate hazards, exposure pathways, and health risks, such as infectious diseases and mental health impacts. This section will summarize key findings on some of the health impacts of climate change.

Exposure to extreme weather events such as floods, droughts, and tornados, or natural hazards like wildfires and landslides, pose serious health and safety risks. In addition to the potential for injury, illness, and death, these events can also impact health through isolation, disruption of infrastructure by way of power outages, property damage, evacuations, and associated displacement from homes, jobs, and school.^{5, 72} Extreme weather can also restrict access to food and water supplies.⁷² A major snowstorm in St. John's, Newfoundland and Labrador in 2020 caused a state of emergency, forcing businesses, including grocery stores, to close for four days. This disruption in the regional food supply chain, coupled with high consumer demand, meant many people were unable to purchase basic food staples.⁵

Extreme weather events can also limit or delay vital access to health, social, and community supports and services. Hospitals affected by flooding may need to close emergency rooms, delay medical procedures, evacuate patients, and reduce operational capacity if staff are unable to travel to work. In northern communities, access to medical services can also be compromised by inaccessible roads due to thawing permafrost, flooding, and wildfires.^{95–97}

Heat stress and heat-related health risks

are linked to periods of abnormally high temperatures. Extreme heatwaves are already being felt by millions of people each year across Canada.^{64, 98} Direct health impacts linked to heat exposure are extensive and include heat stroke, dehydration, mental health impacts (e.g., mental health-related hospitalizations, suicidality), pregnancy complications, cardiovascular and respiratory disease, and death.^{5, 91, 99} In Ontario, between 1996 and 2010, each 5°C increase in temperature during the summer was associated with a 2.5% increase in death, with a particular link to cardiovascular disease.⁵ The 2010 and 2018 Quebec heatwaves saw increases in daily mortality, emergency room visits, ambulance trips, and hospitalizations.^{67, 68} Other health implications include loss of biodiversity, transmission of diseases, food insecurity, and drought.^{35, 100} Heatwaves and the associated health impacts are projected to become more severe and intense as annual average temperatures continue to rise across the country.^{5, 101}

Extreme heat poses amplified risks to many populations, with disproportionate impacts on older adults, children, infants, people with certain pre-existing physical and mental health conditions, people who live or work outdoors, and those with limited financial or social supports to protect themselves from heat.^{102, 103} Many people experiencing homelessness face increased exposure to extreme weather events.^{5, 104} Prolonged exposure to extreme heat can exacerbate pre-existing health conditions and risk behaviours, including mental health, chronic diseases, and substance use.^{5, 104–106} Additionally, people without safe and consistent housing can experience challenges connecting to heat warning systems, which also provide information on cooling strategies.^{5, 104} People experiencing homelessness may also find it difficult to access drinking water or to keep food from spoiling during extreme heat events.^{5, 104}

In Canada, the reality of climate change means that extreme heat events are becoming more frequent and more intense.⁶⁶ Public health research and coroners' reports have indicated that people and groups of people experiencing material and social deprivation are at highest risk, with a clear link between high indoor temperatures and heat-related injury and death.⁶⁶ Specifically, older adults, those who live with disabilities, mental illness, and chronic diseases,

and those who do not have access to air conditioning or protection from surrounding green space, are among those most at risk to extreme heat.¹⁰⁷ There is ongoing work to understand the consequences of extreme heat and the opportunities for climate-health action to address dangerous indoor temperatures (see text box [“Evidenced-Based Policies and the Indoor Built Environment: Limiting Indoor Temperatures to Prevent Heat-Related Injuries and Deaths”](#)).

Evidenced-Based Policies and the Indoor Built Environment: Limiting Indoor Temperatures to Prevent Heat-Related Injuries and Deaths

One key step towards climate change resilience will involve setting a national maximum indoor temperature standard. Once this has been set, building codes, building standards, residential tenancy laws, and purposeful urban design can be used to achieve it. At the same time, strengthening social networks and mitigating the risks of social isolation (e.g., performing health checks during extreme heat events) will also be necessary to reduce the number of heat-related injuries and deaths in coming years.¹⁰⁸

In Canada, we have mandated minimum indoor temperatures to protect health during cold winters; however, there are no maximum indoor temperatures to protect health during hot weather.^{109, 110} There is evidence that exposure to indoor temperatures above 26°C is associated with increases in emergency calls and death.^{107, 111–115} An upper limit of 26°C indoors has been proposed as sufficient to protect most occupants from heat-related injury and death, including those more susceptible due to age or health conditions.^{107, 111–115}

Keeping Buildings Cool in a Warming Climate

Widespread use of central air conditioning is one way to ensure indoor temperatures do not exceed 26°C. However, this also contributes to greenhouse gas emissions, strains power supplies during extreme heat events, and creates the potential for mass casualties during a power outage.^{116–119} A multi-faceted approach is required to promote sustainable healthy indoor temperatures. These approaches must be tailored to different types of housing. Public health can work with the planning, energy, and building sectors to develop systems that protect people without destabilizing the electricity grid or fuelling climate change. Strategies may include localized cooling with heat pumps, as well as non-mechanical options, such as different roofing materials and exterior window shadings, both of which help to reduce the building heat.¹¹⁸

New Buildings: Indoor Temperatures must be specified in Building Codes

The development of a new climate-resilient national building code is underway and should include a maximum indoor temperature standard.¹²⁰ Changes to the code must ensure that building performance considers human health in the context of other objectives, such as energy efficiency and carbon emissions. Doing otherwise can lead to climate maladaptation, such as airtight buildings that become dangerously overheated during hot weather.¹²¹

Although changes to the building code are a promising adaptation tool, national and provincial amendments will take time. Municipalities and local governments can act faster through the creation of new standards and building by-laws. Metro Vancouver has already changed its Building By-law to require that all new multi-unit residential buildings have mechanical cooling capable of maintaining an indoor temperature of less than 26°C by 2025.¹¹⁴

Existing Buildings: Evaluation and Retrofitting encouraged through Voluntary and Regulatory Means

The average lifespan of publicly-owned residential buildings in Canada ranges from 40–80 years.¹²² Most of the country's 14 million homes were built for past climatic conditions.¹²³ Efforts are needed to evaluate and retrofit existing housing to ensure safe indoor temperatures can be maintained in hot weather. In areas where the baseline climate will remain temperate, it may not be necessary to cool the entire home. One or two cool rooms can be adequate to keep occupants safe during heat events and is more feasible.

Assessing individual homes at risk of overheating can be accomplished through low-cost technologies, such as internet-connected thermostats. Programs to incentivize these technologies, combined with public health guidance for extreme heat emergency preparedness, could be used by homeowners, tenants, and landlords to identify environments at risk.¹²⁴

Some voluntary action to reduce heat risk in existing buildings can be incentivized through grants and rebate programs, but these may not benefit the populations most at risk. Regulatory action is likely necessary to address residential overheating equitably. Mandating a maximum indoor temperature in residential tenancy by-laws, as is done for minimum acceptable temperatures, and addressing outdated by-laws and regulations that limit installation of cooling devices in multi-unit residential buildings are two such options.¹²⁵

Thank you to contributing authors:

Dr. Angela Eykelbosh, Environmental Health and Knowledge Translation Scientist and Dr. Leah Rosankrantz, Environmental Health and Knowledge Translation Scientist
National Collaborating Centre for Environmental Health

Climate change will increase the level of pollutants and the quantity of pollen in the air.

This is expected to exacerbate respiratory diseases, asthma, allergies, and increase the risk of cardiovascular disease and death.⁵ Each year in Canada, 15,300 premature deaths and health impacts valued at \$1.4 billion are linked to current levels of air pollution.¹²⁶ The concentration of air pollutants, such as ground-level ozone and fine particulate matter, is expected to increase as climate change increases temperatures and humidity in many parts of the country.^{127, 128} Ground-level ozone — the air pollutant most commonly linked to smog — aggravates the lungs, exacerbates asthma, and increases hospital admissions and premature deaths.¹²⁶

It is estimated that a third of people in Canada have at least one risk factor which increases their susceptibility to the adverse effects of air pollution exposure.¹²⁹ Yet, some face disproportionate health risks related to air pollution and allergens, including older adults, children, pregnant people, Indigenous Peoples, people with pre-existing respiratory and cardiac conditions, people living in households with low income, people living in high air pollution areas, and people who live, work, or are active outdoors.¹³⁰

As a result of climate-driven increases in the frequency and intensity of wildfires, smoke emissions are exposing millions of people to high levels of toxic air pollutants for days and weeks at a time. It is estimated that between 570 and 2,700 premature deaths occur every year in Canada due to long-term exposure to fine particulate matter from wildfire smoke.⁵ In general, the exposure can cause a range of health complications from eye, nose, and throat irritation, to aggravating cardiovascular and lung disease.¹³¹ People living in areas prone to wildfires may also face an increased risk of developing lung cancer and brain tumours.¹³² However, wildfire smoke can impact air quality over vast distances, possibly

affecting the respiratory health of people who live hundreds or even thousands of kilometres away.¹³³ In 2018, wildfire smoke originating in British Columbia and Alberta travelled across Canada to affect air quality in Ontario, Quebec, and the Atlantic provinces, and ultimately reached as far as Ireland.¹³⁴

Increases in temperatures and carbon dioxide concentrations in the atmosphere have shifted the geographic distribution of plants, extending the aeroallergen season in Canada and increasing pollen counts.^{72, 102} Pollens are a major source of allergies, or allergic rhinitis, in North America.¹³⁵

Food quality, safety, and security are essential to health, but are threatened by climate change given the challenges it poses to global and domestic pillars of food systems. Warming temperatures and more frequent high precipitation events can increase occurrences of food-borne pathogens and illness. Droughts and floods can disrupt food supply chains by damaging or diminishing crop yields, reducing the nutritional quality of food, and halting food production processes through associated productivity loss. This can impact food availability, quality, and costs, leading to dietary changes, undernutrition, and food insecurity.^{5, 17, 72, 99, 102, 136}

The Prairie provinces are particularly susceptible to these climate change impacts. Alberta, Saskatchewan, and Manitoba account for more than 80% of Canada's agricultural land and the majority of the nation's irrigated agriculture.¹³⁷ High temperatures, combined with droughts, floods, and more variable precipitation can negatively affect crop yields across these regions, impacting domestic food supplies. For example, extreme heat can reduce yields of corn, soybean, canola, and wheat.¹³⁷ As the fifth largest exporter of agri-food and seafood in the world, disruptions in Canada's food production systems could have global consequences.¹³⁸

Climate change may also increase the frequency of chemical contamination of food sources. Flooding and wildfire smoke can carry pollutants onto agricultural land, spoiling or contaminating crops and livestock. Northern communities are particularly at risk, as glacier and sea ice melt can release contaminants that accumulate in food sources, such as fish and mammals.^{5, 36}

Indigenous communities that rely on traditional foods are at increased risk of food insecurity, due to significant impacts on food sources as a result of declines in biodiversity and shifting animal migration and population stability.^{139, 140} In northern regions, the rapidly changing environment is altering key species habitat, while melting sea ice is impeding the safe passage of hunters, reducing food accessibility and availability.^{5, 76, 139} Additionally, climate-related declines in marine fisheries are already impacting coastal Indigenous communities that rely on traditionally harvested seafood as an important source of nutrients that are difficult to replace.¹⁴¹ This exacerbates the challenges already posed by colonial disruption of Indigenous food systems and loss of access to traditional lands.

Water quality, safety, and security can also be impacted by climate change, as it increases the risk of microorganisms and toxins, which can lead to water-borne diseases.¹⁷ Heavy precipitation, rapid snowmelts, or sea level rise can reduce the availability of freshwater and damage supply systems, increasing the risk of contaminants in water used for drinking, cooking, bathing, cleaning, and recreational and ceremonial activities.

Communities that already lack access to safe water may feel the effects of climate change more acutely. About 14% of Canada's population, mostly in rural and remote communities, rely on small drinking water systems that serve less than 300 people.¹⁴² These systems, particularly those in Indigenous communities, are disproportionately affected by water quality and supply challenges. For example, in 2021, 89% of boil water advisories in Canada were for small drinking water systems serving 500 people or less, and as of May 2022, 29 First Nations communities living on reserves were still affected by long-term drinking water advisories.^{143, 144} To mitigate these threats, public health systems can support water system resilience (see text box "[Health Protection, Climate, and Small Drinking Water Systems in Canada](#)").

Health Protection, Climate, and Small Drinking Water Systems in Canada

Climate change could exacerbate the inherent challenges associated with small drinking water systems by affecting source water quality, quantity, and water infrastructure.

Source Water Will Become More Variable and Difficult to Treat Consistently to an Acceptable Standard

Changes to precipitation and flooding patterns will cause periodic increases in bacterial and chemical contamination of source water, as well as increased organic matter, which can negatively affect the treatment process.^{145–148} Increased occurrence of cyanobacterial blooms will increase potential for cyanotoxins in drinking water.¹⁴⁹ Wildfires will alter watershed hydrology, changing infiltration and runoff. This will affect surface water quality and groundwater recharge.^{150, 151} Sea level rise will worsen saltwater intrusion in island or coastal groundwater.¹⁴⁸ Drought will reduce groundwater recharge, increase water demand, and cause pollutants to be more concentrated in surface waters.

Water Systems Infrastructure will be more at Risk of Contamination and Damage

Changing temperature and baseline water quality will affect microbial growth in pipes and storage tanks. Extreme weather events will cause power outages to pumping stations and treatment plants, knocking out supply and treatment capacity. Damage to distribution pipes and storage systems, such as leaks and line breaks from floods or wildfires could cause pressure loss, impairing water delivery and allowing pollutants to enter systems. Wildfires will cause infrastructure damage, destruction, and melting of plastic pipes in distribution systems, causing chemical contamination.^{152, 153} Thawing permafrost will destabilize ground and damage underground pipes and storage tanks, causing contamination of water or infrastructure.¹⁵⁴

Addressing Climate Change Impacts on Small Drinking Water Systems in Canada

Regional, provincial, and federal agencies can help protect health and build water system resilience by encouraging water safety plans to include climate change associated risks to source water and infrastructure.¹⁵⁵ Agencies can enable better access to water quality data through increased monitoring, surveillance, and tools for sharing data, alongside trend analysis, modelling, and development of water quality forecasting tools and alert systems.¹⁵⁶

At the community level, strong intersectoral action and training is needed to ensure sufficient emergency prediction, preparedness, and response, including skills in building operations and maintenance.¹⁵⁷ Support and resources for water quality testing are also needed to assist response to and recovery from extreme events.

Thank you to contributing authors:

Dr. Juliette O’Keeffe, Environmental Health and Knowledge Translation Scientist
National Collaborating Centre for Environmental Health

Thawing permafrost, droughts, and flooding caused by climate change will exacerbate and compound the existing health challenges stemming from a lack of access to clean fresh water.⁵ Atlantic Canada is expected to experience the largest local sea level rise, which will lead to increased flooding of homes, businesses, community and marine infrastructure, and pose substantial problems for forestry, fisheries, agriculture, and transportation.¹⁵⁸ The loss of or damage to homes and belongings means a higher risk of physical exposure to the elements, pathogens, and mold growth, as well as reduced indoor air quality, displacement, and mental health issues.¹⁵⁸

Climate-related health risks amplify the need to respect water rights, which are essential to health equity and justice. Water rights refer to the inherent right to safe drinking water without discrimination for personal and domestic use, as well as social, economic, and cultural purposes.^{159, 160} The United Nations recognize access to safe water and sanitation as a human right, as the lack of access to it has devastating health effects and impedes the realization of other human rights.¹⁶¹

Water rights go beyond safe drinking water and include water sources where people fish for food. Prior to colonization, Indigenous practices guided the use of water. Now, inadequate access to safe and sustainable drinking water increases vulnerability to water-borne disease and exposure to chemical contaminants for some First Nations, Inuit, and Métis communities.^{162, 163}

Governance gaps make it challenging for Indigenous Peoples to exercise inherent and treaty rights related to water.¹⁵⁹ Canada's constitutional division of authority over water across different jurisdictions contributes to inconsistent standards for protecting it. Indigenous communities find themselves in a fragmented regulatory system, which increases the challenges related to access to safe drinking water.¹⁶⁴

The risk of infectious diseases is increasing with a rapidly changing climate. Temperature fluctuations and precipitation changes create expansions and shifts in the geographic range and abundance of climate-sensitive infectious diseases. Moreover, the threat of re-emergence or introduction of zoonotic diseases transmitted between people and animals is exacerbated by climate change, biodiversity and habitat loss, trade, and travel. This elevates the risk of future emerging diseases (see text box "[Climate Change and the Risk for Emerging Diseases](#)").

Climate Change and the Risk for Emerging Diseases

Climate change is affecting life cycles and transmission of viruses and other pathogens because of dramatic changes in weather patterns, water quality, vegetation, population movements, and other environmental factors. Expanded ranges for vectors have contributed to wider dissemination of diseases, such as Lyme disease, and a myriad of mosquito and tick-borne viral pathogens. For example, a 2013 review found a 10 to 50% increase in vector-borne diseases in the northern USA over the median of the preceding 10 years.¹⁶⁵ The ticks, mice, and mosquitoes that carry pathogens continue to spread into southern Canada.

Climate change's influence on the spread of infectious diseases depends on complex interactions between human behaviour, land utilization, urban planning, vector biology, mitigation strategies, and socioeconomic factors. For example, climate change is leading to certain groups of people, such as displaced or underhoused populations, living in more concentrated situations, such as shelters or community centres, which can facilitate the spread of infectious disease.¹⁶⁶ Temperature and humidity changes favour viral survival and spread, while shifts in diet may lead to gut microbiome changes that benefit pathogens.¹⁶⁶ Further, trade and travel can import diseases endemic to other parts of the world.

Climate hazards can also create prime conditions for infectious diseases to spread. For instance, interrupted access to clean water sources and sewage systems damaged by extreme weather events, increase the risk of diarrhoeal and water-borne illnesses.¹⁶⁷

Thank you to contributing authors:

Dr. Yoav Keynan, Scientific Lead and Margaret Haworth-Brockman, Senior Program Manager
National Collaborating Centre for Infectious Diseases

A changing climate also brings risks of new vector-borne diseases as the potential for vectors to establish themselves in new places in Canada grows.¹⁶⁸ Climate change has already led to greater ranges for ticks and mosquitos, increasing

the risk of human exposure to vectors that can transmit diseases, such as Lyme disease and West Nile virus (see text box "[Lyme Disease and Climate Change](#)").⁹¹

Lyme Disease and Climate Change

Tick-borne diseases are increasingly common in parts of Canada due in part to climate and land use change. Since the 1990s, when ticks first arrived in southern Ontario, the Public Health Agency of Canada has been monitoring the movement of tick populations and exposure patterns in people.¹⁶⁹ Lyme disease is caused by bacteria and spread through the bite of infected blacklegged ticks. It is one of the most rapidly emerging infectious diseases in Canada, the most commonly-reported vector-borne disease in North America, and incidence has increased more than 17-fold between 2009 and 2019.¹⁷⁰ In addition to Lyme disease, other tick-borne diseases, such as Anaplasmosis, Babesiosis, and Powassan virus, are starting to emerge in Canada and are likely to increase in frequency.

Climate change impacts tick populations through longer, hotter summers and milder winters that promote the ticks' rates of survival, growth, and reproduction.¹⁷¹ This means that they can survive and establish populations in areas where they previously could not and increase their numbers where they were already established. Longer summers also mean a prolonged season when ticks are active and people are outdoors, increasing the window of opportunity for the two to physically interact.

Additionally, climate change is expected to expand the range, abundance, and activity of rodent, bird, and deer hosts that carry the disease. These hosts allow the ticks to move through their life cycle and can facilitate tick travel over long distances.¹⁷¹

Text partially adapted from the Climate Atlas of Canada.¹⁶⁹ For information on Lyme disease in Canada including prevention measures, symptoms, and risks, visit <https://www.canada.ca/en/public-health/services/diseases/lyme-disease.html>.

Non-communicable diseases and disability,

as well as pre-existing chronic conditions, will also be affected by the changing climate.^{172, 173} People who live with chronic diseases or disabilities are at increased risk of illness or death when exposed to extreme heat and weather events, water-related illnesses, and poor air quality.^{5, 174} For instance, older adults with cardiovascular disease, high blood pressure, or diabetes are particularly vulnerable to extreme heat. The risk factors associated with non-communicable diseases and disability are also affected by climate change. Increasingly, there is recognition that infectious diseases can cause chronic illnesses and that infectious diseases are more severe in those affected by chronic illnesses.⁵ To understand and respond to these health concerns in a time of change we need to strengthen the links between public health efforts.

The relationship between mental well-being

and climate change is also complex, as it involves compounding and cascading risks. These can include adverse mental, spiritual, and emotional health impacts from exposure to extreme weather events, emergency evacuations, forced displacement, food and water insecurity, and social and economic disruptions.¹⁷⁵ Slow-onset climate changes such as increasing temperatures, sea level rise, permafrost thaw, and coastal erosion can impact vital landscapes, cultural practices, and heritage sites, leading to increased mental health challenges, particularly for those deeply connected to the land.¹⁷⁵ The trauma associated with these events, their impacts, and aftermath can exacerbate existing mental health conditions or bring about new ones. This affects individual mental well-being as well as community social well-being, which is considered an aspect of positive mental health.^{17, 99}

“ We have, I think, really underestimated the mental health impact of the [climate change] information itself because what we’re in essence talking about is a distressing diagnosis that impacts all of us, all of the patients we will ever treat, our family and our friends.”

—What We Heard Report participant

Many people in Canada are already experiencing negative mental health impacts due to current and future impacts of climate change. A survey of 2,000 Canadian adults reported that 49% of respondents were increasingly worried about the effects of climate change, while 25% stated that they often think about climate change and feel “really anxious” about it.⁵ Adverse emotional and behavioural responses, such as worry, grief, anxiety, anger, hopelessness, and fear have been linked to anticipated climate change threats.⁵

Children and youth are particularly vulnerable to climate anxiety, as they will bear the heaviest burden in light of escalating climate threats.¹⁷⁶ Globally, youth have reported significant distress about the impacts on their daily life, including fear about their future and the future of humanity, lack of government response or urgency, and feelings of betrayal and abandonment by adults.¹⁷⁶ These feelings can be chronic, long-term, and inescapable, increasing the risk of future mental health conditions in the absence of successful mitigation and adaptation efforts.¹⁷⁶


At the community level, climate change can disrupt social cohesion and community well-being through deterioration of cultural practices, sense of identity, place attachment, sense of belonging, and intergenerational knowledge sharing and transmission.²¹ These outcomes may be immediate or progressive, burdening future generations and emphasizing the structural and systemic nature of vulnerability.¹⁷⁷ Climate change is becoming an additional mental health stressor for resource-dependent communities, and in northern regions, such as Nunavut, the disruption of land-based activities, loss of comfort, and cultural identity are negatively impacting mental health and well-being.¹⁷⁸

Those who have a disproportionate risk of adverse mental well-being impacts from the climate crisis include children, youth, and older adults; Indigenous Peoples; those who have certain pre-existing physical and mental health conditions; as well as low socioeconomic groups and populations facing homelessness.¹⁷⁹ Additionally, certain occupational groups may also experience disproportionate mental health impacts due to climate change, such as those that rely on weather for livelihoods (e.g., farmers), and work in occupations that respond directly to climate-related emergencies (e.g., firefighters, first responders).¹⁷⁵

The health risks posed by a changing climate are shaped by a combination of climate hazards, exposure, and adaptive capacity.

These hazards and health risks are experienced in different ways, in different places, and by different groups of people. Exposure, vulnerability, and adaptive capacity are influenced by the social, economic, and ecological conditions that determine health at the individual, community, and population levels.^{5, 180, 181} These risks change across the life course (Figure 4).^{5, 17, 176, 182}

FIGURE 4: Climate Change, Health Risk, and Health Impacts across the Life Course



These are examples and do not represent the full range of possible climate change impacts across the life course.

Vulnerability and Inequitable Health Risk

“The poorest, the most vulnerable will be hit harder. So, we have a duty to protect the population, and this is through working on inequities. There are many studies that have shown that the less inequities in societies, the more resilient the population is and less hard it will be hit when a crisis comes.”

—What We Heard Report participant

Understanding the concept of climate change vulnerability is important and requires careful consideration and application in the context of public health. In addition to offering information on increased risks to health outcomes, knowledge about climate change vulnerability can help prioritize where resources and adaptation measures are most needed.⁵

In public health, the concept of vulnerability can be highly stigmatizing.⁵ It is important to recognize that climate vulnerability is not a label for communities or populations. Rather, it occurs when long-standing and systemic patterns of inequity drive differential exposure, sensitivity, and adaptive capacity to climate hazards.⁵ Vulnerability is influenced by factors, such as geography, age, sex, sexual orientation, gender identity and expression, experience of colonization, education, ethnicity, race, disability,


income, built environments, as well as living and working conditions.¹⁸³ Collectively, these factors are known as the social determinants of health.^{184–187} An understanding of these must include structural determinants of health, such as colonization and assimilative policies.¹⁸⁸ These upstream forces influence policies, programs, and systems that benefit some groups of people over others.¹⁸⁹

For people who experience gender-based marginalization, there is a higher risk of exposure and sensitivity to climate hazards.⁵ Women may experience increased climate-related anxiety and post-traumatic stress disorder, while also taking on disproportionate caregiving roles.¹⁹⁰ Climate change can exacerbate gender-based violence, with increased risk during or after extreme events.

In the wake of the 2013 floods in southern Alberta, gendered mental health impacts were observed, including increased anti-anxiety and sleep-aid prescriptions among women, and an increase in sexual assaults.^{191, 192}

Climate vulnerability is dependent on the degree of exposure to climate hazards, sensitivity to possible impacts, and capacity to adapt. These can be strongly influenced by social and structural conditions (Figure 5).⁵ In the case of coastal flooding, not everyone will experience the same risks and impacts. Housing type and location, access to financial resources to repair damage and pay for expenses associated with temporary or permanent displacement, and the stability of one’s livelihood are some of the factors that can influence individual physical and mental health impacts of flooding in a community.

FIGURE 5: Pathways to Climate Change Vulnerabilities and Inequities



Source: Figure adapted from U.S. Global Change Research Program. *The Impacts of Climate Change on Human Health in the United States: A Scientific Assessment* (2016).

Social and economic factors also drive differential access to the material and social resources needed to ease and adapt to the impacts to climate change.^{5, 193} For example, the historic and enduring legacy of colonialism underlies and perpetuates the structural disempowerment of Indigenous Peoples and their health, social, and economic inequity.¹⁹⁴ Generations of First Nations, Inuit, and Métis Peoples have seen land and wildlife destroyed and traditional ways of living degraded by climate change, which has further exacerbated

pre-existing health, social, and economic inequities.^{20, 188} This influences the resources available to Indigenous Peoples to respond and adapt to climate risks, such as inadequate community infrastructure, particularly in northern and remote communities.^{20, 91} As noted earlier, climate change disrupts the unique relationship that First Nations, Inuit, and Métis Peoples have to the land, which impacts their physical, emotional, spiritual, psychological, and cultural well-being (see text box “[Environment: The Ecosystem is our Health](#)”).^{5, 195}

Environment: The Ecosystem is our Health

Abridged excerpt from *Visioning the Future: First Nations, Inuit, and Métis Population and Public Health*¹⁹⁶

In what became Canada, Indigenous knowledge about relationship, responsibility, and reciprocity is confronted by a differing worldview, starting in the late-15th century. Settlers view environments, inclusive of Indigenous Peoples living within them, as commodities that can be claimed, controlled, and colonized. Colonizers’ anthropocentric view of the world drives policies and actions, harming the health of the environment and all beings connected with it. As the 21st century unfolds, the effects of this worldview are becoming increasingly blatant. Humans have exploited the natural infrastructure of Mother Earth, leaving one million species threatened with extinction. This biodiversity loss damages relationships between all beings. What is more, people who depend on these relationships find their livelihoods, food security, health, and quality of life endangered.

Biodiversity loss and climate change are intricately linked, and their common basis must be addressed.¹⁹⁷ To achieve this, Mother Earth needs to be recognized as foundational to the health of all beings because the ecosystem is our health system. We must shift from anthropocentric worldviews and re-learn that we, as humans, are part of a complex and interdependent web.

As a Hul’qumi’num woman who works as a medical health officer in my home territory, I go to the rivers to bath as Elders have taught me. I ask the water to carry my heaviness away. The land and waters are healers, as recent research has shown.

The urgent need to address our relationship with the environment is exemplified in many ways, including the western North American heat wave that occurred just days into the summer of 2021. Unprecedented high temperatures resulted in increased human deaths, deaths of other species (an estimated one billion deaths for seashore animals on the Salish Sea coastline alone), rapid snowmelts, flooding, exacerbations of drought, and wildfires.^{198, 199} The gravity of this situation necessitates a fundamental shift: We must place the well-being of our environment at the centre of all our decision-making. We need to rapidly re-envision the prevailing anthropocentric worldview of the planet to one where we honour our relationships with all beings in our shared environment.

The recognition, support, and advancement of Indigenous sovereignty is needed to protect the environment. After all, Indigenous sovereignty is sustainability.

Thank you to contributing author:

Dr. Shannon Waters, Medical Health Officer for the Cowichan Valley Region at Island Health – Vancouver Island Health Authority

Inequitable access to resources influences how a community can prepare, react, and adapt to a changing climate. Inequities prevent some communities and populations from proactively implementing climate adaptations.²⁰⁰ Even though rural and remote communities generally rely on natural resources and ecosystems, and face greater impacts of climate change, they tend to have fewer resources, systems, and services to respond to its disruptions. Despite this, these communities promote asset-based approaches that support climate resilience and adaptation.^{5, 201}

Ecological and Social Conditions that Shape Health in a Changing Climate

Social determinants of health influence the ecological determinants of health.⁸ These are the necessities of life – food sources, fresh water, oxygen, and other natural resources. Canadian communities do not have equal access to these, which is particularly consequential in the context of a changing climate that further threatens their quality, quantity, and availability.

The built environment demonstrates the complex interconnections between the ecological and social determinants of health. The way cities and communities are built can influence conditions for healthy living, greenhouse gas emissions, and the extent to which climate hazards impact health.²⁰² Our buildings and homes can affect our vulnerability to climate-related risks (e.g., heating and cooling, ventilation, resistance to extreme weather).⁵ Substandard housing leads to heightened health risks that can be further compounded by extreme weather events, heat-waves, permafrost thaw, storm surges, and severe coastal erosion.^{5, 203–205} Broader community design features are also important, since walkability, bike paths and lanes, good public transit, and green space can encourage active modes of transportation, and subsequently reduce greenhouse gas emissions.²⁰²

Social determinants influence the type of built environments we live in. Access to green space has been linked to a variety of health benefits, including improved air quality, fewer urban heat islands, flood mitigation, reduced stress, increased physical activity, greater social connections, and lower risk for premature death.^{206–210} However, in Canadian urban areas green space is not equally distributed. Less residential ‘greenness’ was observed for people living with lower income, immigrants (especially recent immigrants), young adults, visible minorities, and tenants.²¹¹ This means the benefits of green space are unfairly distributed. Without changes to the way natural resources and the environment are valued and governed, these inequalities will grow.²¹²

Health and well-being are dependent on and intimately connected to the ecological conditions and the ecosystems in which we exist.^{8, 213}

An unsustainable demand for natural resources, land use change (e.g., desertification, deforestation), and increased pollution have fundamentally altered our ecosystems.²¹² The way things are currently managed can lead to multiple deprivations, marginalization, and structural inequalities.²¹² Climate change has altered territories, seasonal practices, and the ability of communities to access land resources, which undermines many articles of UNDRIP, as well as the human rights of Indigenous Peoples by way of climate-driven challenges like food insecurity.^{214, 215}

This is evident in the stark reality that despite having the lowest household greenhouse gas emissions per capita, communities in Nunavut are experiencing warming at three to four times the rate of communities in the rest of Canada, which is causing severe local impacts.^{5, 23, 74, 216}

This inequity also holds true in the international context, as most high emitting countries are among the least vulnerable to negative climate change impacts, while those with the lowest emissions are often acutely vulnerable.²¹⁷

Bringing Public Health and Climate Action Together to Address the Threat

There are many competing public health challenges but given that climate change threatens the livability of the planet, compounds existing health issues, and widens health inequities, it must be a public health priority. This requires public health action in climate mitigation, adaptation, advancing co-benefits, and preventing maladaptation.

Just as there are limits to what can be done to treat injury or disease once it occurs, there are also limits to how adaptation can reduce the health impacts of climate change. If the annual average global temperature rises even 1.5°C, there will be situations where it will be extremely challenging to protect health.¹⁹ During heatwaves, some places will be too hot for survival. Though adaptation is important and the focus of many current public health initiatives, the severe and growing climate threat requires a concurrent focus on mitigation. This means addressing pressing threats to health already arising from climate change while working to reduce heat-trapping gas emissions and their effects.^{5, 25, 43, 218–221}

A strong public health response will require a multi-pronged approach that starts with developing dedicated climate-health action, as well as finding entry points for public health in climate efforts across jurisdictions and levels of government.^{43, 222} Health co-benefits offer a way into discussions about the role of public health. For example, modelling in Toronto and Hamilton suggested that in addition to reducing greenhouse gas emissions, shifting to electric cars, electric public transit buses, and more efficient trucks would result in cleaner air, lives saved through improvements to respiratory and cardiovascular health, and billions of dollars in annual social benefits.²²³ Demonstrating and emphasizing the health co-benefits can help individuals, communities, and decision-makers see the direct and tangible advantages of climate action, including immediate results in some cases.^{5, 224, 225} This helps counter the perception that climate efforts require giving up comforts and choices for an abstract long-term environmental benefit.^{224, 225}

Public health also has a key role to play in preventing maladaptation. Maladaptation is any deliberate adjustment in natural or human systems that unintentionally increases vulnerability to climatic impacts instead of reducing it.¹³ This occurs when actions increase exposure and risk in ways that are difficult to change and exacerbate existing inequalities.¹⁹ The intersectoral and equity-oriented nature of public health has relevance to preventing maladaptation by ensuring inclusive decision-making processes that include the perspectives of diverse groups and account for the differential risks they face.^{3, 19} It also has a critical role in preventing health risks or widening health inequities gaps from poorly planned greenhouse gas mitigation measures.³

Opportunities for public health systems to contribute to climate action are detailed in [Section 2](#). This includes building on existing strengths in our approaches and systems, and exploring opportunities to support mitigation, adaptation, and co-benefits.

Current Public Health Action in a Changing Climate

There has been growing international attention to climate change and health. In addition to the WHO's emphasis on health, equity, and climate change at COP26, the *Lancet Countdown Report on Health and Climate Change* publishes annual international progress on 41 indicators related to climate change and health.²²⁶ Health impacts are also documented by the IPCC, which informs international discussions and national policies on climate change.⁴² The international health community is also engaged in assessing their countries' commitments to the Paris Agreement (known as Nationally Determined Contributions) to track how health is integrated into climate policy, if at all.²²⁷

In Canada there is ongoing work to develop and implement a National Adaptation Strategy (NAS).²²⁸ It sets out a shared vision that includes transformational goals and tangible objectives to drive cohesive and collaborative action to help prepare Canada to adapt to climate change. It outlines a whole-of-society approach that includes roles for federal, provincial, territorial, Indigenous, and local governments, as well as the private sector, communities, and individuals. Health and well-being are prioritized as one of five thematic areas, and public health partners have been active in supporting these pillars as part of policy work. Additionally, Health Canada provided multi-year funding for health sector capacity building through HealthADAPT to support the human health and well-being objectives of the [Pan-Canadian Framework on Clean Growth and Climate Change](#).²²⁹

A knowledge and evidence base on climate and health is also advancing across Canada. The recently released report, [*Health of Canadians in a Changing Climate: Advancing our Knowledge for Action*](#), provides the latest evidence on health impacts on individuals and health systems, as well as information on effective adaptation measures.⁵ Canadian medical and public health organizations develop an annual Canadian policy submission for the *Lancet Countdown* on key issues across the country.²²⁶ Looking ahead, [*Climate Science 2050: Advancing Science and Knowledge on Climate Change \(CS2050\)*](#), is a national evidence synthesis effort that is underway to better understand the climate change science and knowledge needs that exist in Canada. This will guide and prioritize science investment and research planning for a climate-resilient Canada.²³⁰ This includes supporting efforts to reduce emissions to 40 to 45% below 2005 levels by 2030, as well as the ambitious goal of a net-zero Canada by 2050, which is either emitting no greenhouse gases or offsetting the emissions through carbon capture actions.^{230, 231} The plan also puts forward five thematic pillars, including one on ‘Resilient and Healthy Canadians’.

Strong climate leadership and action among national Indigenous organizations is both long-standing and ongoing. First Nations, Inuit, and Métis Peoples have been at the frontline of climate action to protect their communities and the broader environment. Many Indigenous leaders have called for action to reduce emissions, address the impacts of climate change, and improve the ways in which the natural environment is protected and respected.²³² All climate action should recognize the leadership and work of Indigenous Peoples, as well as their status as rights holders.

In 2020, the Assembly of First Nations hosted a National Climate Gathering to discuss the climate crisis and explore First Nations perspectives on its impacts, risks, and opportunities.²³³ Their final report emphasized that a healthy environment is the foundation upon which all other aspects of life depend, including health and well-being, language and culture, water, and food security.²³³ Inuit Tapiriit Kanatami’s climate change strategy from 2019 recognizes Inuit health as one of the five priorities driving climate action for Inuit communities.²¹ Additionally, in 2020, the Métis Nation identified the priorities to advance its climate leadership, such as capacity-building, traditional knowledge, research, and data collection to guide their climate change and health policy.²³²

Federal partners also continue to support Indigenous climate leadership at the local levels. Crown Indigenous Relations and Northern Affairs Canada offers funding for adaptation projects in Yukon, Northwest Territories, Nunavut, Nunavik, Nunatsiavut, Eeyou Istchee Territory and NunatuKavut through *Climate Change Preparedness in the North Program*.²³⁴ This program works with Indigenous and northern communities, territorial and regional governments, and others to identify priorities for climate adaptation and action, with projects centred on local knowledges and experiences. Indigenous Services Canada established [*The Climate Change and Health Adaptation Program \(CCHAP\)*](#) in 2008.²³⁵ It was also developed in response to concerns from northern First Nation and Inuit communities that were directly impacted by climate change.^{235–237} In 2016, CCHAP was expanded to include First Nations south of 60° N. It funds communities and organizations working on behalf of or in partnership with Indigenous communities to support efforts to identify, assess, and respond to climate health impacts while respecting Indigenous sovereignty.^{235, 238}

Provincial and territorial efforts continue to advance climate action that prioritizes health. In northern Canada, food security has been emphasized in climate change initiatives as a determinant of health.²³⁹ Climate change and health assessments have identified emergency evacuation plans for each major territorial health-related facility, while community clean air shelter assessments provide safe zones for extreme events, such as wildfires. There are also ongoing efforts across the territories to monitor and plan for the health impacts of extreme events.^{240, 239} In Western Canada, an interactive air quality map has increased understanding of air pollution, including wildfire smoke, and provides advice for reducing risk.²⁴¹ Meanwhile in Atlantic Canada, a climate readiness scan has been developed for the continuing care sector, and public health and safety have been incorporated in climate change risk assessments.²⁴²

Similarly, local public health efforts have galvanized place-based action. Just as the impacts of climate change vary across the country, the work of local public health systems is also not uniform, as it is rooted in local needs and priorities. This includes adapting existing public health initiatives to better focus on climate change.

Examples of provincial, territorial, and local climate-health action are highlighted throughout subsequent sections to illustrate the ongoing leadership of public health systems across jurisdictions in Canada.

Existing public health action — from local to international — offers important contributions to efforts addressing the health impacts of climate change. However, the severity and urgency of the climate crisis demands new and greater attention. [Section 2](#) explores how a deeper range and depth of public health action on climate change can better promote and protect health. It also details how a strengthened public health system is central to addressing this complex public health crisis.



SECTION 2:

Opportunities to Advance Climate Action in Public Health


To effectively promote and protect health in a rapidly changing climate, public health systems in Canada must both broaden and fine-tune public health functions, tools, and activities. This report includes a roadmap to support ongoing discussions about the role of public health in climate action, as well as the broader conversations about public health system-level transformation sparked during the COVID-19 pandemic ([Figure 6](#)).

This roadmap was developed through a literature review and guidance from public health and climate change experts across Canada (see [Appendix C: Methodology](#)). It is intended to build on and complement existing guidance, such as the World Health Organization's (WHO) promotion of climate-resilient health systems and direction on climate-health vulnerability and adaptation assessments, as well as the Pan American Health Organization's (PAHO) work on new essential environmental public health functions.^{94, 243–246}

This roadmap shares their focus on understanding and addressing climate-health risks and building resilience. It also offers a unique contribution by focusing on mobilizing public health systems for climate action in the Canadian context against the backdrop of broader public health system transformation (see the [2021 annual CPHO report: A Vision to Transform Canada's Public Health System](#)).

Each of the roadmap's action areas has implications across essential public health functions and system-level building blocks, and is illustrated by practice examples from across the country. Many areas have value beyond climate change and can support action to address other complex public health issues.

FIGURE 6: Responding to Climate Change across Public Health Systems: A Roadmap for Action



To address the health impacts of climate change, public health systems will have to work across all essential public health functions.^{243, 247–250} First developed for Canada in 2003 in the wake of SARS, these functions categorize the “what” of public health action.^{251, 252} They are a useful way to describe the breadth and depth of public health efforts and include health promotion, health surveillance, health protection, population health assessment, disease and injury prevention, and emergency prediction, preparedness, and response.

These functions are interconnected and used together to support a broad range of climate-health action. This work ranges from health promotion initiatives like greening parks and playgrounds, to vector surveillance and control to combat the spread of mosquitos and ticks enabled in part by climate change. The assessment function relating to climate change and health vulnerability and adaptation assessments is particularly important for identifying and preparing for future climate risks to health. [Appendix A](#) offers further examples of how public health functions can be applied in this context.

Implement a Range of Interventions to Address Immediate Health Challenges and Prevent Future Health Risks from a Changing Climate

“Public health is doing all this work that is totally related to climate change... the intersections are there. Some health units are doing really well, really engaging in land use planning and transportation planning, where we become a partner in co-developing policies and plans and strategies that fold all of the things that we need to create healthy, sustainable communities into our work.”


—What We Heard Report participant

Public health systems can best support climate action by advocating for interventions and implementing them across the upstream-downstream continuum (Figure 7). Working to simultaneously address immediate challenges and prevent future risks is a familiar model for public health (see [2021 CPHO report](#)).²⁵³ It also aligns with the dual focus on mitigation and adaptation that climate action requires. There will always be the need to find the right balance between adapting to the downstream impacts while also addressing the conditions that lead to

individual and community vulnerabilities and the root causes of climate change. Without this balance – and particularly in the absence of upstream action – the downstream climate impacts on disease and injury will continue to grow and burden the health system and broader social-economic systems.

A key focus for upstream public health attention is climate change mitigation. The two biggest sources of greenhouse gases in Canada are the oil and gas sector and the transportation sector.²⁵⁴ The Intergovernmental Panel on Climate Change (IPCC) has emphasized that cutting greenhouse gas emissions in the energy sector will require a substantial reduction in the use of fossil fuel, greater energy efficiency and conservation, and the use of low-emission energy sources and alternative energy carriers.²⁵⁵ In addition to supporting public and active transit, such as walking and biking, mitigation strategies in the transportation sector include electric vehicles powered by low-emissions electricity.²⁵⁵ These actions have many potential health co-benefits, and public health can play a role in advancing them through community and policy action, and behavioural science approaches to support people and communities in making climate friendly and healthy choices where they live.^{256–258} In urban settings, greenhouse gas reduction can be achieved by prioritizing sustainable energy and materials, repurposing or retrofitting buildings, and prioritizing dense development linked by public transit and with local services and jobs. Further, increasing carbon uptake and storage is important, for example through urban forests, which can remove carbon dioxide from the atmosphere through photosynthesis and store carbon in vegetation.²⁵⁵

FIGURE 7: Upstream to Downstream: A Continuum of Climate-Health Action



These are examples of actions and do not represent the full range of possible adaptation and mitigation interventions.


Upstream action on the social and ecological determinants of health can be supported with a health promotion approach. This recognizes that social, economic, ecological, and political conditions intersect to influence where, why, and how risk, vulnerability, and health outcomes occur and cluster.^{259–262} This requires intersectoral action to build healthy public policy, create supportive and healthy environments, and strengthen community action.²¹³ Although challenging, public health can advocate and provide the evidence for focused attention on key societal conditions that impact health, such as income, racism, colonization, ageism, employment, education, built environments, and housing.^{5, 8, 102, 263–265} International commitments, including the *Ottawa Charter for Health Promotion*, the *Geneva Charter on Well-being*, and *United Nations Declaration on the Rights of Indigenous Peoples* (UNDRIP), underscore the importance of an upstream health promotion approach to public health action on climate change.⁵⁵

Public health initiatives to address downstream impacts must continue alongside upstream action. As detailed in [Section 1](#), climate change poses a number of urgent health threats that require immediate action. Public health systems lead and partner on a number of critical programs to address existing climate impacts and the need for them is likely to grow. Many relate to the role of public health within emergency responses, to protect populations from risks such as extreme weather (e.g., storms, heatwaves), wildfires, or floods.^{266, 267} This includes warning systems, and

preparedness plans, as well as public education and risk communication. Downstream impacts are not limited to physical health outcomes. There is growing attention to the need to address the wide range of mental health outcomes impacted by climate change.^{5, 175} Public health responses to this include communication and outreach, community engagement, and mental health literacy and training.^{5, 102}

Public health attention across the upstream-downstream continuum is necessary to address the complexity and scale of climate-related health issues. This is consistent with a One Health approach, which takes an integrated and unifying approach to sustainably balance and optimize the health of humans, animals, plants, and ecosystems.^{268–270} It involves working across sectors, disciplines, and communities to promote and protect health, take action on climate change, contribute to sustainable development, and address our collective need for healthy food, clean water, energy, and air (see [Figure 8](#)).²⁷⁰ The interconnections between humans, animals, plants, and their shared environments influence, and are influenced by, conditions and interventions at each level along the continuum. A One Health approach calls on public health to think beyond human health, which has particular relevance in the context of climate change.^{265, 271, 272} However, for this approach to fully reflect equity, a guiding principle of public health systems, explicit attention to equity, and justice for human and animal systems is needed.^{253, 273}

FIGURE 8: One Health Approach



Prioritize Community Expertise and Engagement for Equitable and Effective Climate Action

Climate change has wide-ranging impacts on physical and mental health, as well as on our ecological, social, and economic environments. However, the nature and severity varies a great deal, influenced by determinants of health (e.g., income, employment, living and working conditions) and structural systems of oppression (e.g., colonization, racism, ableism, heteronormativity).^{5, 264} As a result, in order to understand and address the health impacts of climate change, public health systems must prioritize a focus on equity and support the leadership of community.

Embedding Equity and Justice in Public Health Action on Climate Change

A focus on equity and the social determinants of health is key to understanding and addressing the differential impacts of climate change.^{19, 264} An equity lens is required across all public health functions. It guides surveillance and population health assessment efforts to identify health inequities and understand their root causes.^{274, 275} It strengthens the case for health promotion and upstream public health action. Focusing on understanding who is most impacted by climate change and why also influences where and how health protection functions are applied. This can include prioritizing action for communities facing disproportionate risk, ensuring public health responses reflect the community and context, and responding to urgent needs while addressing structural issues that lead to greater risk.

To date, an equity lens has not been consistently applied to climate change.^{5, 276, 277} While some social determinants of health have been a focus

for research, others require further attention. For example, climate adaptation efforts have had a greater focus on inequities related to income, but less so on the experiences of First Nations, Inuit, and Métis Peoples, racialized, migrant and LGBTQ2S+ populations, and people with disabilities.^{3, 277–279}

Applying an equity lens to knowledge and research can highlight differences in climate-health impacts across populations. It also supports an understanding of how climate change – and our response to it – can create new inequities. This includes the risk of maladaptation, which can exacerbate existing inequities.^{5, 19} For example, if new urban green spaces in low-income neighbourhoods result in gentrification, residents may be displaced.⁵ Maladaptation also occurs when actions favour one group over another, such as a lack of cooling centres in low-income areas, despite the likelihood of higher need.⁵ A commitment to equity can also ensure the potential benefits of climate change activities are distributed fairly.

Peel Region has put equity principles into practice with its urban forest, which was a local priority to support climate mitigation and adaptation.²⁸⁰ Working with conservation authorities, local municipalities, public health professionals, foresters, and planners, the region identified neighbourhoods particularly vulnerable to extreme heat and prioritized them for tree planting.^{280, 281} This approach was designed to improve the equitable distribution of tree cover and public green space across the region.²⁸⁰

Concepts of justice are also important for climate action.²⁷⁶ Environmental justice means that no population suffers unjust and disproportionate environmental harm, and that all people are fairly treated and meaningfully involved in environmental laws, regulations, and policies.^{28, 282} Adopting this principle ensures that communities and populations facing vulnerability do not face damaged ecosystems or increased health risks

because of their vulnerabilities.²⁸ It also requires public health to consider equitable access to clean air, water, and food, which are fundamental ecological determinants of health.²⁸ Community engagement is key to building equitable processes and outcomes in climate adaptation interventions.⁵ Resources for community capacity building are necessary to support this work.¹⁹

Environmental justice has particular relevance for First Nations, Inuit, and Métis Peoples, led by Indigenous conceptualizations of justice. It is important for addressing climate change, as well as other wrongs caused by colonization.²⁸³ Colonialism is directly related to environmental changes that have impacted the ecological systems that support the culture, health, economics, and self-determination of Indigenous Peoples.²⁸⁴ It led to industrialization and carbon-intensive economies, driving climate change through deforestation, fossil fuel extraction and burning, and pollution.²⁸⁴ This has harmed the environment, displaced Indigenous Peoples, and disrupted customs, skills, and identities connected with local ecosystems, including plants and animals.²⁸⁴ In response, an Indigenous environmental justice approach emphasizes the importance of all relations, which requires a concurrent focus on Indigenous knowledge systems, legal orders, governance, and concepts of justice.²⁸³

A focus on justice also prioritizes youth and recognizes the climate risks past and current generations have created for future generations.^{285–287} Action for intergenerational justice has been led by youth activists, who have mobilized around the world to address climate change.^{99, 285} They have stressed the importance of recognizing youth as leaders, including early engagement in decision-making, providing platforms for youth to discuss their climate-health concerns, investing in youth-led initiatives, and prioritizing diverse youth voices.^{99, 288} The IPCC has emphasized the

critical consequences of climate change for young people and underlined the importance of engagement with youth for effective and equitable climate governance.^{255, 289} This is being recognized through initiatives such as the United Nations Secretary-General’s Youth Advisory Group on Climate Change and the Government of Canada’s Environment and Climate Change Youth Council.^{290, 291}

Collaborating with Communities for Climate Action Built on Place-Based Knowledge and Leadership

“It’s not enough to have epidemiologists, virologists, etc. It’s also important to have historians, to have anthropologists, to have Indigenous Elders, to have Black Elders, to have representatives from several communities, to have people who are experts in decolonization, to have a plethora of people so that we can approach and tackle problems with several solutions.”

—What We Heard Report participant

The complex mix of environmental and social conditions that influence health play out differently across communities, giving “place” as a unique local context a central role in how health and health equity are understood and promoted.²⁹² Like other public health issues, climate change has global and local implications, requiring responses that are context and community-driven, as well as connected to national and international efforts.^{293, 294}

Community members are experts on their local context but are often disconnected from decision-makers with the resources and power to create systemic change.^{8, 283} Community engagement has long been recommended to address this gap and is integral to health promotion.^{213, 263, 295–297} Inclusive and equitable community engagement in public health action is particularly essential to effectively address complex problems and build the conditions for good health.^{5, 94, 298} Public health can facilitate and advocate for community engagement in climate action.²⁴³

Community engagement and decision-making are key to procedural justice, which relates to fair participation and a just process.²⁷⁶ A crucial role for community partners is involvement in population health assessments as well as in climate change and health vulnerability and adaptation assessments. This form of engagement can help

build understanding of local context, identify local threats to health, map community assets and resources, and contribute to monitoring and evaluating interventions.^{5, 94, 229, 277, 299} By looking at hazards, exposures, and vulnerabilities concurrently as part of a process driven by local empowerment and action, public health can better support community climate resilience.^{8, 94, 181, 264, 300}

Engagement is also critical to ensure appropriate emergency preparedness and response. The increasing risks posed by natural disasters can threaten the physical and social structures of communities, requiring particular attention from the health system, including public health, to protect health and prevent disease and injury (see text box “[Supporting Community-Centred Preparedness to Address Population Mobility from the Impacts of Climate Change](#)”).

Supporting Community-Centred Preparedness to Address Population Mobility from the Impacts of Climate Change

Many extreme weather events in Canada have forced people to evacuate from their homes and regions – some repeatedly – sometimes never to return.^{301–303} Evacuees’ experiences are traumatic during a disaster and have long-reaching effects when the event itself is over, resulting in increased rates of anxiety, depression, and post-traumatic stress disorders.³⁰⁴

The role of public health is to work with communities to prepare for, adapt to, and mitigate the effects of evacuations and other causes of population mobility before, during, and long after evacuations. This needs to include supporting community-centred preparedness that is based on local knowledge and leadership. For example, engaging and collaborating with communities around returning home, rebuilding lives, and ensuring key services, such as mental health and family violence services, are available.^{305–307}

Public health support for community engagement and community-led action in First Nation, Inuit, and Métis communities is particularly important given pre-existing and ongoing health and social inequities as a result of colonization, and emergency preparedness and response efforts that have lacked Indigenous perspectives.^{308–313}

Thank you to contributing authors:

Dr. Yoav Keynan, Scientific Lead and Margaret Haworth-Brockman, Senior Program Manager
National Collaborating Centre for Infectious Diseases

“Decolonizing public health spans the whole gamut. It is the important work of not only reconciliation but resurgence and meaningful allyship (not performative allyship) and LandBack. So, repairing, restoring, and centring Indigenous communities and their right to self-determination, and their leadership on these fronts is essential.”

—What We Heard Report participant

For First Nations, Inuit, and Métis Peoples, public health support for community leadership must go beyond engagement to support self-determination at the pace and in the ways First Nations, Inuit, and Métis partners choose.^{196, 314–316} As a principle, self-determination is about empowering and enabling communities to build capacity and gain control over the conditions and forces that affect their health and well-being.³¹⁵ It is an essential aspect of decolonizing public health systems, a precondition to reconciliation, and the key to addressing long-standing inequities that influence emerging public health challenges.^{196, 314}

Self-determination is deeply relevant to addressing the health impacts of climate change and should be the foundation for climate-health research, assessment, action, and governance. Despite Indigenous leadership in environmental and climate justice movements across the world, many government climate change plans fail to respect the right to self-determination.³¹⁶ Governments and civil society must recognize First Nations, Inuit, and Métis Peoples' expertise and leadership by supporting self-determination in climate action.^{196, 316} Decolonial and anti-racist frameworks must underpin public health action in order to address the unequal distribution of power and access to the ecological and social conditions that determine our health.³¹⁷

Advance Knowledge to Understand, Predict, and Respond to the Health Impacts of Climate Change

Broader and deeper knowledge is needed in Canada to more fully understand the range of health impacts associated with climate change, their inequitable distribution across populations, and how best to address them.^{5, 318–320} This can be supported by research on a broader range of climate-health pathways, more attention to diverse climate change experiences, integrated climate-health surveillance, and intervention research and implementation science to understand how to protect and promote health in a changing climate. These priorities will be enhanced by better integrating Indigenous and Western knowledge.⁴³

While these areas of inquiry are important for guiding our work, they should not preclude urgent climate-health action. To date, efforts have largely focused on planning and implementation, which has been slow, incremental, and small-scale.⁴³ Scaling up of existing actions and implementing new actions are necessary to prevent catastrophic health impacts.^{255, 321}

Understanding the Full Picture of Climate Impacts on Health

While considerable climate-health research has been completed, the myriad of relationships between climate and health require further attention. The field of public health must help address the gaps by researching all health impacts of climate change, advancing research on the pathways between them, and improving intersectional data for public health surveillance to capture climate-health connections. These advances can help identify health co-benefits of various climate actions and inform interventions. Additional details on research and climate-health knowledge gaps can be found in respective

chapters of the *Health of Canadians in a Changing Climate Report*, the CPHO companion document *Generating Knowledge to Inform Public Health Action on Climate Change*, and *Climate Science 2050: Advancing Science and Knowledge on Climate Change*.²³⁰

Current research has focused on a fairly narrow selection of health outcomes related to climate change, particularly infectious diseases as well as respiratory, cardiovascular, and neurological outcomes.^{319, 320, 322} Researchers have emphasized the need for further research on broader health impacts, such as mental, maternal, and child health.^{5, 179, 319, 320, 323} Existing research has also focused more on impacts than on action. Literature reviews have noted a need for more research on mitigation and adaptation interventions.^{91, 319, 320, 324}

There is also a need for more research on future impacts, including climate models and simulations that project what is yet to come.^{5, 244, 319, 325} Most climate-health research has focused on past observed impacts. As a result, there is an important knowledge gap about how climate change will differentially impact health under 1.5°C and 2°C warming.⁸⁶ There is also little evidence on how effective, or ineffective, adaptation strategies will be in the future under different levels of warming.^{319, 326}

The distribution and clustering of climate-health impacts, as well as the interventions needed to prevent and address them, also requires further attention. The experiences of urban communities have received some consideration, but more regional analyses is required across Canada, particularly in rural and remote areas.^{319, 323} While there is some research in this area that explores the role of age, and sex and/or gender, less has been done on the experiences of racialized populations, gender and sexually diverse populations, Indigenous Peoples, as well as those experiencing homelessness or living with low-income.^{5, 319}

Understanding the distribution of climate-health impacts opens further inquiry into the root causes of differential risk.^{5, 276} Public health can help strengthen the knowledge base on the complex direct and indirect pathways between ecological and social determinants of health, climate change, and health outcomes. As described in [Section 1](#), determinants of health influence, and are influenced by, differential exposure, sensitivity, and adaptive capacity to climate change, all of which can impact health outcomes.

A greater understanding of these direct and indirect pathways can inform interventions to protect health and prevent disease and injuries associated with climate change.^{5, 91, 319, 327} This can include intervention research, as well as implementation science research to understand the uptake and implementation of evidence-based practices. Public health research can also support a greater understanding of resilience and protective factors and form partnerships to help promote community resilience and community-based action.^{5, 19, 328}

Strengthening Climate-Health Monitoring and Surveillance

“ We need to be tracking on a health systems-wide level how climate change is impacting people in real time ... If you don't have data, then it's really hard to convince people to do anything, convince government to do anything. ”

—What We Heard Report participant

Increased surveillance and further monitoring of the health impacts of climate change are needed at the individual, community, and population levels to fill critical knowledge gaps and inform action.³²⁹ Public health can further increase knowledge of the climate-health impacts through our recognized expertise in data, surveillance, monitoring, and integrated risk assessment. To do so, we need to adapt surveillance tools to better monitor vulnerabilities, risks and exposure to climate hazards, as well as climate-health outcomes.^{5, 324, 330} It also requires the application of broader approaches such as One Health to ensure the full context of human, animal, and environment relationships that shape these outcomes are captured.³³¹ One example of bringing One Health into surveillance is underway across Saskatchewan, Alberta, and British Columbia. This collaborative project aims to generate evidence on how ticks and tick-borne disease are impacted by climate change in these three western provinces, with a focus on animal and human health.³³²

To inform comprehensive and targeted climate action, surveillance must integrate data on ecosystems, environmental determinants of health, infrastructure, and the capacity of systems to respond to climate risks.^{5, 94, 318} This form of integrated risk monitoring is recommended by the WHO, and the information it could generate would be useful to understand differential risk and develop early warning systems.⁹⁴ For example, heavy rainfall connected to climate change has been found to impact water contamination.^{333, 334} However, the WHO found that more than 60% of countries, including Canada, currently do not include weather and climate information in health surveillance systems for water-borne diseases.⁶²

The SUPREME integrated heat health warning system in Quebec is an example of an integrated risk monitoring system.³³⁵ It was developed in collaboration between the Institut National de Santé Publique du Québec, the Québec Ministry

of Public Security, and Environment and Climate Change Canada's Meteorological Service of Canada. It includes indicators related to exposure, neighbourhood vulnerability, and health outcomes, which allows for more targeted heat warnings and interventions to mitigate heat-related risk, particularly for vulnerable populations.

Existing public health surveillance programs can be modified. This requires integration of key data, such as environmental changes, deforestation, and other land use trends, as well as the cumulative nature of the health impacts of climate change.^{62, 330, 336, 337} They can also recognize and account for the given geographic and social context, such as health-related indicators of climate change in Nunavut.³³⁸ Surveillance systems can be strengthened to better monitor the link between climate change and chronic conditions, such as cardiovascular disease caused by extreme heat, as well as focusing on maternal, children and youth health, mental health, the aging population, and other Canadians in vulnerable situations.³³⁹

Public health systems can build on lessons from the COVID-19 pandemic to enhance pan-Canadian climate surveillance and reporting of climate-related health effects. For example, COVID-19 has spurred efforts to address longstanding issues that have impacted Canada's ability to collect, share, access, and use health data to inform public health advice and improve the health system through the Pan-Canadian Health Data Strategy.³⁴⁰ This is essential to address gaps in existing data across jurisdictions and sectoral silos.^{44, 318, 341} There are other promising initiatives to build on here and internationally.³¹⁸ For example, the *Lancet Countdown's* indicators cross multiple domains: impacts, exposures, vulnerabilities, adaptation, planning, resilience for health, mitigation actions, health co-benefits, economics, finance, and public and political engagement.²²⁶

Expanding surveillance also requires a focus on health inequities. Data that can be disaggregated by demographic variables would greatly improve what we know about climate change vulnerabilities.^{5, 190, 243} This also allows for greater understanding of the interconnections between inequities and how they drive risk. A good example is a report completed by the BC Coroners Service, which found that most of the heat-related deaths associated with the 2021 heat dome were among older adults who lived alone and whose health was compromised by multiple chronic diseases.⁶⁶ The data also showed that more of the people who died lived in socially- or materially-deprived neighbourhoods than the general population.⁶⁶ Intersecting inequities can be captured by using multiple equity stratifiers concurrently, such as race, income, gender, and disability status, or through indices.³⁴² This would support population health assessment of differential climate-health risks and impacts. The Public Health Agency of Canada recently released a literature review and checklist to support integrating intersectionality theory in quantitative health equity analysis.³⁴³

Interoperable health data and surveillance are also crucial for capturing the public health impact of climate-driven emergencies. Disaster research links surveillance and emergency preparedness to monitor the health impacts of extreme weather events and natural disasters using hospital, public health, and reportable disease surveillance data.^{344, 345} For example, for six weeks after the 2013 floods in southern Alberta, public health surveillance was implemented to detect health outcomes, such as injuries, mental health issues, and infectious diseases.¹⁹² Data on presenting complaints in emergency departments, prescription drugs, and reportable diseases were used to inform public health responses.¹⁹²

Enhanced climate-health surveillance would help advance climate change and health vulnerability assessments in Canada. In a 2018–2019 survey of 80 health sector officials across Canada, only 35% of respondents reported having undertaken a vulnerability and adaptation assessment for climate change and health.⁵ Health Canada's HealthADAPT program recently provided funding and support to 10 local and regional health authorities to build capacity to understand and address the health impacts of climate change, including completing vulnerability and adaptation assessments.⁵

Fostering Indigenous Research Leadership and Indigenous Knowledges Sovereignty

“What we're trying to teach is that traditional knowledge is not just for Indigenous people, it's for everybody. All you have to do, really, is start to respect and understand traditional knowledge of Indigenous peoples and you will see there will be a groundswell of new creative and innovative ways and means in which to address these challenges that we face today in the world.”

—Siila Watt-Cloutier, excerpt from *Indigenous Knowledges and Climate Change, Climate Atlas of Canada*⁵¹

As discussed in [Section 1](#), First Nations, Inuit, and Métis knowledge systems are critical for identifying, mitigating, and adapting to changing environmental conditions. They make a fundamental contribution to the knowledge base of climate change. Combining the unique contributions of Indigenous and Western knowledge

and applying concepts of ‘two-eyed seeing’ has been found to improve climate-health monitoring and surveillance, better identify and assess climate risks, and enrich climate adaptation policy and practice.^{5, 19, 346} (See text box “[Indigenous Knowledges and Climate-Health Action](#)”).

■ Indigenous Knowledges and Climate-Health Action

Abridged excerpt from: *Climate Change and Indigenous Peoples’ Health in Canada*.³⁴⁷

“ Indigenous people have drawn on Indigenous knowledge and science for millennia to understand and respond to climate and environmental changes they faced... We must correct the path we are walking on and return to the special relationships, the teachings, the knowledge and practice that maintains respect, honor, and relationship with the natural world. ”³⁴⁷

Indigenous knowledge systems are comprised of understandings, skills, and philosophies about the ethical, social, political, and governance aspects essential to community survival and resource sustainability. There are different types of Indigenous knowledges such as Traditional Ecological Knowledge, Traditional Knowledge, and Inuit Knowledge or Inuit Qaujimagatugangit. All are dynamic and living concepts that denote the understanding, interdependence, and relationality between Indigenous Peoples and the lands they call home, including all Creation and beings (animate and inanimate) within that land.³⁴⁸

Indigenous knowledges are embedded within Indigenous languages and transmitted to next generations through community knowledge.^{349–352} This includes observations about the land, plants, insects, forests, waterways, sea, sea ice, soil, weather conditions, and migratory patterns of animals.^{348, 349, 353}

Indigenous knowledges have significantly contributed to the survival and resilience of Indigenous Peoples. It is equal to Western scientific information in understanding and adapting to climate change. In fact, Indigenous and Western scientific knowledge systems can accentuate and strengthen each other in understanding and addressing climate change. However, meaningful connections between Indigenous knowledge systems and Western climate change research and policy remains a challenge. Efforts must be made to support the participation of Indigenous scholars and knowledge holders in climate change discussions and action plans to contextualize their unique lived experiences as well as cultural and colonial realities.

Indigenous knowledges and worldviews provide powerful teachings on environmental stewardship to reduce the severity of climate change. Actions can be taken to enhance these knowledges and use them wisely by adopting interventions based on community-driven, participatory, and collaborative approaches. Connecting Western science and Indigenous knowledge systems should be guided by co-production frameworks that address the challenge of inequitable power differentials. A co-production approach promotes community engagement, incorporates community needs and interests, and reflects local context in terms of resources and adaptive capacity. Initiatives to support Indigenous knowledges in climate action must go beyond a focus on integrating Indigenous knowledges into Western science, to instead foster Indigenous research leadership and Indigenous knowledges sovereignty.³⁵⁴

Thank you to contributing authors:

Donna Atkinson, Roberta Stout, Regine Halseth, and Margo Greenwood
National Collaborating Centre for Indigenous Health

For example, the Tla'amin Nation in British Columbia are completing a climate-health assessment and adaptation plan to identify and address the risks to community health and wellness.³⁵⁵ Funded by the First Nations Health Authority, this initiative works with Tla'amin knowledge keepers, collaborates with the community to draw upon local knowledge, and engages with youth as part of efforts to tour and monitor the land for signs of climate change.³⁵⁵ This project is led by Tla'amin Nation staff and supported by a researcher from the University of Saskatchewan.³⁵⁵

The Government of Canada is developing an Indigenous Knowledge Policy Framework in the wake of 2019 legislation that requires Indigenous knowledge to be considered in project reviews and regulatory decisions related to the *Impact Assessment Act*, the *Canadian Energy Regulator Act*, the *Fisheries Act* and the *Canadian Navigable Waters Act*.³⁵⁶ This work is driven by a federal commitment to reconciliation with Indigenous Peoples through a renewed, nation-to-nation, government-to-government, and Inuit-Crown relationship based on the recognition of rights, respect, co-operation, and partnership.³⁵⁶

Despite these advances, further progress is necessary to connect Indigenous and Western ways of knowing.^{283, 316, 357} For example, the ideas

that underpin a One Health approach are similar to the holistic perspectives of Indigenous Peoples regarding the interconnections between human health and the well-being of the land.³⁵⁸ Indigenous knowledges preceded the emergence of a One Health perspective, but there has been little attention given to how Indigenous Knowledges should inform a One Health approach.³⁵⁸ This includes recognition that Indigenous human health, the well-being of the land, and connection to the land have all been impacted by colonization.²⁷² A focus on Indigenous self-determination and the inclusion of Indigenous knowledge systems and leadership can meaningfully strengthen One Health efforts in Canada.^{272, 358}

Supporting Indigenous climate leadership requires respecting the governance structures of nations. It means actively supporting the principle of self-determination and self-governance by ensuring space for Indigenous decision-making tables and moving from consultation to true engagement and co-development. This includes policies and protocols that support collaboration and research (e.g., nation-specific principles rooted in ownership, control, access, stewardship, and possession of data and knowledge).

Collaborate Across Sectors for Transformative Climate-Health Action and Intersectoral Co-benefits

Public health is well-positioned to advocate for, convene, and act on intersectoral public health issues such as climate action.^{94, 300, 359} Climate mitigation and adaptation efforts require coordinated action towards a common goal, across sectors and levels of government. Isolated adaptation and greenhouse gas mitigation efforts will not adequately address the ecological and social conditions that determine health. A lack of coordination could lead to duplicated, fragmented, or maladapted action.^{19, 360, 361} For that reason, the IPCC has identified inclusive governance structures and strong institutional frameworks as key enabling conditions for climate adaptation and mitigation.^{19, 255}

Governance for climate action is best supported by alignment and coordination across sectors and policy domains, with high-level coordinating bodies that are not bound by departmental mandates.^{19, 255} This kind of approach is particularly important in Canada, where jurisdictional responsibility for public health and climate change is shared across multiple levels of government, which can make policy coherence a challenge.³⁶⁰ This must also include Indigenous self-government, which is an essential component of governance related to climate change in Canada.³⁶²

Interjurisdictional and intersectoral collaboration is particularly important for upstream initiatives focused on larger and more transformative actions.^{5, 363, 364} Domestic efforts have mostly concentrated on addressing negative impacts

of climate change, with less attention to the underlying root causes of risk and vulnerability (i.e., social determinants of health).³²³ The growing threat requires a more comprehensive approach on both.³²³ This highlights the need for public health leadership to drive action.

One way that public health can support intersectoral action is through a focus on co-benefits to help decision-makers better understand the advantages of climate action. There are a number of health co-benefits possible from climate mitigation and adaptation strategies. For instance, investments in cycling, pedestrian, and green infrastructure can decrease greenhouse gas emissions, increase active travel, reduce the burden of cardiac and respiratory disease, and support mental health.³⁶⁵ Leadership in Energy and Environmental Design (LEED) green building certification can reduce greenhouse gas emissions, improve air quality, and reduce respiratory-related morbidity and mortality.³⁶⁵ However, most research on co-benefits has focused on a small number of health issues, such as air quality and physical activity.^{366–368}

Through research, methods, and tools, public health systems can help identify the diverse health impacts of climate change and facilitate pinpointing health co-benefits of climate action.^{366, 369} Focusing on co-benefits could also help create opportunities for mitigation and adaptation efforts that strengthen determinants of good health and address root causes of differential vulnerability.⁵ There already exist multiple methods and tools to maximize knowledge around co-benefits, such as the Health Impact Assessments tools (see case study “[Health Impact Assessment: A Promising Approach to Addressing Climate Change](#)”).

Health Impact Assessment: A Promising Approach to Addressing Climate Change³⁶⁹

A Health Impact Assessment (HIA) is a structured intersectoral approach to understand the potential effects of a policy, program, or project on the health of a population. Promoted by the World Health Organization, this approach aims to better inform decision-makers about the possible consequences of their decisions on the health and well-being of the population and on inequities.

Health Impact Assessments can be applied to climate change policies and strategies to incorporate a focus on health and lead to better informed choices in the long term.³⁷⁰ One study from the USA analyzed 12 HIAs that were conducted in six states and applied to proposed climate change policies. It concluded that the process can facilitate intersectoral collaboration, help optimize health co-benefits, and raise awareness among decision-makers about the health impacts of potential policies.³⁷¹

Application Examples

HIAs were used to assess the health impact of climate change mitigation policies at the local level in Geneva, Switzerland.^{372, 373} In Houston, Texas, it helped estimate the health co-benefits of three different land-use scenarios with potential for climate change adaptation and mitigation: a downtown office building renovation, an urban infill, and a university campus sustainability plan.³⁷⁴ In Basel, Switzerland, a HIA was employed to analyze the health impacts of four transport scenarios tied to local climate change mitigation policies.³⁷⁵ Similar work has been carried out in the Netherlands to assess the health co-benefits of greenhouse gas reduction policies in Rotterdam's transportation sector.³⁷⁶ These applications of HIAs helped identify which of the proposed climate change mitigation scenarios was most beneficial to health and determine the actions required to optimize the resulting health co-benefits.

Thank you to contributing authors:

National Collaborating Centre for Healthy Public Policy

Climate action can generate additional benefits in other sectors through innovation, agricultural productivity, livelihoods, biodiversity conservation, and a reduction in damages from natural hazards.¹⁹ These benefits are not only realized far in the future. Some, including improvements in air quality, can be achieved within years.⁹⁰ Many co-benefits in other sectors also have relevance to improving public health. Highlighting co-benefits across sectors could help motivate intersectoral decision-making and action.

Research on climate action co-benefits could lead to better economic valuations of them, which would allow decision-makers to more thoroughly compare the costs and savings of action versus inaction.³⁶⁷ Economic savings are often an important incentive for governments, and research has shown that health-related savings could far outweigh the cost of climate mitigation.⁶²

As a part of a wider approach, emphasizing health co-benefits can support integrating a public health focus across climate change planning and policy processes in sectors responsible for land use, transportation planning, building standards, urban planning and development, energy planning, agricultural

practices, conservation and environmental protection, livelihoods, infrastructure, sanitation, and water.^{5, 19, 377} (See text box “[Quebec’s Government Health Prevention Policy and 2022–2025 Inter-Ministerial Action Plan: A Lever for Action on Climate Change](#)”).

Quebec’s Government Health Prevention Policy and 2022–2025 Inter-Ministerial Action Plan: A Lever for Action on Climate Change³⁷⁸

In June 2022, the Government of Quebec published the *Plan d’action interministériel 2022–2025 de la Politique gouvernementale de prévention en santé (2022–2025 Inter-ministerial Action Plan of the Government Health Prevention Policy)*. This plan constitutes the second implementation phase of the *Politique gouvernementale de prévention en santé* and has a budget totaling \$120 million. Under the leadership of the Ministry of Health and Social Services, the plan sets up a collaborative partnership with nearly 30 government ministries and agencies and more than 80 non-governmental partners to implement actions to improve population health and reduce health inequalities.³⁷⁸ The actions revolve around four main areas of focus: developing people’s abilities from an early age, building healthy and safe communities, improving living conditions that promote health, and strengthening preventive actions in the health and social services system.

Notably, the action plan, through measure 2.9, supports Quebec regional public health authorities to carry out large-scale intersectoral projects on climate change within regional communities.³⁷⁸ This is supported by the Ministry of Health and Social Services, in collaboration with the Ministry of the Environment and the Fight against Climate Change, and in partnership with the 18 regional public health authorities.³⁷⁸ A budget of \$6 million over three years is planned to deploy the measure.³⁷⁸

The inter-ministerial action plan is based on a Health in All Policies approach and engages levers under the responsibility of non-health government sectors to take action on the determinants of health and factor in “the inseparable relationship among social, economic and environmental dimensions, in keeping with the principles of sustainable development” (pg. IX).³⁷⁸ These actions are intended both to prevent the development of health issues at the population level, as well as relieve pressure on the health system in the coming years.³⁷⁸

Thank you to contributing authors:

National Collaborating Centre for Healthy Public Policy

Building public health perspectives into climate change initiatives can not only increase co-benefits, but also reduce maladaptation, which is more likely when singular risks or sectors are the sole focus of action.^{5, 19, 264, 327, 379} Integrating public health can support policy coherence, consistency, effectiveness, and managing trade-offs.²⁹⁴ Ensuring that climate action addresses context and promotes equity also helps reduce maladaptation by ensuring that adaptation or mitigation efforts are appropriately tailored for relevant communities.⁵ The IPCC has said that the risk of maladaptation can be reduced with planning that is multi-sectoral, multi-actor and inclusive.¹⁹

Cities have been at the forefront of intersectoral climate action and are powerful sources of climate resilience and resourceful action.^{380, 381}

The emerging movement of sustainable and smart cities promotes scaling up of local innovation to support environments and infrastructure for climate-health action.^{382–384} Examples of city and municipal intersectoral collaborations with explicit public health involvement are emerging across Canada (see text box “[Local Intersectoral Initiatives across Canada](#)”).

To expand and effectively normalize these collaborations, however, requires resources, time, commitment, and staff with expertise and dedicated time.³⁸⁵ This work can be resourced through dedicated public health system funds for intersectoral initiatives that support local public health units to directly work with other sectors on climate-health action.

Local Intersectoral Initiatives across Canada

Intersectoral action is key to addressing complex and challenging public health issues such as climate change. There are local and municipal organizations and public health units leading this work across Canada. Two examples are provided to illustrate the potential associated with these approaches.

On the west coast, at Island Health on Vancouver Island, environmental health officers have moved beyond regulatory roles to focus on healthy built environments with municipal planners, community organizations, and other stakeholders.³⁸⁶ This includes work on issues related to air quality, climate change, active transportation, and social cohesion.³⁸⁶

In Ontario, Ottawa Public Health co-located two staff members in the municipal Planning, Real Estate and Economic Development Department for three years. This was intended to inform the city’s new official plan and ensure it would create healthy, inclusive, and resilient communities. As a result, the plan includes a focus on building environmental, climate, and health resiliency through walkable 15-minute neighbourhoods, which is an approach that concurrently supports public health, health equity, and climate mitigation and adaptation.³⁸⁷

Strengthen Public Health Leadership for Climate Action and Public Health Building Blocks for Climate Resilience

In addition to partnering across sectors, there are a number of key areas where public health can demonstrate system-level leadership while advocating for climate action. Public health systems can prioritize dedicated resources to expertly inform and coordinate action on health impacts, lead by example by shifting to low carbon health systems, and strengthen the foundation of public health systems to act on complex issues.

Public Health Advocacy for Change

“Public health is very much the catalyst to bring groups together and to break down the silos. We definitely have an advocacy role to make folks aware. But then we also have a role to build the system and get ahead of this, and get upstream, structural challenges, thinking about things like how do we change our city design?”

—What We Heard Report participant

Actions stemming from this roadmap will require public health to push for transformation, moving beyond a focus on risk management.^{388, 389}

This includes taking a strong leadership role in targeting social, economic, and environmental determinants and injustices.^{181, 390} Successful leadership involves building coalitions and

influence through direct policy relationships and indirect public mobilization.³⁸⁸ This means supporting those working in public health so they can effectively navigate different political climates and highly politicized health issues, including understanding and working with political cycles, policy windows, and policy decision-making, as well as tailoring content to audiences.^{366, 388, 391}

These skills are particularly necessary for climate action because of the challenging political and policy environment.^{336, 377, 392} Competing interests have driven misinformation and disinformation that question the severity of climate change and the urgency of climate action.^{336, 366, 388} A small but loud countermovement promotes climate skepticism while advocating strongly against perceived constraints on finances and freedom.^{388, 393} Knowledge sharing is not always enough to change beliefs driven by these types of political or economic ideologies.³³⁶

To advance climate action, public health will need to be a trusted voice in our communities. Public health officials often have a unique role as representatives of the government that also have scientific credentials. Recent research suggests that people living in Canada view scientists as trusted sources of climate information.³⁹⁴ Public health organizations, agencies, and units must maintain their positions as scientifically credible organizations to support public trust.

Dedicated Climate-Health Action

Climate action requires intersectoral coordination and collaboration. However, it also requires dedicated and expert leadership to guide efforts from research to advocacy to implementation. While the climate-health connection is drawing greater attention in Canada, including across a variety of government initiatives, these efforts are dispersed rather than coordinated.

Mainstreaming involves integrating climate consideration and action across sectors, including public health. This approach is important, but it may not be enough to achieve the action necessary to address climate change. Research from Europe and analysis from the IPCC suggests there are limits to how this kind of mainstreaming can be used to integrate climate adaptation into other sectors' priorities and activities.^{385, 395} Integrating climate adaptation efforts can result in an unequal distribution across sectors, diluted implementation responsibilities, disconnected planning and investment, and insufficient coordination across overlapping or competing policy priorities.³⁹⁵ At a local level, climate action may be best supported through a combination of dedicated climate approaches, as well as mainstreaming, to ensure adequate focus on climate change and to support movement from policy to implementation across sectors.³⁸⁵ Dedicated approaches can involve standalone institutional structures, with dedicated resources and accountabilities.^{385, 396} Examples of dedicated climate-health institutions can be found in academic and government settings.

At the London School of Hygiene and Tropical Medicine, the Centre on Climate Change and Planetary Health was created to partner with academia, government, industry, non-governmental organizations, and civil society to better understand planetary health and build solutions together.³⁹⁷ Researchers at the Centre recently worked with the U.K. Health Security Agency to identify geographical areas and population sub-groups at greatest risk of excess mortality related to heat or cold exposure in England and Wales using data from the Office of National Statistics.³⁹⁸ The results can be used to inform and target public health initiatives.

The European Climate and Health Observatory is a partnership between the European Commission and the European Environment Agency, among others. It works to deepen understanding of the current and future health impacts of climate

change in order to inform prevention and preparedness across member states. Observatory activities include developing and sharing of data on the health impacts, risk indicators (integrating data on hazards, exposure, vulnerability and response capacity), risk assessment tools, monitoring and surveillance tools, early warning tools, predictions, as well as support for policy development.^{399, 400}

Building Low Carbon Health Systems

In Canada, the health sector accounts for 4.6% of greenhouse gas emissions.⁴⁰¹ While this is largely due to emissions from hospitals, pharmaceuticals, and physician services, it also includes the emissions associated with public health systems.⁴⁰¹ It is difficult to determine the specific amount of emissions, but public health associated work and activities likely contribute to the carbon footprint of the sector, including office buildings, laboratories, data centres, supply chains, and transport.

One key way public health systems can limit their greenhouse gas emissions is through supporting and implementing upstream action to prevent the need for downstream clinical healthcare services. Through health promotion and protection, public health can reduce the negative health impacts of climate change and the associated demand for energy and resource intensive healthcare services.^{256, 402-404}

Health systems have a responsibility to model a commitment to climate mitigation, and Canada has signalled this by signing on to the 26th United Nations Climate Change Conference of the Parties (COP26) Health Programme commitments, which includes efforts to build climate-resilient and sustainable low carbon health systems.⁴⁰⁵ This involves developing a baseline assessment of the system's greenhouse gas emissions and creating a plan to develop a sustainable low carbon model.⁶⁰

It can involve energy efficiency and conservation, use of renewable energy sources, sustainable procurement, and reducing waste.^{5, 130, 402, 406} Though many initiatives to decrease the carbon footprint focus on healthcare facilities and services, many other recommendations have value for public health systems. This includes improving building designs, reducing energy use, using renewable energy sources, changing purchasing practices, contracting sustainable suppliers, and using low emission vehicles for transportation of supplies, waste, and laboratory samples.^{5, 404, 406, 407} Recommendations from campaigns to reduce unnecessary medical and laboratory tests and healthcare treatments can also apply to public health, such as the guidance from Choosing Wisely Canada, which is organized by the University of Toronto, St. Michael's Hospital, and the Canadian Medical Association.⁴⁰⁸

A facility-level example is Toronto Western Hospital, home to the world's largest raw wastewater energy transfer (WET) system. Construction began in June 2022 and once completed, thermal energy from municipal sewer wastewater will supply up to 90% of the hospital's heating and cooling needs, reducing greenhouse gas emissions by the equivalent of removing 1,800 cars from the road.⁴⁰⁹ A province-level example can be found in Nova Scotia, where the *Environmental Goals and Climate Change Reduction Act* requires new government buildings and major retrofits to government buildings, including within the health system, to be net-zero energy performance and climate resilient (starting in 2022). It further prioritizes and encourages leased office space in climate-resilient and net-zero performance buildings (starting in 2030).⁴¹⁰

A Strong Public Health Foundation to Tackle Climate Change

A strong foundation is required to ensure that public health systems are resourced and the people who work within them are prepared to act. This was evident throughout the COVID-19 pandemic, which continues to impact the resources and capacity of public health systems across the country.

While the essential public health functions show how public health systems do their work, the associated building blocks represent how systems are organized to support these functions.²⁵³ Explorations of how public health can take on climate change must also consider what is needed from these building blocks. For a detailed review of them and the steps needed for broader public health transformation, please refer to the [2021 CPHO report](#). The section below will briefly discuss how the building blocks of public health need to be strengthened in the context of climate action, with a particular focus on the foundational building blocks of financial and human resources, and workforce expertise.



Adequate financing is central to the ability of public health systems to protect and promote health in a changing climate.

Alongside other foundational building blocks, sufficient and sustainable financing is essential for addressing pressing public health issues.^{94, 253, 359, 411} This is particularly important for issues such as COVID-19 and climate change because their complexity and scale require public health systems to have the capacity to work across jurisdictions, prioritize addressing the range of determinants of health, collaborate with multiple communities, and convene and support intersectoral action.^{94, 300, 411} However, it became clear during the pandemic that public health systems are already struggling with insufficient resources relative to their expansive mandates.^{253, 359} Climate adaptation programs focused on health have also received only a very small proportion of the funds allocated to adaptation initiatives in Canada, which is insufficient for current and future challenges we will face.^{91, 323} Without broader system-level change and greater support, public health systems will be unable to effectively and sustainably address new challenges arising from climate change.



Public health workforce expertise is central to climate action.

“One of the big things that can be done is changing the way that public health staff are trained, so that they are able to take a more eco-social approach to a variety of issues. And to think in a different way, so that they can do things differently.”

—What We Heard Report participant

A wide range of expertise is required to support climate action, including scientific, assessment, leadership, collaboration, communication, planning, and implementation skills.^{243, 412, 413} Public health can build on existing expertise and skills including those found in the field of environmental health. Environmental health is core to public health practice, working to keep food, water, air, land, and facilities safe. For example, environmental public health professionals can play a key role in building sustainable environments and addressing environmental problems linked to climate change as part of adaptation efforts.^{414–416}

However, a training gap persists in Canada.³²¹ Despite recognition of its importance, there is little inclusion of climate change in the curriculum of Canadian graduate programs in public health or in the core competencies for public health.^{9, 417} There are also limited professional development opportunities for current public health professionals related to climate change. As a result, there is a need to train and support public health professionals so they are sufficiently prepared to assess and address the health impacts of climate change in their current work.^{418–422} Further, as with other public health issues, First Nations,

Inuit, and Métis knowledges and leadership are essential to effective climate action.¹⁹⁶ Culturally safe practice is key for meaningful engagement and this requires education and training on Indigenous knowledges, colonization, truth and reconciliation, and how to take action against anti-Indigenous racism within public health workforces.^{196, 347} However, these topics remain largely absent in current public health education, training, and competencies.^{423, 424}

“If you don’t have the skill sets and you’re trying to do it off the side of your desk, it’s really hard to lift it off the ground.”

—What We Heard Report participant



Ensuring sufficient financial and human resources, as well as workforce expertise, will strengthen public health systems and provide the foundation for public health to be a partner in climate action.

This will involve incorporating a climate focus into all other building blocks to drive new and modified approaches to evidence and knowledge generation, policy and programming interventions, medical and digital technology, and governance and engagement.

This roadmap detailed opportunities to strengthen public health systems across Canada and their response to the climate crisis. Protecting and promoting the health of all people living in Canada in the context of a changing climate will necessitate bold and ongoing public health action. The next section offers priority actions as next steps in this essential journey.



The Way Forward

Urgent public health action is required to prepare for, protect against, and respond to current and future health impacts of climate change. Public health systems can also make valuable contributions to existing climate efforts and show leadership on actions that have wide-reaching impacts. For countries like Canada, that are among the top per capita emitters of greenhouse gases, this is of national and global importance.

Climate action can create significant and almost immediate health benefits, while also protecting the long-term survivability of the planet and its inhabitants. If done well, these efforts will help to promote health, equity, and justice, now and in the future.

The Way Forward describes priority action areas that are entry points for public health systems to achieve the roadmap action items presented in this report. They can guide the preparation of public health systems to take immediate action on climate change, both within these systems as well as working with other key sectors. In this way, the action areas are cross-cutting and support the broader roadmap.

Although not exhaustive, the priorities can support public health professionals to be effective leaders and partners in addressing climate change and its impacts on the health of all people living in Canada, including within the context of the [*Pan-Canadian Framework on Clean Growth and Climate Change*](#) and our first National Adaptation Strategy.

Integrate Climate Considerations into Public Health Systems

The everyday work of public health offers practical entry points for climate action, such as the deliberate integration of a climate-health lens into current public health functions, tools, and interventions. A climate-health lens also means building on existing approaches, such as One Health, to guide policy and program design and decision-making. These approaches must emphasize the social and ecological conditions that determine physical and mental health and recognize the inter-connections between people, animals, and their shared environment. This includes linking with and

supporting leadership, knowledges, and practices from First Nations, Inuit, and Métis Peoples' perspectives and experiences.

For public health systems to develop and implement appropriate health adaptation interventions, the right knowledge and evidence is needed. This includes understanding the unique geographical, social, economic, and environmental factors that influence community-level exposure and vulnerabilities. There are existing assessment tools that can guide adaptation efforts. These need to be broadly and consistently implemented by public health authorities in collaboration with affected communities.

Actionable Priorities to Integrate Climate Considerations into Public Health Systems

- ▶ Renew essential public health functions to emphasize socioecological considerations and guide effective public health action on climate change
- ▶ Incorporate climate-health considerations into current and future public health practice, policy, and programming
- ▶ Conduct equity-informed climate and health vulnerability and adaptation assessments to inform place-based efforts to prepare and respond to the health impacts of climate change

Centre Health in Climate Change Action

A focus on health is relatively new within the broader work of climate change mitigation and adaptation. We must continue to bring public health's voice and efforts to existing climate work and emphasize the co-benefits of interventions that span the upstream-downstream continuum from health promotion to emergency response.

It will require public health systems to invest in partnerships across sectors and jurisdictions while prioritizing ways of working that put public health at climate action decision-making and planning tables. This focus on health must extend to climate change research, which requires new opportunities to integrate research and knowledge across disciplines that reflects the complex and multi-faceted challenges posed to health by climate change.

Public health has tools and expertise to help advance climate action. This includes approaches to research, community engagement, and program and policy assessment to understand who is most impacted by climate change and how best to protect and promote health, both physical and mental. Public health

also has a long history of communicating about risk and protective measures with the public. Such expertise could be used to share information about climate health impacts and the co-benefits of actions that can address both health and climate change.

Actionable Priorities to Centre Health in Climate Change Action

- ▶ Identify ways of working together across sectors, jurisdictions, and public health systems to implement climate-health actions
- ▶ Draw on public health expertise to implement communication plans for mobilizing key audiences on climate-health action, such as health professionals, communities, the media, the education sector, and key sectors that influence health
- ▶ Develop cross-disciplinary research priorities on climate change and health to inform and advance evidence-based action on priority climate-health issues
- ▶ Adapt existing equity-informed public health tools (e.g., health and equity impact assessments) to assess the health impacts and potential maladaptive outcomes from climate action

Build Climate-resilient Public Health Systems and Workforce

Public health systems need dedicated mechanisms to expertly lead climate-health action. This too requires meaningful and enduring collaboration among key partners, including First Nations, Inuit, and Métis communities, and other communities at high risk of displacement or negative health outcomes. Shared governance and accountability structures should also recognize and include youth leadership, as the burden of climate change will disproportionately fall on younger generations.

Dedicated, sustainable, and sufficient funding is required to adequately support climate-health action, keeping pace with the scale of emerging climate risks to health and well-being. For too

long this work has been done off the sides of people's desks. These resources need to be prioritized as part of overall government efforts on climate change and to support self-determined actions that drive local community solutions.

For public health professionals to successfully develop, implement, and scale innovative climate-health action alongside partners, they need the right expertise and ongoing resources. Our current workforce is still stretched thin from the intensive COVID-19 response. To do the work that needs to be done, public health systems must build on their foundational expertise in health protection and promotion, including long-standing skills in environmental health, to strengthen its knowledge base and tools to be applied to climate-health connections. Public health systems must continue to build meaningful, healing, and cooperative relationships that put cultural respect and safety first.

Climate leadership also means leading by example and actively working towards carbon-neutral and resilient public health systems that promote health and well-being for all.

Actionable Priorities to Build Climate-resilient Public Health Systems and Workforce

- ▶ Establish new and sustainable interdisciplinary mechanisms (e.g., hubs or observatories) for dedicated public health attention to climate change that prioritize evidence-to-action and shared governance and accountability structures
- ▶ Advocate for appropriate levels of health adaptation funding and public health human resources, with a particular focus on supporting local and Indigenous public health systems to address place-based adaptation priorities
- ▶ Strengthen the technical and professional capacity of public health professionals to work on climate-health action, such as updating public health core competencies and designing public health training to include climate change
- ▶ Reduce the carbon footprint of public health systems in Canada, including assessing the environmental impact of public health operations

We are now at a pivotal moment in history. As public health systems in Canada, we must build on our strengths and draw on lessons learned from the COVID-19 pandemic to better prepare for and respond to the climate crisis. Already, there is promising work happening across Canada to address the health impacts of climate change. We must leverage this work to strengthen our capacities, advance our knowledge, and maximize our

collective efforts across systems, jurisdictions, and sectors. We must also work with communities to make sure the actions we take work for all people, wherever they live.



The time to act is now and we must act boldly – for the benefit of our health, that of our planet, and future generations.





APPENDIX A:

Essential Public Health Functions and Public Health Climate Action

First developed for Canada in 2003 in the wake of SARS, the essential public health functions categorize the key activities of public health systems.^{251, 252} While these functions are presented as separate categories, they are interconnected and used together to protect and promote health. The following [table](#) describes some examples of how public health activities can begin to address climate change according to each function.

TABLE 1: Essential Public Health Functions and Examples of Public Health Climate Action

ESSENTIAL PUBLIC HEALTH FUNCTION	WHAT IT MEANS	EXAMPLES OF PUBLIC HEALTH ACTIVITIES RELATED TO CLIMATE CHANGE
 <p>Health Promotion</p>	<p>Working collaboratively with communities and other sectors to understand and improve health through healthy public policy, community-based interventions, public participation, and advocacy or action on determinants of health</p>	<ul style="list-style-type: none"> ▶ Advocacy to address the determinants of health that impact climate vulnerability (e.g., affordable housing) ▶ Policy research for intersectoral action (e.g., health co-benefits of investments in public transit) ▶ Leadership for healthy built environments (e.g., greening parks and playgrounds, active transport) ▶ Supporting First Nations, Inuit, and Métis -designed and driven projects to build community capacity
 <p>Health Surveillance</p>	<p>Collecting health data to track diseases, the health status of populations, and determinants of health trends, to promote health, prevent and reduce the impact of disease, as well as monitor health inequities</p>	<ul style="list-style-type: none"> ▶ Disease vector surveillance (e.g., mosquito or tick population monitoring) ▶ Disease incidence (e.g., Lyme disease, West Nile virus) ▶ Syndromic surveillance (e.g., heat-related illnesses in emergency departments) ▶ Water safety monitoring (e.g., algal blooms) ▶ Foodborne diseases (e.g., salmonella, campylobacter) ▶ Mental health surveillance (e.g., Positive Mental Health Surveillance Indicator Framework) ▶ Built environment monitoring (e.g., Canadian Bikeway Comfort and Safety Classification System)

ESSENTIAL PUBLIC HEALTH FUNCTION	WHAT IT MEANS	EXAMPLES OF PUBLIC HEALTH ACTIVITIES RELATED TO CLIMATE CHANGE
 <p>Health Protection</p>	<p>Protecting the population from infectious disease, environmental threats, and unsafe food, water, and air</p>	<ul style="list-style-type: none"> ▶ Vector control (e.g., mosquitos, ticks) ▶ Water testing and advisories (e.g., well water testing after flooding) ▶ Air quality monitoring and advisories (e.g., Air Quality Health Index) ▶ Food safety and security (e.g., public awareness campaigns) ▶ Public education programs about climate risks
 <p>Population Health Assessment</p>	<p>Understanding the health of communities, specific populations, and the determinants of health to create better services and policies, as well as research to identify the most effective interventions</p>	<ul style="list-style-type: none"> ▶ Climate change and health vulnerability assessments ▶ Population health intervention research to assess adaptation and mitigation interventions, including what works, for whom and in what context ▶ Community- and place-based research and assessment that prioritizes other knowledge systems (e.g., Indigenous knowledges)
 <p>Disease and Injury Prevention</p>	<p>Promoting safe and healthy lifestyles to prevent illness and injury, and reducing risk of infectious disease outbreaks through investigation and preventive measures</p>	<ul style="list-style-type: none"> ▶ Community-based adaptation and mitigation, including emphasis of land-based governance, practices, and activities in Indigenous communities ▶ Behavioural science to encourage healthy behaviours that reduce the risk of disease or illness related to climate change (e.g., promoting the use of insect repellent and proper clothing to avoid tick-borne diseases) ▶ Community-led programming to promote food security and ensure access to nutritious food in a changing climate ▶ Mental health programs to help address climate anxiety and stress
 <p>Emergency Prediction, Preparedness, and Response</p>	<p>Planning for natural or human-made disasters to minimize serious illness and death, as well as responding to emergencies while minimizing societal disruption</p>	<ul style="list-style-type: none"> ▶ Coordination with stakeholders and leadership on health-related emergency preparedness and response ▶ Risk assessments on potential public health impacts of natural disasters (e.g., air quality impacts from wildfires) ▶ Provide public health advice, services, and support to stakeholders (e.g., air quality testing, heat alert and response systems, cooling centres) ▶ Community outreach and information sharing during natural disasters ▶ Identifying and supporting populations that may need additional considerations during an emergency (e.g., older adults) ▶ Shelter and other supports for populations displaced by natural disasters (e.g., evacuation of remote First Nations communities due to floods and wildfires) ▶ Community mental health supports for populations impacted by natural disasters and emergency responders



APPENDIX B:

An Update on COVID-19 in Canada

Preamble

This appendix to the 2022 CPHO Annual Report serves as a brief update on key COVID-19 events in Canada to monitor and reflect on the evolution of the pandemic over the past year. It covers the time period between August 2021 and August 2022.

The SARS-CoV-2 virus will continue to circulate and evolve worldwide for the foreseeable future and new variants are expected to emerge and spread. The unpredictable nature of when and how resurgences will occur requires maintaining vigilance and a state of readiness. Canada must plan for the ongoing management of COVID-19 in the fall of 2022 and beyond.

The Arrival of Omicron Changed the Trajectory of the Pandemic

Following a Delta-variant driven fourth wave of COVID-19 infections in the fall of 2021, a new variant of concern called Omicron was first detected internationally in November 2021. All previous waves of the pandemic have been marked by distinct characteristics, but the arrival of Omicron resulted in perhaps the most noteworthy and rapid changes in the epidemiology of COVID-19 and the public health response.

Compared to the Delta variant, the initial Omicron variant BA.1 was significantly more transmissible and better able to evade both vaccine and infection-acquired immunity.⁴²⁵ Waning immunity and an increase in indoor gatherings over the winter, especially over the holidays, exacerbated its spread.

Despite being associated with less severe illness compared to the Delta variant, Omicron took a substantial toll on healthcare services and the lives of people in Canada, with an increase in hospitalizations and deaths due to the unprecedented rise in the number of infections.⁴²⁶ Within only four weeks, Omicron became the dominant variant in circulation. By January 2022, it drove daily confirmed case counts to more than five times the largest number reported previously. Similarly, the burden of COVID-19-related hospitalizations was twice as high as the largest earlier peak.⁴²⁷

Although children and youth are at a relatively lower risk of severe outcomes compared to adults, with the emergence of Omicron, pediatric hospitalization rates exceeded historic trends (see text box “[Impacts of COVID-19 in Children and Youth](#)”). The third week of January 2022 had the highest number of deaths in Canada since the emergence of the virus, with 25% more deaths than would have normally been expected if there had not been a pandemic.⁴²⁸ While most excess deaths can be directly attributed to COVID-19, indirect consequences of the pandemic also impacted mortality (see [Figure 9](#)).

Impacts of COVID-19 in Children and Youth

Since January 2022, children under five years of age have had the highest COVID-19-related hospitalization rates in Canada of any group under 60 years of age.⁴²⁹ This is likely a result of the substantial number of cases caused by the highly transmissible Omicron variant and the COVID-19 vaccine ineligibility of younger age groups for much of this period.^{430, 431} In addition to the risk of hospitalization, some can develop a rare but serious condition called multisystem inflammatory syndrome in children (MIS-C), also known as pediatric inflammatory multisystem syndrome (PIMS). It is estimated to affect between 0.5% and 3.1% of all children diagnosed with COVID-19.⁴³² Children and youth may also be susceptible to developing post COVID-19 condition (further described below).⁴³³⁻⁴³⁵ This highlights the importance of ensuring all eligible people, including children, are protected with COVID-19 vaccines. However, as of August 14, 2022, less than half of children aged 5 to 11 years had completed their primary series of COVID-19 vaccines.⁴³⁶

After the decline of the large initial Omicron wave, the easing of public health measures and spread of the even more transmissible BA.2 Omicron sub-variant resulted in repeated resurgences across the country over the spring and into the summer of 2022.⁴²⁷ By June 2022, the COVID-19 Immunity Task Force estimated that 56% of Canadians had been infected by SARS-CoV-2, up from 5% at the start of the fourth wave in August 2021.⁴³⁷

In the summer of 2022, the highly transmissible and immune-evasive BA.5 Omicron sub-variant became dominant in Canada, driving an increase in both cases and severe outcomes.⁴²⁷ As a result of the unprecedented level of viral transmission, the number of hospitalizations and deaths during the first seven months of 2022 exceeded those reported in the previous year, despite higher population immunity.⁴³⁸ Close monitoring of BA.5, as well as other emerging variants that may evade existing immunity or cause severe illness, will continue to be important.

New Ways of Monitoring the Spread of SARS-CoV-2

In the light of the rapid escalation in cases driven by the Omicron variant, public health and laboratory testing infrastructure was overwhelmed. To alleviate pressure on capacity, many jurisdictions adjusted the eligibility for PCR tests and promoted the use of at-home rapid antigen tests.^{439, 440} This shift to more targeted PCR testing in the winter of 2021–22, focusing on healthcare providers and populations at higher risk of severe outcomes, led to a significant underestimation of the true burden of disease in the population. It also meant that any sociodemographic data collected about reported cases were less representative of the general population. A range of other indicators and innovative solutions used to monitor spread in the community, such as viral genomics and wastewater surveillance, along with hospital and critical care use for COVID-19 patients, became increasingly important.⁴⁴¹

Evolution in Requirements, Guidance, and Recommendations

The arrival of the Omicron variant altered the course of the pandemic and Canada's approach to COVID-19 management. During the initial Omicron wave, some more restrictive public health measures were re-introduced for short, defined periods to protect acute care capacity.⁴⁴² As Canada reached high levels of COVID-19 vaccination coverage and hospitalization rates declined in February 2022, many of these measures were gradually adjusted. For example, at the federal level the Government of Canada de-escalated international border

measures in a phased approach, lifted vaccination requirements for domestic transportation, and developed guidance on assessing personal risk of infection to help people make informed decisions.^{443–445} With the ongoing goal of minimizing severe COVID-19 illness and death while also minimizing societal disruption, provincial, territorial, and local public health authorities shifted to general guidance and recommendations rather than tailored public health restrictions. As population needs and healthcare capacities varied across the country, there were differences in how jurisdictions responded. They continued to monitor for signals of concern and adapted advice to changing circumstances, including recommending how people can protect themselves and others by assessing risks and adopting layers of protection.⁴⁴⁶

Importance of Pharmaceutical Interventions – Vaccines and Therapeutics

Expansion of COVID-19 Vaccination and Booster Doses

In the fall of 2021, the National Advisory Committee on Immunization (NACI) issued the first recommendations on the use of a booster dose, which can help restore protection against COVID-19. While initially recommended for certain high-risk populations, the recommendation was broadened to all adults in December 2021 in response to evidence around waning immunity and the emergence of Omicron.⁴⁴⁷ Around the same time, Health Canada also approved the first COVID-19 vaccine for use in children aged 5 to 11 years.⁴⁴⁸

With the spread of the more immune-evasive Omicron variant, there was growing evidence that two doses of a COVID-19 vaccine offered less protection against infection compared to previous variants. Therefore, booster doses became especially important to increase waning antibody levels in individuals and restore protection against severe health outcomes. Between April 2022 and the end of May 2022, when Omicron variant activity was very high in Canada, unvaccinated people were an estimated five times more likely to be hospitalized and seven times more likely to die, compared to people vaccinated with a booster dose of a COVID-19 vaccine.⁴⁴⁹ This drove home the importance of keeping up to date with COVID-19 vaccinations as the foundation of protection both individually and collectively. As of August 14, 2022, 86% of the population five years of age and older had completed their primary series of COVID-19 vaccines and 57% of the population aged 12 years and older had received at least one additional dose.⁴³⁶

In anticipation of an expected fall or winter resurgence of COVID-19 activity, in June 2022, NACI issued recommendations for a fall booster dose for those 12 years of age and older, regardless of the number of booster doses previously received. This would help restore protection against serious illness and lessen the potential strain on the health system.⁴⁵⁰ Later in the summer of 2022, NACI issued guidance for booster doses for those aged 5 to 11 years and Health Canada authorized for the first time the use of a COVID-19 vaccine for children aged 6 months to 5 years.^{433, 451} The first bivalent COVID-19 vaccines, based on the spike protein of both the original strain of SARS-CoV-2 as well as the Omicron BA.1 strain, were anticipated to be approved by Health Canada on September 1, 2022.^{426, 452} Since these updated vaccine formulations offer more targeted protection against the Omicron variant and broader protection against known variants of concern, they were expected to be important tools for reducing the impact of future resurgences.

Advances in Therapeutics for the Management of COVID-19

Canada has approved the use of several monoclonal antibody therapies that prevent the SARS-CoV-2 virus from infecting cells.⁴⁵³ However, the arrival of the Omicron variant rendered many of these therapeutics less effective due to mutations in the virus.⁴⁵⁴ In January 2022, Health Canada authorized the use of Paxlovid, the first therapy in pill form that can be used at home to treat mild to moderate COVID-19, including cases caused by the Omicron variant. By preventing viral replication, Paxlovid can be critical in reducing the severity of COVID-19 in adults who are at elevated risk of progressing to serious illness.⁴⁴⁵ Additionally, in April 2022 Health Canada approved the monoclonal antibody drug Evusheld for the prevention of COVID-19 in people who are immunocompromised or for whom COVID-19 vaccination is not recommended.⁴⁵⁶ Treatment is not a substitute for vaccination and keeping up to date with COVID-19 vaccinations is one of the best ways to reduce the risk of severe health outcomes.

Ongoing Broader Consequences of COVID-19

The previous [2021 CPHO Annual Report](#) highlighted examples that illustrated the wide-reaching consequences of the pandemic outside of the direct impacts of COVID-19 on the health of people in Canada. [Figure 9](#) provides updates on some of the broader consequences that can affect health. This collection of evidence is not exhaustive. Understanding many of the longer-term consequences of COVID-19 on the physical and mental health and well-being of people in Canada will take more time.

FIGURE 9: Key Updates on Broader Consequences of COVID-19^{428, 457-467}



Evidence continued to accumulate that the pandemic has further worsened many of the structural and systemic factors that contribute to health inequities. Certain groups, such as Indigenous Peoples, communities that are racialized, women, people living with lower income, and people experiencing homelessness were disproportionately affected by both the direct and indirect consequences of the pandemic, as were people living with disabilities,

who use substances, who are incarcerated, and LGBTQ2S+ communities.⁴⁶⁸⁻⁴⁷¹ For instance, COVID-19 mortality rates were significantly higher for those living in large urban centres, apartments, areas with lower income, and areas with higher levels of ethno-cultural composition.⁴⁶⁹ As called for in previous CPHO reports, addressing structural inequities needs to continually be at the centre of our efforts moving forward.

The Impact of Post COVID-19 Condition on Individuals and Communities is Likely to be Substantial

Post COVID-19 condition, also known as long COVID, refers to new or ongoing physical or psychological symptoms that occur 12 weeks or more after an initial infection with SARS-CoV-2.⁴⁷²⁻⁴⁷⁴ Individuals experiencing post COVID-19 condition have reported a wide range of different symptoms including fatigue, memory problems, sleep disturbances, shortness of breath, anxiety, and depression.⁴⁷² These may persist long after an initial COVID-19 infection. For example, a study in the United Kingdom estimated that 43% of people with post COVID-19 condition reported having had COVID-19 for the first time at least one year prior.⁴⁷⁵

Based on a review of global evidence, it was estimated that between 30% and 40% of people who were not hospitalized for their initial COVID-19 infection still reported symptoms beyond 12 weeks.⁴⁷² While these studies predated the emergence of Omicron, preliminary evidence suggested that the Omicron variant may be associated with a lower risk of post COVID-19 condition compared to the Delta variant.^{476, 477} Emerging research also suggested that post COVID-19 condition was more likely among females and those who had a more severe initial infection.⁴⁷⁸ In addition, each additional reinfection may increase the risk of developing the condition.⁴⁷⁹ While anyone can develop post COVID-19 condition, vaccination with two or more doses of COVID-19 vaccines prior to infection may help reduce the risk.^{472, 480}

Available evidence indicated that the medical, social, and economic impacts of post COVID-19 condition are substantial and further stress an already overburdened healthcare system. Affected individuals can experience difficulties accessing care and commonly report negative impacts to their mental health and everyday functioning, including schooling and employment.^{472, 481} This may lead to an economic burden at the population level as post COVID-19 condition

affects overall participation in the labour market.⁴⁸² Given the number of COVID-19 cases among healthcare workers, this also has implications for the ability of the healthcare workforce to maintain levels of care.⁴⁸³

As of August 2022, there were limited data to fully understand the prevalence and severity of post COVID-19 condition in Canada. However, work is ongoing to develop evidence-based guidelines for the prevention, identification, and management of post COVID-19 condition that are adapted to the Canadian context. For instance, in April 2022, Statistics Canada, Public Health Agency of Canada, and the COVID-19 Immunity Task Force launched a second cycle of the population-based Canadian COVID-19 Antibody and Health Survey to estimate the percentage of adults in Canada who are living with post COVID-19 condition and collect information on symptoms and risk factors.⁴⁸⁴ Although there is no universally agreed upon approach for diagnosis and treatment, many specialized care centres have been established across Canada.⁴⁸⁵

Canada's Public Health Response Has Helped to Minimize COVID-19 Harms

Canada's public health response and collective action of people across the country has helped minimize harms since the beginning of the pandemic. At the time of drafting this report in August 2022, Canada had one of the highest two-dose COVID-19 vaccination rates in the world, but more needed to be done to increase booster uptake.⁴⁸⁶ Vaccination, combined with other public health measures, was estimated to have saved hundreds of thousands of lives in Canada alone.⁴⁴⁹ Without the combination of vaccination and other public health measures, it was estimated that Canada could have experienced 13 times as many total hospitalizations, and 20 times as many total deaths by April 2022.⁴⁸⁷

Although life expectancy in Canada dropped by seven months in 2020 due to the pandemic, this was a smaller decrease compared to other countries.^{488, 489} For example, life expectancy declined by 1.8 years in the USA in 2020.⁴⁹⁰ Additionally, Canada's COVID-19 death rate for the first two years of the pandemic was the second lowest among G10 countries, further illustrating the overall effectiveness of our societal response.⁴⁹¹

Preparedness and Prevention can Better Equip us to Manage COVID-19 Moving Forward

The emergence of the Omicron variant reminded us that we must be well-equipped to adapt and respond to the virus moving forward. The reality is that COVID-19 will be with us for the foreseeable future and that progress will not be linear. With waning immunity, the evolution of highly immune-evasive variants, and the easing of public health measures, there may be gaps in our collective protection. Our challenge is to sustain the incredible gains we have made, while not losing sight of the continuing threat of COVID-19 to our health and well-being. We have a shared responsibility, including among individuals and across governments and sectors, to maintain a state of readiness, address long-standing inequities, and move toward a long-term approach to COVID-19 management.

At the individual level, preparedness is best achieved by keeping COVID-19 vaccinations up-to-date and layering personal protective practices like wearing a well-fitted and well-constructed face mask, avoiding crowding, and staying home if experiencing symptoms or testing positive for the virus. At the societal level, ongoing management includes supporting optimal ventilation in public and institutional settings, investing in vaccine technologies that can broaden protection, and strengthening surveillance tools for monitoring the spread and evolution of the virus. Countering misinformation and disinformation while building trust in public health systems are also foundational to the ongoing COVID-19 response.

In addition to preparing for ongoing and future resurgences, healthcare systems continue to face capacity issues. For example, organizations representing nurses and physicians have expressed urgency to address staff shortages and burnout exacerbated by the pandemic.^{492, 493}

Public health systems will also need to rise to meet other challenges, such as the needs of an aging population, the return and emergence of other infectious diseases (e.g., influenza and monkeypox), the ongoing opioid overdose crisis, and the health impacts of climate change.

A robust and resilient public health system can protect healthcare systems by reducing the need for medical treatments, and helping people stay healthy and well. We need strong healthcare and public health systems to prepare for and respond to present and future health threats.⁴⁴⁶

APPENDIX C:

Methodology

Process

The 2022 Chief Public Health Officer of Canada (CPHO) Annual Report was drafted based on a review of the best available evidence, including academic research, guidance from expert advisors, and engagement with climate change, public health, and Indigenous experts. Where possible, Canadian research and representative data were prioritized. Existing evidence reviews, such as the [Intergovernmental Panel on Climate Change \(IPCC\) reports](#) and [the Health of Canadians in a Changing Climate report](#), were also prioritized.

The evidence was identified through:

Epidemiological Data

- ▶ Information published or shared by the Public Health Agency of Canada (PHAC), Statistics Canada, and other federal, provincial, territorial, or municipal government sources
- ▶ Rapid review initiatives across Canada such as the COVID-19 Evidence Network to Support Decision-Making (COVID-END), CanCOVID, and the National Collaborating Centre for Methods and Tools evidence platform

- ▶ Grey literature and policy reviews of trusted sources, such as health organizations (e.g., World Health Organization, Canadian Institute for Health Information) and government publications (e.g., Public Health Ontario)
- ▶ Press briefings by health authorities and media statements where necessary

Research Reviews

- ▶ An annotated bibliography commissioned by the Office of the CPHO (OCPHO) and led by Dr. Sherilee Harper at the Climate Change & Global Health Research Group at the University of Alberta. The process for this annotated bibliography included a review of literature published between 2013 and 2021 in English or in French, found through:
 - A search of five electronic databases: MEDLINE via Ovid, CINAHL, Web of Science, Scopus, and Embase via Ovid. The search string consisted of terms related to three main components: human/population health, climate change, and location

- A hand search of the following journals: Environmental Health Perspectives, The Lancet, Climatic Change, the Canadian Journal of Public Health, and the American Journal of Public Health
 - A search of the database associated with Global Adaptation Mapping Initiative (GAMI), with a focus on potentially relevant literature from Canada, the United States, the United Kingdom, and Australia
 - Examination of the reference lists of relevant sections of major climate and health publications, such as the *IPCC Sixth Assessment Report Working Group II* (Chapter 7 Health, Wellbeing, and the Changing Structure of Communities, and Chapter 14 North America), and the 2022 Inter-American Network of Academies of Science (IANAS) report *Taking Action Against Climate Change Will Benefit Health and Advance Health Equity in the Americas*
 - A search of the Canadian government documents by programmable Google search engine to identify relevant government publications
 - A gray literature search using a systematic Google search using the search string for the peer-reviewed literature with additional fields to capture a specific organization; the organizations included in the search were the World Health Organization (WHO), Health Canada, and PHAC
- ▶ Ongoing and frequent literature searches completed by OCPHO, completed by sub-topic, using online databases such as Medline and Scopus, as well as identifying new and existing research maintained by various academic publishers, such as the British Medical Journal, The Lancet, and Elsevier
 - ▶ Grey literature review by OCPHO, including an examination of key international efforts to explore the role of public health in climate change, including the WHO's initiatives to build climate-resilient health systems and the Pan American Health Organization's (PAHO) 2022 publication on new essential environmental public health functions^{243, 494}

Public Health Reports and Other Grey Literature

- ▶ Ongoing and frequent literature searches completed by OCPHO to find grey literature and public health reports from trusted sources, such as: public health organizations (e.g., World Health Organization, PAHO), climate researchers (e.g., IPCC) and government publications (e.g., federal, provincial, and municipal governments)
- ▶ Collaboration with relevant National Collaborating Centres for Public Health, including the National Collaborating Centre for Indigenous Health, the National Collaborating Centre for Infectious Diseases, the National Collaborating Centre for Healthy Public Policy, and the National Collaborating Centre for Environmental Health, which provided expert content on key topics featured throughout the report
- ▶ Identification of applied public health examples in collaboration with CPHO expert advisors

Discussion Groups and Key Informant Interviews

- ▶ A targeted qualitative research and engagement process, commissioned by OCPHO and led by Dr. Heather Castleden at the University of Victoria, resulting in a What We Heard report entitled “*Perspectives on Climate Change and Public Health in Canada*”
- ▶ The research and report focuses on the current contributions of public health systems concerning climate change adaptation and mitigation, examining the potential roles for the public health system in climate change adaptation and mitigation, and identifying how public health systems need to be strengthened to undertake this work
- ▶ The engagement process included:
 - Two focus groups completed with Medical Officers of Health recruited through the Urban Public Health Network
 - Interviews with 21 key experts from across the country; participants were recruited from the climate/environment sector and the public health related sector, including those from non-governmental organizations, research institutions, and public health organizations; participant selection also focused on intersectional criteria (e.g., Indigenous/distinction-based, racialized communities, youth, LGBTQ2S+, people living with disabilities, minority language communities, migrants) as well as geographical representation (e.g., rural/remote northern, rural/remote other, urban, coastal)

Limitations

Scope and Literature Search

The 2022 CPHO Annual Report explores the health impacts of climate change and the potential role of public health systems in climate action. Both are vast topics with considerable breadth and depth across a variety of academic and professional disciplines. Since the purpose of the report is to provide an overview of presented topics and concepts, there are necessary restrictions on the level of detail provided in each section. Therefore, the report does not represent an exhaustive evidence review, but rather a summary of select key literature. Only literature published in English and French was reviewed. A detailed assessment of study quality and risk of bias was not conducted in this review.

Language

To the extent possible, we attempted to use standardized, inclusive, and culturally appropriate language when drawing on evidence related to different communities and their experiences of health. However, in some instances we relied on the terminology included in the source documents (e.g., visible minorities), if appropriate alternative language could not be identified.



Acknowledgements

Many people and organizations contributed to the development of this report.

I would like to express my gratitude to the annual report advisors who provided invaluable advice, strategic guidance, and expertise:

- ▶ **Dr. Marcos Espinal**, Assistant Director, Pan American Health Organization (PAHO)
- ▶ **Dr. Sherilee Harper**, Canada Research Chair in Climate Change and Health and Associate Professor, University of Alberta
- ▶ **Dr. Deborah McGregor**, Associate Professor and Canada Research Chair in Indigenous Environmental Justice at Osgoode Hall Law School
- ▶ **Dr. Cory Neudorf**, Professor, Department of Community Health and Epidemiology, College of Medicine, University of Saskatchewan and interim Senior Medical Health Officer, Saskatchewan Health Authority
- ▶ **Kim Perrotta**, MHSc, Executive Director, Canadian Health Association for Sustainability and Equity (CHASE)

My deep appreciation to experts from across Canada, including researchers, public health practitioners, non-governmental public health organization leaders, municipal-to-federal government public health system employees, community leaders, and medical practitioners, who participated in interviews and discussion groups. Your insights helped inform my report

on the role that public health systems can play in taking action on the health impacts of climate change.

I would like to thank the National Collaborating Centres (NCC) for Public Health for their support. I would also like to acknowledge the staff from the NCC for Indigenous Health, NCC for Healthy Public Policy, NCC for Environmental Health, and NCC for Infectious Diseases for their input and contributions to the report. In addition, I want to extend my thanks to those at PAHO who provided thoughtful feedback.

Thank you to the many colleagues at the Public Health Agency of Canada, Health Canada, Indigenous Services Canada, Crown-Indigenous Relations and Northern Affairs Canada, and Environment and Climate Change Canada who provided insights and guidance throughout the development of the report, and for their critical review of report drafts.

Finally, I am grateful for the work of my office members who came together to support the development of this report. Special thanks to the Reports team for their commitment and dedication in seeing this report from conception to publication: Tammy Bell, Fabienne Boursiquot, Dr. Marie Chia, Dr. Charlene Cook, Dr. Sarah Drohan, Elyse Fortier, Rhonda Fraser, Dr. Kimberly Gray, Dr. David Grote, Holly Lake, Jessica Lepage, Danielle Noble, Kelly Kavanagh Salmond, Kelsey Seal, and Inès Zombré.



References

1. Intergovernmental Panel on Climate Change. Annex II: Glossary. In: Pörtner H-O, Roberts DC, Tignor M, Poloczanska ES, Mintenbeck K, Alegría A, *et al.*, editors. *Climate Change 2022: Impacts, Adaptation and Vulnerability*. Cambridge, UK: Cambridge University Press; 2022. p. 2897-930.
2. Climate Action Plan. City of Saskatoon; Available from: <https://www.saskatoon.ca/community-culture-heritage/environment/climate-change>.
3. Schnitter, R, Moores, E, Berry, P, Verret, M, Buse, C, Macdonald, C, *et al.* Chapter 9: Climate Change and Health Equity. In: Berry P, Schnitter R, editors. *Health of Canadians in a Changing Climate: Advancing Our Knowledge for Action*. Ottawa, ON: Government of Canada; 2022.
4. Coutinho, A, Mesic, A, Ramesh, H, Whittaker, AI, McCarney, G. *Shed Light, Build Resilience: Unearthing Evidence on Climate Change, Gender, and Livelihoods in Canada*. Smart Prosperity Institute; 2022.
5. *Health of Canadians in a Changing Climate: Advancing Our Knowledge for Action*. Berry P, Schnitter R, editors. Ottawa, ON: Government of Canada; 2022.
6. Intergovernmental Panel on Climate Change. *Climate Change 2014: Impacts, Adaptation, and Vulnerability – Part B: Regional Aspects*. Barros VR, Field CB, Dokken DJ, Mastrandrea MD, Mach KJ, Bilir TE, *et al.*, editors. New York, NY: Cambridge University Press; 2014.
7. Hamilton, I, Kennard, H, McGushin, A, Höglund-Isaksson, L, Kiesewetter, G, Lott, M, *et al.* The Public Health Implications of the Paris Agreement: A Modelling Study. *The Lancet Planetary Health*. 2021; 5(2):e74-e83.
8. Canadian Public Health Association. *Global Change and Public Health: Addressing the Ecological Determinants of Health*. Hancock T, Spady DW, Soskolne CL, editors. Ottawa, ON: Canadian Public Health Association; 2015.
9. Parkes, MW, Poland, B, Allison, S, Cole, D, Culbert, I, de Leeuw, S, *et al.* *Ecological Determinants of Health in Public Health Education in Canada: A Scan of Needs, Challenges and Assets*. Canadian Public Health Association; 2018.
10. Oickle, D. *The 5 Ws of Intersectoral Collaboration*. National Collaborating Centre for Determinants of Health; 2014.
11. Tangcharoensathien, V, Srisookwatana, O, Pinprateep, P, Posayanonda, T, Patcharanarumol, W. *Multisectoral Actions for Health: Challenges and Opportunities in Complex Policy Environments*. *International Journal of Health Policy and Management*. 2017; 6(7):359-63.

12. Salunke, S, Lal, D. Multisectoral Approach for Promoting Public Health. *Indian Journal of Public Health*. 2017; 61(3):163-8.
13. Magnan, AK, Schipper, ELF, Burkett, M, Bharwani, S, Burton, I, Eriksen, S, *et al.* Addressing the Risk of Maladaptation to Climate Change. *WIREs Climate Change*. 2016; 7(5):646-65.
14. One Health High-Level Expert Panel. One Health High-Level Expert Panel Annual Report 2021. World Health Organization; 2021.
15. Government of Canada. Social Determinants of Health and Health Inequalities Government of Canada; 2022.
16. World Health Organization. Social Determinants of Health. World Health Organization; Available from: https://www.who.int/health-topics/social-determinants-of-health#tab=tab_1.
17. U.S. Global Change Research Program. The Impacts of Climate Change on Human Health in the United States: A Scientific Assessment. Washington, DC: U.S. Global Change Research Program; 2016.
18. Séguin, J, Berry, P. Human Health in a Changing Climate: A Canadian Assessment of Vulnerabilities and Adaptive Capacity - Synthesis Report. Ottawa, ON: Health Canada; 2008.
19. Intergovernmental Panel on Climate Change. Summary for Policymakers. In: Pörtner H-O, Roberts DC, Tignor M, Poloczanska ES, Mintenbeck K, Alegría A, *et al.*, editors. *Climate Change 2022: Impacts, Adaptation, and Vulnerability*. Cambridge, UK: Cambridge University Press; 2022.
20. Assembly of First Nations. AFN National Climate Strategy & Survey. *Assembly of First Nations Bulletin*. 2021.
21. Inuit Tapiriit Kanatami. National Inuit Climate Change Strategy. Inuit Tapiriit Kanatami; 2019.
22. Watts, N, Amann, M, Arnell, N, Ayeb-Karlsson, S, Belesova, K, Boykoff, M, *et al.* The 2019 Report of The Lancet Countdown on Health and Climate Change: Ensuring That the Health of a Child Born Today Is Not Defined by a Changing Climate. *The Lancet*. 2019; 394(10211):1836-78.
23. Canada's Changing Climate Report. Bush E, Lemmen DS, editors. Ottawa, ON: Government of Canada; 2019.
24. United Nations Department of Political and Peacebuilding Affairs. Strategic Plan 2020–2022. United Nations Department of Political and Peacebuilding Affairs; 2020.
25. Skea, J, Shukla, PR, Reisinger, A, Slade, R, Pathak, M, Al Khourdajie, A, *et al.* *Climate Change 2022: Mitigation of Climate Change*. Intergovernmental Panel on Climate Change; 2022.
26. Government of Canada. Climate Change Concepts. Government of Canada; 2020.
27. Environment and Climate Change Canada. Causes of Climate Change. Government of Canada; 2019.
28. Canadian Public Health Association. Global Change and Public Health: Addressing the Ecological Determinants of Health: The Report in Brief. Hancock T, Spady DW, Soskolne CL, editors. Ottawa, Canada: Canadian Public Health Association; 2015.
29. European Commission. Causes of Climate Change. European Union.
30. United Nations. The Climate Crisis – a Race We Can Win. United Nations.
31. Center for Climate and Energy Solutions. Main Greenhouse Gases. Center for Climate and Energy Solutions; Available from: <https://www.c2es.org/content/main-greenhouse-gases/>.
32. United Nations Climate Change. Paris Agreement. United Nations; 2015.

33. United Nations Environment Programme. Emissions Gap Report 2019. Nairobi, KE: United Nations Environment Programme; 2019.
34. Global Commission on Adaptation. ADAPT Now: A Global Call for Leadership on Climate Resilience. Global Commission on Adaptation; 2019.
35. Mbow, C, Rosenzweig, C, Barioni, LG, Benton, TG, Herrero, M, Krishnapillai, M, *et al.* Chapter 5: Food Security. In: Shukla PR, Skea J, Calvo Buendia E, Masson-Delmotte V, Pörtner H-O, Roberts DC, *et al.*, editors. Climate Change and Land: An IPCC Special Report on Climate Change, Desertification, Land Degradation, Sustainable Land Management, Food Security, and Greenhouse Gas Fluxes in Terrestrial Ecosystems: In Press; 2019.
36. Bhatt, I, Deryng, D, Farrell, A, Gurney-Smith, H, Ju, H, Lluich-Cota, S, *et al.* Chapter 5: Food, Fibre, and Other Ecosystem Products. In: Pörtner H-O, Roberts DC, Adams H, Adler C, Aldunce P, Ali E, *et al.*, editors. Climate Change 2022: Impacts, Adaptation and Vulnerability. Cambridge, UK: Cambridge University Press; 2022.
37. Springmann, M, Mason-D'Croz, D, Robinson, S, Garnett, T, Godfray, HCJ, Gollin, D, *et al.* Global and Regional Health Effects of Future Food Production under Climate Change: A Modelling Study. *The Lancet*. 2016; 387(10031):1937-46.
38. Caretta, MA, Mukherji, A, Arfanuzzaman, M, Betts, RA, Gelfan, A, Hirabayashi, Y, *et al.* Chapter 4: Water. In: Pörtner H-O, Roberts DC, Adams H, Adler C, Aldunce P, Ali E, *et al.*, editors. Climate Change 2022: Impacts, Adaptation, and Vulnerability. Cambridge, UK: Cambridge University Press; 2022.
39. International Federation of Red Cross and Red Crescent Societies. The Cost of Doing Nothing: The Humanitarian Price of Climate Change and How It Can Be Avoided. Geneva: International Federation of Red Cross and Red Crescent Societies; 2019.
40. United Nations. The Ocean Conference Fact Sheet Package. New York, US: United Nations; 2017; Available from: <https://www.un.org/sustainabledevelopment/wp-content/uploads/2017/05/Ocean-fact-sheet-package.pdf>.
41. Strauss, BH, Kulp, S, Levermann, A. Mapping Choices: Carbon Climate and Rising Seas Our Global Legacy. Princeton, NJ: Climate Central; 2015.
42. The Intergovernmental Panel on Climate Change. Intergovernmental Panel on Climate Change; Available from: <https://www.ipcc.ch/>.
43. Pörtner, H-O, Roberts, DC, Adams, H, Adler, C, Aldunce, P, Ali, E, *et al.* Climate Change 2022: Impacts, Adaptation, and Vulnerability. Intergovernmental Panel on Climate Change; 2022.
44. Office of the Chief Science Officer. Science Narrative: Climate Change Impacts on the Health of Canadians. Ottawa, ON: Public Health Agency of Canada; 2017.
45. International Association of National Public Health Institutes. IANPHI Roadmap for Action on Health and Climate Change: Engaging and Supporting National Public Health Institutes as Key Climate Actors. International Association of National Public Health Institutes; 2021.
46. World Health Organization, United Nations Environment Programme. Healthy Environments for Healthy Children: Key Messages for Action. World Health Organization; 2010.
47. Skoufias, E, Rabassa, M, Olivieri, S. The Poverty Impacts of Climate Change: A Review of the Evidence. The World Bank; 2011.

48. United Nations Development Programme. Training Module 1: Overview of Linkages between Gender and Climate Change. New York, US: United Nations Development Programme; 2013.
49. Bartlett, S. Climate Change and Urban Children: Impacts and Implications for Adaptation in Low- and Middle-Income Countries. *Environment and Urbanization*. 2008; 20(2):501-19.
50. National Collaborating Centre for Indigenous Health. Chapter 2: Climate Change and Indigenous Peoples' Health in Canada. In: Berry P, Schnitter R, editors. *Health of Canadians in a Changing Climate: Advancing Our Knowledge for Action*. Ottawa, ON: Government of Canada; 2022.
51. Prairie Climate Centre. Indigenous Knowledges and Climate Change. *Climate Atlas of Canada*. 2022. Available from: <https://climateatlas.ca/indigenous-knowledges-and-climate-change>.
52. Redvers, N, Poelina, A, Schultz, C, Kobei, DM, Githaiga, C, Perdrisat, M, *et al*. Indigenous Natural and First Law in Planetary Health. *Challenges*. 2020; 11(2).
53. Ford, JD, King, N, Galappaththi, EK, Pearce, T, McDowell, G, Harper, SL. The Resilience of Indigenous Peoples to Environmental Change. *One Earth*. 2020; 2(6):532-43.
54. Greenwood, M, Lindsay, NM. A Commentary on Land, Health, and Indigenous Knowledge(S). *Global Health Promotion*. 2019; 26(3_suppl):82-6.
55. United Nations General Assembly. United Nations Declaration on the Rights of Indigenous Peoples. United Nations General Assembly; 2007.
56. International Labour Office Gender Equality and Diversity Branch. *Indigenous Peoples and Climate Change: From Victims to Change Agents through Decent Work*. Geneva: International Labour Organization; 2017.
57. Jones, R. Climate Change and Indigenous Health Promotion. *Global Health Promotion*. 2019; 26(3_suppl):73-81.
58. Ford, JD. Indigenous Health and Climate Change. *American Journal of Public Health*. 2012; 102(7):1260-6.
59. Wise, J. Climate Crisis: Over 200 Health Journals Urge World Leaders to Tackle "Catastrophic Harm". *BMJ*. 2021; 374:n2177.
60. World Health Organization. COP26 Health Programme: Country Commitments. World Health Organization.
61. Call for Side Events at the COP27 Health Pavilion. World Health Organization; 2022; Available from: <https://www.who.int/news/item/31-07-2022-call-for-side-events-at-the-cop27-health-pavilion>.
62. World Health Organization. 2021 WHO Health and Climate Change Survey Report. World Health Organization; 2021.
63. International Association of National Public Health Institutes. Survey Results: The Role of National Public Health Institutes in Climate Change Adaptation and Mitigation. International Association of National Public Health Institutes; 2021.
64. Henderson, SB, McLean, KE, Lee, M, Kosatsky, T. Extreme Heat Events Are Public Health Emergencies. *BC Medical Journal*. 2021; 63(9):366-7.
65. Government of Canada. Canada's Top 10 Weather Stories of 2021. Government of Canada; 2021.
66. British Columbia Coroners Service Death Review Panel. Extreme Heat and Human Mortality: A Review of Heat-Related Deaths in B.C. In Summer 2021. Government of British Columbia; 2022.

67. Bustinza, R, Lebel, G, Gosselin, P, Bélanger, D, Chebana, F. Health Impacts of the July 2010 Heat Wave in Québec, Canada. *BMC Public Health*. 2013; 13(1):56.
68. Lebel, G, Dubé, M, Bustinza, R. Surveillance des impacts des vagues de chaleur extrême sur la santé au Québec à l'été 2018. Québec, QC: Institut national de santé publique du Québec; 2019.
69. Ministère de l'environnement et de la lutte contre les changements climatiques. Faits saillants : Septembre 2018 : L'été le plus chaud en 146 ans d'observations au sud du Québec se confirme. Gouvernement du Québec; 2019; Available from: <https://www.environnement.gouv.qc.ca/climat/Faits-saillants/2018/septembre.htm>.
70. Gillett, NP, Weaver, AJ, Zwiers, FW, Flannigan, MD. Detecting the Effect of Climate Change on Canadian Forest Fires. *Geophysical Research Letters*. 2004; 31(18).
71. Canada's Marine Coasts in a Changing Climate. Lemmen DS, Warren FJ, James TS, Mercer Clarke CSL, editors. Ottawa, ON: Government of Canada; 2016.
72. Council of Canadian Academies. Canada's Top Climate Change Risks. Ottawa, ON: The Expert Panel on Climate Change Risks and Adaptation Potential, Council of Canadian Academies; 2019.
73. The Firelight Group. The Impacts of Permafrost Thaw on Northern Indigenous Communities. Vancouver, BC: Firelight Research Inc.; 2022.
74. Rantanen, M, Karpechko, AY, Lipponen, A, Nordling, K, Hyvärinen, O, Ruosteenoja, K, *et al.* The Arctic Has Warmed Nearly Four Times Faster Than the Globe since 1979. *Communications Earth & Environment*. 2022; 3(1):168.
75. Derksen, C, Burgess, D, Duguay, C, Howell, S, Mudryk, L, Smith, S, *et al.* Chapter 5: Changes in Snow, Ice, and Permafrost across Canada. In: Bush E, Lemmen DS, editors. *Canada's Changing Climate Report 2019*. p. 194-260.
76. Constable, AJ, Harper, S, Dawson, J, Holsman, K, Mustonen, T, Piepenburg, D, *et al.* Cross-Chapter Paper 6: Polar Regions. In: Pörtner H-O, Roberts DC, Adams H, Adler C, Aldunce P, Ali E, *et al.*, editors. *Climate Change 2022: Impacts, Adaptation, and Vulnerability*. Cambridge, UK: Cambridge University Press; 2022.
77. Gasmi, S, Bouchard, C, Ogden, NH, Adam-Poupart, A, Pelcat, Y, Rees, EE, *et al.* Evidence for Increasing Densities and Geographic Ranges of Tick Species of Public Health Significance Other Than *Ixodes Scapularis* in Québec, Canada. *PLOS ONE*. 2018; 13(8):e0201924.
78. Werden, L, Barker, IK, Bowman, J, Gonzales, EK, Leighton, PA, Lindsay, LR, *et al.* Geography, Deer, and Host Biodiversity Shape the Pattern of Lyme Disease Emergence in the Thousand Islands Archipelago of Ontario, Canada. *PLOS ONE*. 2014; 9(1):e85640.
79. Cheng, A, Chen, D, Woodstock, K, Ogden, NH, Wu, X, Wu, J. Analyzing the Potential Risk of Climate Change on Lyme Disease in Eastern Ontario, Canada Using Time Series Remotely Sensed Temperature Data and Tick Population Modelling. *Remote Sensing*. 2017; 9(6).
80. McPherson, M, García-García, A, Cuesta-Valero Francisco, J, Beltrami, H, Hansen-Ketchum, P, MacDougall, D, *et al.* Expansion of the Lyme Disease Vector *Ixodes Scapularis* in Canada Inferred from CMIP5 Climate Projections. *Environmental Health Perspectives*. 2017; 125(5):057008.
81. Kotchi, SO, Bouchard, C, Brazeau, S, Ogden, NH. Earth Observation-Informed Risk Maps of the Lyme Disease Vector *Ixodes Scapularis* in Central and Eastern Canada. *Remote Sensing*. 2021; 13(3).
82. Climate Atlas. Climate Atlas of Canada; 2022; Available from: <https://climateatlas.ca/>.

83. Canada in a Changing Climate: Regional Perspectives Report. Warren FJ, Lulham N, Lemmen DS, editors. Ottawa, ON: Government of Canada; 2021.
84. Intergovernmental Panel on Climate Change. Global Warming of 1.5°C. An IPCC Special Report on the Impacts of Global Warming of 1.5°C above Pre-Industrial Levels and Related Global Greenhouse Gas Emission Pathways, in the Context of Strengthening the Global Response to the Threat of Climate Change, Sustainable Development, and Efforts to Eradicate Poverty. Masson-Delmotte V, Zhai P, Pörtner H-O, Roberts D, Skea J, Shukla PR, *et al.*, editors. Cambridge, UK Cambridge University Press; 2018.
85. Intergovernmental Panel on Climate Change. Summary for Policymakers. In: Masson-Delmotte V, Zhai P, Pörtner H-O, Roberts D, Skea J, Shukla PR, *et al.*, editors. Global Warming of 15°C an IPCC Special Report on the Impacts of Global Warming of 15°C above Pre-Industrial Levels and Related Global Greenhouse Gas Emission Pathways, in the Context of Strengthening the Global Response to the Threat of Climate Change, Sustainable Development, and Efforts to Eradicate Poverty. Cambridge, UK: Cambridge University Press; 2018.
86. Ebi, KL, Hasegawa, T, Hayes, K, Monaghan, A, Paz, S, Berry, P. Health Risks of Warming of 1.5°C, 2°C, and Higher, above Pre-Industrial Temperatures. *Environmental Research Letters*. 2018; 13(6).
87. UK Government. COP26 Explained. United Nations Climate Change; 2021.
88. Zhang, X, Flato, G, Kirchmeier-Young, M, Vincent, L, Wan, H, Wang, X, *et al.* Chapter 4: Changes in Temperature and Precipitation across Canada. In: Bush E, Lemmen DS, editors. *Canada's Changing Climate Report*. Ottawa, ON: Government of Canada; 2019. p. 112-93.
89. Solomon, S, Plattner, G-K, Knutti, R, Friedlingstein, P. Irreversible Climate Change Due to Carbon Dioxide Emissions. *Proceedings of the National Academy of Sciences*. 2009; 106(6):1704-9.
90. Intergovernmental Panel on Climate Change. Summary for Policymakers. In: Masson-Delmotte V, Zhai P, Pirani A, Connors SL, Péan C, Berger S, *et al.*, editors. *Climate Change 2021: The Physical Science Basis*. Cambridge, UK: Cambridge University Press; 2021. p. 3-32.
91. Romanello, M, McGushin, A, Di Napoli, C, Drummond, P, Hughes, N, Jamart, L, *et al.* The 2021 Report of the Lancet Countdown on Health and Climate Change: Code Red for a Healthy Future. *The Lancet*. 2021; 398(10311):1619-62.
92. Lawrence, J, Blackett, P, Cradock-Henry, NA. Cascading Climate Change Impacts and Implications. *Climate Risk Management*. 2020; 29:100234.
93. European Observatory on Health Systems and Policies, Thomas, S, Sagan, A, Larkin, J, Cylus, J, Figueras, J, *et al.* *Strengthening Health Systems Resilience: Key Concepts and Strategies*. Copenhagen, Denmark: World Health Organization; 2020.
94. World Health Organization. *Operational Framework for Building Climate Resilient Health Systems*. World Health Organization; 2015.
95. Northwest Territories Association of Communities. *Climate Change Adaptation Strategy and Action Plan*. Northwest Territories Association of Communities; 2019.
96. Paterson, DL, Wright, H, Harris, PNA. Health Risks of Flood Disasters. *Clinical Infectious Diseases*. 2018; 67(9):1450-4.
97. Chambers, KA, Husain, I, Chathampally, Y, Vierling, A, Cardenas-Turanzas, M, Cardenas, F, *et al.* Impact of Hurricane Harvey on Healthcare Utilization and Emergency Department Operations. *Western Journal of Emergency Medicine: Integrating Emergency Care with Population Health*. 2020; 21(3).

98. Guo, Y, Gasparrini, A, Li, S, Sera, F, Vicedo-Cabrera, AM, de Sousa Zanotti Stagliorio Coelho, M, *et al.* Quantifying Excess Deaths Related to Heatwaves under Climate Change Scenarios: A Multicountry Time Series Modelling Study. *PLOS Medicine*. 2018; 15(7):e1002629.
99. Inter-American Network of Academies of Sciences. Taking Action against Climate Change Will Benefit Health and Advance Health Equity in the Americas. Harper SL, McNeil JN, editors. Inter-American Network of Academies of Sciences and InterAcademy Partnership; 2022.
100. Schnitter, R, Berry, P. The Climate Change, Food Security and Human Health Nexus in Canada: A Framework to Protect Population Health. *International Journal of Environmental Research and Public Health*. 2019; 16(14).
101. Casati, B, Yagouti, A, Chaumont, D. Regional Climate Projections of Extreme Heat Events in Nine Pilot Canadian Communities for Public Health Planning. *Journal of Applied Meteorology and Climatology*. 2013; 52(12):2669-98.
102. Rudolph, L, Harrison, C, Buckley, L, North, S. Climate Change, Health, and Equity: A Guide for Local Health Departments. Oakland, CA & Washington, D.C.: Public Health Institute and American Public Health Association; 2018.
103. Doyle, HM. Module 3 – Climate Change Health Impacts across Canada. In: Perrotta K, editor. Climate Change Toolkit for Health Professionals: Canadian Association of Physicians for the Environment; 2019.
104. Yumagulova, L, Okamoto, T, Crawford, E, Klein, K. Lived Experience of Extreme Heat in B.C. Government of British Columbia; 2022.
105. Löhmus, M. Possible Biological Mechanisms Linking Mental Health and Heat—a Contemplative Review. *International Journal of Environmental Research and Public Health*. 2018; 15(7).
106. National Collaborating Centre for Environmental Health. Drugs. National Collaborating Centre for Environmental Health; 2010.
107. Kenny, GP, Flouris, AD, Yagouti, A, Notley, SR. Towards Establishing Evidence-Based Guidelines on Maximum Indoor Temperatures during Hot Weather in Temperate Continental Climates. *Temperature*. 2019; 6(1):11-36.
108. National Collaborating Centre for Environmental Health. Health Checks during Extreme Heat Events. Vancouver, BC: National Collaborating Centre for Environmental Health; 2022.
109. Ontario Regulation 516/06: General under Residential Tenancies Act, 2006, S.O. 2006, C. 17. <https://www.ontario.ca/laws/regulation/060516>
110. Alberta Health. Minimum Housing and Health Standards. Edmonton, AB: Government of Alberta; 2013.
111. Goldberg, MS, Gasparrini, A, Armstrong, B, Valois, M-F. The Short-Term Influence of Temperature on Daily Mortality in the Temperate Climate of Montreal, Canada. *Environmental Research*. 2011; 111(6):853-60.
112. Klenk, J, Becker, C, Rapp, K. Heat-Related Mortality in Residents of Nursing Homes. *Age and Ageing*. 2010; 39(2):245-52.
113. Canadian Standards Association. Guideline on Office Ergonomics (CAN/CSA Z412-00). Canadian Standards Association; 2011.
114. General Manager of Planning Urban Design and Sustainability. Climate Emergency – Bylaw and Policy Updates Applicable to New Buildings City of Vancouver; 2022.

115. Medical Officer of Health. Update on Extreme Heat and Maximum Indoor Temperature Standard for Multi-Unit Residential Buildings. City of Toronto; 2015.
116. Anderson, GB, Bell, ML. Lights Out: Impact of the August 2003 Power Outage on Mortality in New York, Ny. *Epidemiology*. 2012; 23(2).
117. Abel, DW, Holloway, T, Harkey, M, Meier, P, Ahl, D, Limaye, VS, *et al.* Air-Quality-Related Health Impacts from Climate Change and from Adaptation of Cooling Demand for Buildings in the Eastern United States: An Interdisciplinary Modeling Study. *PLOS Medicine*. 2018; 15(7):e1002599.
118. Jay, O, Capon, A, Berry, P, Broderick, C, de Dear, R, Havenith, G, *et al.* Reducing the Health Effects of Hot Weather and Heat Extremes: From Personal Cooling Strategies to Green Cities. *The Lancet*. 2021; 398(10301):709-24.
119. Stone, B, Mallen, E, Rajput, M, Broadbent, A, Krayenhoff, ES, Augenbroe, G, *et al.* Climate Change and Infrastructure Risk: Indoor Heat Exposure during a Concurrent Heat Wave and Blackout Event in Phoenix, Arizona. *Urban Climate*. 2021; 36:100787.
120. Government of Canada. Developing Climate Resilient Standards and Codes. Government of Canada; 2022.
121. Laouadi, A, Bartko, M, Lacasse, MA. A New Methodology of Evaluation of Overheating in Buildings. *Energy and Buildings*. 2020; 226:110360.
122. Statistics Canada. Table 46-10-0008-01 Average Expected Useful Life of New Municipally Owned Social and Affordable Housing Assets, by Urban and Rural, and Population Size, Infrastructure Canada. Government of Canada; 2022. <https://www150.statcan.gc.ca/t1/tbl1/en/tv.action?pid=4610000801>.
123. Housing Market Information Portal. Canada Mortgage and Housing Corporation; Available from: <https://www03.cmhc-schl.gc.ca/hmip-pimh/en#Profile/1/1/Canada>.
124. Province of British Columbia. Extreme Heat Preparedness Guide. Province of British Columbia; 2022.
125. City of Toronto. Low or No Heat/Other Vital Services in Rental Units. City of Toronto; 2022.
126. Health Canada. Health Impacts of Air Pollution in Canada: Estimates of Premature Deaths and Nonfatal Outcomes. Ottawa, ON: Health Canada; 2021.
127. Alexeeff, SE, Pfister, GG, Nychka, D. A Bayesian Model for Quantifying the Change in Mortality Associated with Future Ozone Exposures under Climate Change. *Biometrics*. 2016; 72(1):281-8.
128. Dionisio, KL, Nolte, CG, Spero, TL, Graham, S, Caraway, N, Foley, KM, *et al.* Characterizing the Impact of Projected Changes in Climate and Air Quality on Human Exposures to Ozone. *Journal of Exposure Science & Environmental Epidemiology*. 2017; 27(3):260-70.
129. Stieb, DM, Yao, J, Henderson, SB, Pinault, L, Smith-Doiron, MH, Robichaud, A, *et al.* Variability in Ambient Ozone and Fine Particle Concentrations and Population Susceptibility among Canadian Health Regions. *Canadian Journal of Public Health*. 2019; 110(2):149-58.
130. Climate Change Toolkit for Health Professionals. Perrotta K, editor Canadian Association of Physicians for the Environment (CAPE); 2019.
131. Health Canada. Wildfire Smoke 101: Wildfire Smoke and Your Health. Government of Canada; 2021.
132. Korsiak, J, Pinault, L, Christidis, T, Burnett, RT, Abrahamowicz, M, Weichenthal, S. Long-Term Exposure to Wildfires and Cancer Incidence in Canada: A Population-Based Observational Cohort Study. *The Lancet Planetary Health*. 2022; 6(5):e400-e9.

133. MacGuire, F, Sergeeva, M. The Limits of Livability: The Emerging Threat of Smoke Impacts on Health from Forest Fires and Climate Change. Global Climate and Health Alliance; 2021.
134. MacGuire, F, Sergeeva, M. The Limits of Livability: The Emerging Threat of Smoke Impacts on Health from Forest Fires and Climate Change - Country Brief: Canada. Global Climate and Health Alliance; 2021.
135. Demers, I, Gosselin, P. At-a-Glance – Pollens, Climate and Allergies: Quebec Initiatives. Health Promotion and Chronic Disease Prevention in Canada. 2019; 39(4):136-41.
136. Haines, A, Ebi, K. The Imperative for Climate Action to Protect Health. New England Journal of Medicine. 2019; 380(3):263-73.
137. Sauchyn, D, Davidson, D, Johnston, M. Chapter 4: Prairie Provinces. In: Warren FJ, Lulham N, Lemmen DS, editors. Canada in a Changing Climate: Regional Perspectives Report. Ottawa, ON: Government of Canada; 2020.
138. Agri-Food Exports. Canadian Agri-Food Trade Alliance; Available from: <https://cafta.org/agri-food-exports/>.
139. Torrealba, CN. From Inuit Nunangat to the Marsh: How Climate Change and Environmental Racism Affect Population Health. Healthy Populations Journal. 2021; 1(2):10-20.
140. Kipp, A, Cunsolo, A, Vodden, K, King, N, Manners, S, Harper, SL. At-a-Glance - Climate Change Impacts on Health and Wellbeing in Rural and Remote Regions across Canada: A Synthesis of the Literature. Health Promotion and Chronic Disease Prevention in Canada. 2019; 39(4):122-6.
141. Marushka, L, Kenny, T-A, Batal, M, Cheung, WWL, Fediuk, K, Golden, CD, *et al.* Potential Impacts of Climate-Related Decline of Seafood Harvest on Nutritional Status of Coastal First Nations in British Columbia, Canada. PLOS ONE. 2019; 14(2):e0211473.
142. Statistics Canada. Table 38-10-0093-01 Population Served by Drinking Water Plants. Statistics Canada; 2022. Available from: <https://doi.org/10.25318/3810009301-eng>.
143. Indigenous Services Canada. Ending Long-Term Drinking Water Advisories. Government of Canada; 2022.
144. Environment and Climate Change Canada. Canadian Environmental Sustainability Indicators: Boil Water Advisories. Government of Canada; 2022.
145. Chhetri, BK, Galanis, E, Sobie, S, Brubacher, J, Balshaw, R, Otterstatter, M, *et al.* Projected Local Rain Events Due to Climate Change and the Impacts on Waterborne Diseases in Vancouver, British Columbia, Canada. Environmental Health. 2019; 18(1):116.
146. Cool, G, Delpla, I, Gagnon, P, Lebel, A, Sadiq, R, Rodriguez, MJ. Climate Change and Drinking Water Quality: Predicting High Trihalomethane Occurrence in Water Utilities Supplied by Surface Water. Environmental Modelling & Software. 2019; 120:104479.
147. Daley, K, Truelstrup Hansen, L, Jamieson, RC, Hayward, JL, Piorkowski, GS, Krkosek, W, *et al.* Chemical and Microbial Characteristics of Municipal Drinking Water Supply Systems in the Canadian Arctic. Environmental Science and Pollution Research. 2018; 25(33):32926-37.
148. Takaro, T, Enright, P, Waters, S, Galway, L, Brubacher, J, Galanis, E, *et al.* Chapter 7: Water Quality, Quantity, and Security. In: Berry P, Schnitter R, editors. Health of Canadians in a Changing Climate: Advancing Our Knowledge for Action. Ottawa, ON: Government of Canada; 2022.
149. Paterson, AM, Rühland, KM, Anstey, CV, Smol, JP. Climate as a Driver of Increasing Algal Production in Lake of the Woods, Ontario, Canada. Lake and Reservoir Management. 2017; 33(4):403-14.

150. Robinne, F-N, Bladon, KD, Silins, U, Emelko, MB, Flannigan, MD, Parisien, M-A, *et al.* A Regional-Scale Index for Assessing the Exposure of Drinking-Water Sources to Wildfires. *Forests*. 2019; 10(5).
151. Emmerton, CA, Cooke, CA, Hustins, S, Silins, U, Emelko, MB, Lewis, T, *et al.* Severe Western Canadian Wildfire Affects Water Quality Even at Large Basin Scales. *Water Research*. 2020; 183:116071.
152. Proctor, CR, Lee, J, Yu, D, Shah, AD, Whelton, AJ. Wildfire Caused Widespread Drinking Water Distribution Network Contamination. *AWWA Water Science*. 2020; 2(4):e1183.
153. Isaacson, KP, Proctor, CR, Wang, QE, Edwards, EY, Noh, Y, Shah, AD, *et al.* Drinking Water Contamination from the Thermal Degradation of Plastics: Implications for Wildfire and Structure Fire Response. *Environmental Science: Water Research & Technology*. 2021; 7(2):274-84.
154. Desserud, H. Permafrost Thaw and Northern Infrastructure. *ArticNet*; 2021.
155. Lane, K, Fuller, M, Dymont, T, Gagnon, G. Co-Development of a Risk Assessment Tool for Use in First Nations Water Supply Systems: A Key Step to Water Safety Plan Implementation. *International Journal of Hygiene and Environmental Health*. 2022; 240:113916.
156. Leveque, B, Burnet, JB, Dorner, S, Bichai, F. Impact of Climate Change on the Vulnerability of Drinking Water Intakes in a Northern Region. *Sustainable Cities and Society*. 2021; 66:102656.
157. Lee, D, Murphy, HM. Private Wells and Rural Health: Groundwater Contaminants of Emerging Concern. *Current Environmental Health Reports*. 2020; 7(2):129-39.
158. Dietz, S, Arnold, S. Chapter 1: Atlantic Provinces. In: Warren FJ, Lulham N, Lemmen DS, editors. *Canada in a Changing Climate: Regional Perspectives Report*. Ottawa, ON: Government of Canada; 2020.
159. Assembly of First Nations. *National Water Declaration*. Assembly of First Nations; 2014.
160. UN General Assembly (70th sess). *The Human Rights to Safe Drinking Water and Sanitation*. United Nations; 2016. p. 6.
161. UN Water. *Water Facts*. United Nations; Available from: <https://www.unwater.org/water-facts/>.
162. Bradford, LEA, Bharadwaj, LA, Okpalauwaekwe, U, Waldner, CL. Drinking Water Quality in Indigenous Communities in Canada and Health Outcomes: A Scoping Review. *International Journal of Circumpolar Health*. 2016; 75(1):32336.
163. Xue Luo, C. *The Water Crisis in Canada's First Nations Communities: Examining the Progress Towards Eliminating Long-Term Drinking Water Advisories in Canada*. Leddy Library; 20221.
164. Awume, O, Patrick, R, Baijius, W. *Indigenous Perspectives on Water Security in Saskatchewan, Canada*. Water. 2020; 12(3).
165. Beard, CB, Eisen, RJ, Barker, CM, Garofalo, JF, Hahn, M, Hayden, M, *et al.* Ch. 5: Vectorborne Diseases. In: *The Impacts of Climate Change on Human Health in the United States: A Scientific Assessment*. Washington, DC: U.S. Global Change Research Program; 2016. p. 129–56.
166. Gupta, S, Rouse, BT, Sarangi, PP. Did Climate Change Influence the Emergence, Transmission, and Expression of the COVID-19 Pandemic? *Frontiers in Medicine*. 2021; 8(2296-858X (Print)).
167. Moffat, H, Struck, S. *Water-Borne Disease Outbreaks in Canadian Small Drinking Water Systems*. National Collaborating Centre for Environmental Health; 2011.
168. Hierlihy, C. *Climate Change and Vector-Borne Illness*. Canadian Public Health Association; 2017.

169. Climate Change Atlas of Canada. Lyme Disease under Climate Change. Climate Change Atlas of Canada; 2022.
170. Gasmi, S, Koffi, JK, Nelder, MP, Russell, C, Graham-Derham, S, Lachance, L, *et al.* Surveillance for Lyme Disease in Canada, 2009–2019. Canada Communicable Disease Report. 2022; 48(5):219-27.
171. Bouchard, C, Dibernardo, A, Koffi, J, Wood, H, Leighton, PA, Lindsay, LR. Increased Risk of Tick-Borne Diseases with Climate and Environmental Changes. Canada Communicable Disease Report. 2019; 45(4):81-9.
172. Havea, P, Jacot Des Combes, H, Hemstock, SL. Perceived Impacts of Climate Change on Non-Communicable Diseases (NCDs). Preprints with The Lancet; 2018.
173. The Lancet Oncology. Climate Change and Non-Communicable Diseases. The Lancet Oncology. 2016; 17(1):1.
174. United States Environmental Protection Agency. Climate Change and the Health of People with Chronic Medical Conditions. United States Environmental Protection Agency; 2022.
175. Harper, SL, Cunsolo, A, Clayton, S. Including Mental Health as Part of Climate Change Impacts and Adaptation Assessment: A Critical Advance in IPCC Ar6. PLOS Climate. 2022; 1(5):e0000033.
176. Hickman, C, Marks, E, Pihkala, P, Clayton, S, Lewandowski, RE, Mayall, EE, *et al.* Climate Anxiety in Children and Young People and Their Beliefs About Government Responses to Climate Change: A Global Survey. The Lancet Planetary Health. 2021; 5(12):e863-e73.
177. Cunsolo, A, Harper, SL, Minor, K, Hayes, K, Williams, KG, Howard, C. Ecological Grief and Anxiety: The Start of a Healthy Response to Climate Change? The Lancet Planetary Health. 2020; 4(7):e261-e3.
178. Cunsolo Willox, A, Harper, SL, Ford, JD, Edge, VL, Landman, K, Houle, K, *et al.* Climate Change and Mental Health: An Exploratory Case Study from Rigolet, Nunatsiavut, Canada. Climatic Change. 2013; 121(2):255-70.
179. Hayes, K, Cunsolo, A, Augustinavicius, J, Stranberg, R, Clayton, S, Malik, M, *et al.* Chapter 4: Mental Health and Well-Being. In: Berry P, Schnitter R, editors. Health of Canadians in a Changing Climate: Advancing Our Knowledge for Action. Ottawa, ON: Government of Canada; 2022.
180. Hancock, T. Population Health Promotion 2.0: An Eco-Social Approach to Public Health in the Anthropocene. Canadian Journal of Public Health. 2015; 106(4):e252-e5.
181. Hancock, T. Chapter 22: Population Health Promotion in the Anthropocene. In: Rootman I, Pederson A, Frohlich K, Dupéré S, editors. Health Promotion in Canada: New Perspectives on Theory, Practice, Policy, and Research. 4 ed. Toronto, ON: Canadian Scholars; 2017. p. 498.
182. Pacheco, SE. Catastrophic Effects of Climate Change on Children’s Health Start before Birth. The Journal of Clinical Investigation. 2020; 130(2):562-4.
183. Government of Canada. Annex: Gender Based Analysis Plus. Government of Canada; 2021.
184. Solar, O, Irwin, A. A Conceptual Framework for Action on the Social Determinants of Health. Social Determinants of Health Discussion Paper 2 (Policy and Practice). Geneva, Switzerland: World Health Organization; 2007.
185. Marmot, M. Achieving Health Equity: From Root Causes to Fair Outcomes. The Lancet. 2007; 370(9593):1153-63.

186. Marmot, MG, Rose, G, Shipley, M, Hamilton, PJ. Employment Grade and Coronary Heart Disease in British Civil Servants. *Journal of Epidemiology and Community Health*. 1978; 32(4):244.
187. Marmot, M, Shipley, M, Brunner, E, Hemingway, H. Relative Contribution of Early Life and Adult Socioeconomic Factors to Adult Morbidity in the Whitehall II Study. *Journal of Epidemiology and Community Health*. 2001; 55(5):301.
188. Lewis, D, Williams, L, Jones, R. A Radical Revision of the Public Health Response to Environmental Crisis in a Warming World: Contributions of Indigenous Knowledges and Indigenous Feminist Perspectives. *Canadian Journal of Public Health*. 2020; 111(6):897-900.
189. Kawachi, I, Subramanian, SV, Almeida-Filho, N. A Glossary for Health Inequalities. *Journal of Epidemiology and Community Health*. 2002; 56(9):647.
190. Hoogeveen, D, Klein, K, Brubacher, J, Gislason, MK. Climate Change, Intersectionality, and GBA+ in British Columbia: Summary Report. Government of British Columbia; 2021.
191. Sellers, S. Climate Change and Gender in Canada: A Review. Women's Environment and Development Organization; 2018.
192. Sahni, V, Scott, AN, Beliveau, M, Varughese, M, Dover, DC, Talbot, J. Public Health Surveillance Response Following the Southern Alberta Floods, 2013. *Canadian Journal of Public Health*. 2016; 107(2):e142-e8.
193. Brooks, N, Adger, WN. Chapter 7: Assessing and Enhancing Adaptive Capacity. In: Lim B, Spanger-Siegrfried E, Burton I, Malone EL, Huq S, editors. *Adaptation Policy Frameworks for Climate Change: Developing Strategies, Policies and Measures*. Cambridge, UK: Cambridge University Press; 2005. p. 167-87.
194. Richmond, C, Ambtman-Smith, V, Bourassa, C, Cassidy-Mathews, C, Duhamel, K, Keewatin, M, *et al*. COVID-19 and Indigenous Health and Wellness: Our Strength Is in Our Stories. Royal Society of Canada; 2020.
195. Indigenous Services Canada. *Community Voices on Climate Change and Health Adaptation in Northern Canada: Research and Action and the Stories Behind Them 2012–2016*. Ottawa, ON: Government of Canada; 2019.
196. National Collaborating Centre for Indigenous Health. *Visioning the Future: First Nations, Inuit, & Métis Population and Public Health*. Prince George, BC: National Collaborating Centre for Indigenous Health; 2021.
197. Pörtner, HO, Scholes, RJ, Agard, J, Archer, E, Arneth, A, Bai, X, *et al*. IPBES-IPCC Co-Sponsored Workshop Report Synopsis on Biodiversity and Climate Change. Intergovernmental Science-Policy Platform on Biodiversity and Ecosystem Services, Intergovernmental Panel on Climate Change; 2021.
198. Migdal, A. More Than a Billion Seashore Animals May Have Cooked to Death in B.C. Heat Wave, Says UBC Researcher. CBC News. 2021.
199. British Columbia Coroners Service. Chief Coroner's Updated Statement on Public Safety during Heat Wave – July 2. Government of British Columbia; 2021.
200. United Nations Environment Programme. *The Adaptation Gap Report*. Nairobi, Kenya: United Nations Environment Programme; 2018.
201. Vodden, K, Cunsolo, A. Chapter 3: Rural and Remote Communities. In: Warren FJ, Lulham N, editors. *Changing Climate: National Issues Report*. Ottawa, ON: Government of Canada; 2021.

202. Public Health Agency of Canada. Chief Public Health Officer of Canada's Report on the State of Public Health in Canada 2017: Designing Healthy Living. Ottawa, ON: Public Health Agency of Canada; 2017.
203. Gamble, J, Balbus, J, Berger, M, Bouye, K, Campbell, V, Chief, K, *et al.* Chapter 9: Populations of Concern. In: The Impacts of Climate Change on Human Health in the United States: A Scientific Assessment. Washington, DC: U.S. Global Change Research Program; 2016. p. 247-86.
204. Health Canada. Climate Change: Preparing for the Health Impacts. Health Canada; 2005.
205. Raker, EJ, Arcaya, MC, Lowe, SR, Zacher, M, Rhodes, J, Waters, MC. Mitigating Health Disparities after Natural Disasters: Lessons from The Risk Project. *Health Affairs*. 2020; 39(12):2128-35.
206. Nguyen, P-Y, Astell-Burt, T, Rahimi-Ardabili, H, Feng, X. Green Space Quality and Health: A Systematic Review. *International Journal of Environmental Research and Public Health*. 2021; 18(21).
207. Zupancic, T, Kingsley, M, Jason, T, Macfarlane, R. Green City: Why Nature Matters to Health – an Evidence Review. Toronto, ON: Toronto Public Health; 2015.
208. Kingsley, M, EcoHealth Ontario. Commentary – Climate Change, Health and Green Space Co-Benefits. *Health Promotion and Chronic Disease Prevention in Canada*. 2019; 39(4).
209. Kardan, O, Gozdyra, P, Mistic, B, Moola, F, Palmer, LJ, Paus, T, *et al.* Neighborhood Greenspace and Health in a Large Urban Center. *Scientific Reports*. 2015; 5(1):11610.
210. World Health Organization. Urban Green Spaces and Health. Copenhagen, DK: WHO Regional Office for Europe; 2016.
211. Pinault, L, Christidis, T, Olaniyan, T, Crouse, DL. Ethnocultural and Socioeconomic Disparities in Exposure to Residential Greenness within Urban Canada *Statistics Canada*; 2022.
212. United Nations Development Programme. Environmental Justice: Comparative Experiences in Legal Empowerment. New York, NY: United Nations Development Programme; 2014.
213. Ottawa Charter for Health Promotion: An International Conference on Health Promotion. Ottawa, ON: Government of Canada; 1986.
214. "My Fear Is Losing Everything" The Climate Crisis and First Nations' Right to Food in Canada. *Human Rights Watch*; 2020.
215. Quebec Native Women's Inc. 2019 Climate Change Report. Kahnawake, QC: Quebec Native Women's Inc.; 2019.
216. Statistics Canada. Map 1: Household Greenhouse Gas Emissions Per Capita, by Province and Territory, 2016. In: Canadian System of Environmental–Economic Accounts: Provincial and Territorial Greenhouse Gas Emissions, 2016: Statistics Canada; 2019.
217. Althor, G, Watson, JEM, Fuller, RA. Global Mismatch between Greenhouse Gas Emissions and the Burden of Climate Change. *Scientific Reports*. 2016; 6(1):20281.
218. Denton, F, Wilbanks, TJ, Abeyasinghe, AC, Burton, I, Gao, Q, Lemos, MC, *et al.* Chapter 20: Climate-Resilient Pathways: Adaptation, Mitigation, and Sustainable Development. In: Field CB, Barros VR, Dokken DJ, Mach KJ, Mastrandrea MD, Bilir TE, *et al.*, editors. *Climate Change 2014: Impacts, Adaptation, and Vulnerability Part A: Global and Sectoral Aspects Contribution of Working Group II to the Fifth Assessment Report of the Intergovernmental Panel on Climate Change*. Cambridge, UK: Cambridge University Press; 2014. p. 1101-31.

219. Klein, RJT, Huq, S, Denton, F, Downing, TE, Richels, RG, Robinson, JB, *et al.* Chapter 18: Inter-Relationships between Adaptation and Mitigation. In: Parry ML, Canziani OF, Palutikof JP, van der Linden PJ, Hanson CE, editors. *Climate Change 2007: Impacts, Adaptation and Vulnerability Contribution of Working Group II to the Fourth Assessment Report of the Intergovernmental Panel on Climate Change*. Cambridge, UK: Cambridge University Press; 2007. p. 745-77.
220. Ripple, WJ, Moomaw, WR, Wolf, C, Betts, MG, Law, BE, Gregg, J, *et al.* Six Steps to Integrate Climate Mitigation with Adaptation for Social Justice. *Environmental Science & Policy*. 2022; 128:41-4.
221. Grafakos, S, Viero, G, Reckien, D, Trigg, K, Viguie, V, Sudmant, A, *et al.* Integration of Mitigation and Adaptation in Urban Climate Change Action Plans in Europe: A Systematic Assessment. *Renewable and Sustainable Energy Reviews*. 2020; 121:109623.
222. Reckien, D, Salvia, M, Heidrich, O, Church, JM, Pietrapertosa, F, De Gregorio-Hurtado, S, *et al.* How Are Cities Planning to Respond to Climate Change? Assessment of Local Climate Plans from 885 Cities in the EU-28. *Journal of Cleaner Production*. 2018; 191:207-19.
223. Clearing the Air: How Electric Vehicles and Cleaner Trucks Can Help Reduce Pollution, Improve Health and Save Lives in the Greater Toronto and Hamilton Area. Ontario Public Health Association, Environmental Defence; 2022; Available from: <https://clearingtheair.ca/>.
224. Herrmann, A, Amelung, D, Fischer, H, Sauerborn, R. Chapter 28: Communicating the Health Co-Benefits of Climate Change Mitigation to Households and Policy Makers. In: Holmes DC, Richardson LM, editors. *Research Handbook on Communicating Climate Change*. Gloucester, UK: Edward Elgar Publishing Limited; 2020. p. 279–89.
225. Bikomeye, JC, Rublee, CS, Beyer, KMM. Positive Externalities of Climate Change Mitigation and Adaptation for Human Health: A Review and Conceptual Framework for Public Health Research. *International Journal of Environmental Research and Public Health*. 2021; 18(5).
226. Lancet Countdown: Tracking Progress on Health and Climate Change. *The Lancet*; Available from: <https://www.lancetcountdown.org/>.
227. The Global Climate & Health Alliance. Are National Climate Commitments Enough to Protect Our Health? : The Global Climate & Health Alliance; 2022.
228. Government of Canada. Canada's National Adaptation Strategy. Government of Canada; 2022.
229. Health Canada. HealthADAPT. Government of Canada; 2020.
230. Environment and Climate Change Canada. *Climate Science 2050: Advancing Science and Knowledge on Climate Change*. Gatineau, QC: Environment and Climate Change Canada; 2020.
231. Government of Canada. Net-Zero Emissions by 2050. Government of Canada; 2022.
232. Environment and Climate Change Canada. Canada's Partnership with Indigenous Peoples on Climate. Government of Canada; 2022.
233. Assembly of First Nations. National Climate Gathering Report: Driving Change, Leading Solutions. Assembly of First Nations; 2020.
234. Viswanathan, L. Natural Hazards and Indigenous Health in a Changing Climate. Indigenous Climate Hub; 2022.

235. Richards, G, Frehs, J, Myers, E, Van Bibber, M. Commentary – The Climate Change and Health Adaptation Program: Indigenous Climate Leaders’ Championing Adaptation Efforts. *Health Promotion and Chronic Disease Prevention in Canada*. 2019; 39(4):127-30.
236. Abele, F, Gladstone, J. Climate Change Health Adaptation Program: Synthesis Report and Impact Analysis. *ClimateTelling*; 2016.
237. ClimateTelling. *ClimateTelling*; Available from: <http://www.climate-telling.info/>.
238. Indigenous Services Canada. Climate Change and Health Adaptation Program. Government of Canada; 2022.
239. Caughey, A, Kilabuk, P, Sanguya, I, Doucette, M, Jaw, M, Allen, J, *et al.* Niqivut Silalu Asijjipalliajuq: Building a Community-Led Food Sovereignty and Climate Change Research Program in Nunavut, Canada. *Nutrients*. 2022; 14(8).
240. Macfarlane, R. Health Effects of Extreme Weather Events and Wildland Fires: A Yukon Perspective. Government of Yukon; 2020.
241. Air Quality Health Index. Government of British Columbia; Available from: <https://www2.gov.bc.ca/gov/content/environment/air-land-water/air/air-quality/aqhi>.
242. Government of Prince Edward Island’s Department of Environment Energy and Climate Action (EECA), ICF, Shared Value Solutions. Prince Edward Island (PEI) Climate Change Risk Assessment. Government of Prince Edward Island; 2021.
243. Pan American Health Organization. The Essential Environmental Public Health Functions: A Framework to Implement the Agenda for the Americas on Health, Environment, and Climate Change 2021–2030. Washington, D.C.: Pan American Health Organization; 2022.
244. Health Canada, World Health Organization. Climate Change and Health: Vulnerability and Adaptation Assessment. World Health Organization; 2021.
245. World Health Organization. Checklists to Assess Vulnerabilities in Health Care Facilities in the Context of Climate Change. Geneva: World Health Organization; 2021.
246. World Health Organization. Measuring the Climate Resilience of Health Systems. Geneva: World Health Organization; 2022.
247. Anderson, H, Brown, C, Cameron, LL, Christenson, M, Conlon, KC, Dorevitch, S, *et al.* Climate and Health Intervention Assessment: Evidence on Public Health Interventions to Prevent the Negative Health Effects of Climate Change. *Climate and Health Program, Centers for Disease Control and Prevention*; 2017.
248. Warren, SK, Butler, A, Hayes, K, Mitchell, R, Mahendra, A, Armstrong, B. Module 1 - Characteristics of Existing Public Health Climate Change Adaptation Interventions: A Scoping Review. Simcoe Muskoka District Health Unit; 2020.
249. Sheehan, MC, Freire, M, Martinez, GS. Piloting a City Health Adaptation Typology with Data from Climate-Engaged Cities: Toward Identification of an Urban Health Adaptation Gap. *Environmental Research*. 2021; 196:110435.
250. Toronto Public Health. A Climate of Concern: Climate Change and Health Strategy for Toronto. Toronto Public Health; 2015.

251. Report of the National Advisory Committee on Population Health (ACPH). In: Naylor D, Basrur S, Bergeron MG, Brunham RC, Butler-Jones D, Dafoe G, *et al.*, editors. Learning from SARS: Renewal of Public Health in Canada. Ottawa, ON: National Advisory Committee on SARS and Public Health; 2003.
252. World Health Organization. 21st Century Health Challenges: Can the Essential Public Health Functions Make a Difference? Geneva: World Health Organization; 2021.
253. Public Health Agency of Canada. Chief Public Health Officer of Canada's Report on the State of Public Health in Canada 2021: A Vision to Transform Canada's Public Health System. Ottawa, ON: Public Health Agency of Canada; 2021.
254. Environment and Climate Change Canada. Canadian Environmental Sustainability Indicators: Greenhouse Gas Emissions. Gatineau, QC: Environment and Climate Change Canada; 2022.
255. Intergovernmental Panel on Climate Change. Summary for Policymakers. In: Skea J, Shukla PR, Reisinger A, Slade R, Pathak M, Al Khourdajie A, *et al.*, editors. Climate Change 2022: Mitigation of Climate Change. Cambridge, UK: Cambridge University Press; 2022..
256. Perrotta, K, McGushin, A. Module 8 – Engaging in Climate Change Solutions as a Health Professionals. In: Perrotta K, editor. Climate Change Toolkit for Health Professionals: Canadian Association of Physicians for the Environment; 2019.
257. Balmford, A, Bradbury, RB, Bauer, JM, Broad, S, Burgess, G, Burgman, M, *et al.* Making More Effective Use of Human Behavioural Science in Conservation Interventions. *Biological Conservation*. 2021; 261.
258. Rankine, H, Khosravi, D. Applying Behavioural Science to Advance Environmental Sustainability: An Overview for Policymakers. Bangkok: United Nations Economic and Social Commission for Asia and the Pacific; 2021.
259. Geneau, R. Pulling Health Promotion and Chronic Disease Prevention from the Margins of the Global Public Health Agenda—Again. *Health Promotion and Chronic Disease Prevention in Canada*. 2021; 41(3):71-2.
260. Singer, M, Bulled, N, Ostrach, B, Mendenhall, E. Syndemics and the Biosocial Conception of Health. *The Lancet*. 2017; 389(10072):941-50.
261. Singer, M, Rylko-Bauer, B. The Syndemics and Structural Violence of the COVID Pandemic: Anthropological Insights on a Crisis. *Open Anthropological Research*. 2021; 1(1):7-32.
262. Singer, M, Bulled, N, Ostrach, B, Lerman Ginzburg, S. Syndemics: A Cross-Disciplinary Approach to Complex Epidemic Events Like COVID-19. *Annual Review of Anthropology*. 2021; 50(1):41-58.
263. Commission on Social Determinants of Health. Closing the Gap in a Generation: Health Equity through Action on the Social Determinants of Health - Executive Summary. World Health Organization; 2008.
264. Rudolph, L, Gould, S. Climate Change and Health Inequities: A Framework for Action. *Annals of Global Health*. 2015; 81(3):432-44.
265. Gallagher, CA, Keehner, JR, Hervé-Claude, LP, Stephen, C. Health Promotion and Harm Reduction Attributes in One Health Literature: A Scoping Review. *One Health*. 2021; 13:100284.
266. Sheehan, MC, Khudairi, F, Swaich, GS, Hines, W, Mehta, S, Fox, MA. Urban Climate-Health Governance: Charting the Role of Public Health in Large Global City Adaptation Plans. *PLOS Climate*. 2022; 1(3):e0000012.

267. Khan, Y, O'Sullivan, T, Brown, A, Tracey, S, Gibson, J, Génereux, M, *et al.* Public Health Emergency Preparedness: A Framework to Promote Resilience. *BMC Public Health*. 2018; 18(1):1344.
268. World Organisation for Animal Health. Tripartite and UNEP Support Ohhlep's Definition of "One Health". World Organisation for Animal Health; 2021.
269. One Health. World Health Organization; Available from: <https://www.who.int/europe/initiatives/one-health>.
270. One Health High-Level Expert Panel, Adisasmito, WB, Almuhairi, S, Behraves, CB, Bilivogui, P, Bukachi, SA, *et al.* One Health: A New Definition for a Sustainable and Healthy Future. *PLOS Pathogens*. 2022; 18(6):e1010537.
271. Zinsstag, J, Crump, L, Schelling, E, Hattendorf, J, Maidane, YO, Ali, KO, *et al.* Climate Change and One Health. *FEMS Microbiology Letters*. 2018; 365(11).
272. Mubareka, S, Amuasi, J, Carabin, H, Jack, JC, Jardine, C, Keefe, G, *et al.* Strengthening a One Health Approach to Emerging Zoonoses. Royal Society of Canada; 2022.
273. Gislason, M, Stephen, C. Chapter 3: Health Equity in One Health. In: Stephen C, editor. *Animals, Health, and Society: Health Promotion, Harm Reduction and Equity in a One Health World*. 1st ed. London: CRC Press; 2020. p. 35-52.
274. Braveman, P. What Are Health Disparities and Health Equity? We Need to Be Clear. *Public Health Reports*. 2014; 129(1_suppl2):5-8.
275. National Collaborating Centre for Determinants of Health. Building a Culture of Equity in Canadian Public Health: Environmental Scan 2018. Antigonish, NS: National Collaborating Centre for Determinants of Health, St. Francis Xavier University; 2018.
276. Coggins, S, Berrang-Ford, L, Hyams, K, Satyal, P, Ford, J, Paavola, J, *et al.* Empirical Assessment of Equity and Justice in Climate Adaptation Literature: A Systematic Map. *Environmental Research Letters*. 2021; 16(7):073003.
277. Araos, M, Jagannathan, K, Shukla, R, Ajibade, I, Coughlan de Perez, E, Davis, K, *et al.* Equity in Human Adaptation-Related Responses: A Systematic Global Review. *One Earth*. 2021; 4(10):1454-67.
278. Collins, TW, Grineski, SE, Morales, DX. We Need Environmental Health Justice Research and Action for LGBTQ+ People. *American Journal of Public Health*. 2021; 112(1):54-6.
279. Goldsmith, L, Bell, ML. Queering Environmental Justice: Unequal Environmental Health Burden on the LGBTQ+ Community. *American Journal of Public Health*. 2021; 112(1):79-87.
280. Toronto and Region Conservation Authority. Best Practices and Strategies for the Urban Forest: Executive Summary of Peel Region's First Planting and Management Program Guide. Region of Peel; 2011.
281. Perrotta, K. Weaving Equity into the Region of Peel's Tree Planting Priorities. *HealthyDesign.City*.
282. Brulle, RJ, Pellow, DN. Environmental Justice: Human Health and Environmental Inequalities. *Annual Review of Public Health*. 2006; 27(1):103-24.
283. McGregor, D, Whitaker, S, Sritharan, M. Indigenous Environmental Justice and Sustainability. *Current Opinion in Environmental Sustainability*. 2020; 43:35-40.
284. Whyte, K. Indigenous Climate Change Studies: Indigenizing Futures, Decolonizing the Anthropocene. *English Language Notes*, Forthcoming. 2017; 55(1-2):153-62.

285. Gasparri, G, Omrani, OE, Hinton, R, Imbago, D, Lakhani, H, Mohan, A, *et al.* Children, Adolescents, and Youth Pioneering a Human Rights-Based Approach to Climate Change. *Health and Human Rights Journal*. 2021; 23(2):95-108.
286. Thew, H. Youth Participation and Agency in the United Nations Framework Convention on Climate Change. *International Environmental Agreements: Politics, Law and Economics*. 2018; 18(3):369-89.
287. Young People Will Be Key to Climate Justice at COP26. *Nature*. 2021; 598:386.
288. Youth in Action. United Nations; Available from: <https://www.un.org/en/climatechange/youth-in-action>.
289. FAQ 3: How Will Climate Change Affect the Lives of Today's Children Tomorrow, If No Immediate Action Is Taken? : Intergovernmental Panel on Climate Change; 2022; Available from: <https://www.ipcc.ch/report/ar6/wg2/about/frequently-asked-questions/keyfaq3/>.
290. Government of Canada. Environment and Climate Change Youth Council. Government of Canada; 2022.
291. The Youth Advisory Group on Climate Change. United Nations; Available from: <https://www.un.org/en/climatechange/youth-in-action/youth-advisory-group>.
292. Public Health England. Place-Based Approaches for Reducing Health Inequalities: Main Report. Public Health England; 2021.
293. Austin, SE, Ford, JD, Berrang-Ford, L, Araos, M, Parker, S, Fleury, MD. Public Health Adaptation to Climate Change in Canadian Jurisdictions. *International Journal of Environmental Research and Public Health*. 2015; 12(1).
294. Austin, SE, Biesbroek, R, Berrang-Ford, L, Ford, JD, Parker, S, Fleury, MD. Public Health Adaptation to Climate Change in OECD Countries. *International Journal of Environmental Research and Public Health*. 2016; 13(9).
295. O'Mara-Eves, A, Brunton, G, McDaid, D, Oliver, S, Kavanagh, J, Jamal, F, *et al.* Community Engagement to Reduce Inequalities in Health: A Systematic Review, Meta-Analysis and Economic Analysis. *Public Health Research*. 2013; 1(4).
296. O'Mara-Eves, A, Brunton, G, Oliver, S, Kavanagh, J, Jamal, F, Thomas, J. The Effectiveness of Community Engagement in Public Health Interventions for Disadvantaged Groups: A Meta-Analysis. *BMC Public Health*. 2015; 15(1):129.
297. Cyril, S, Smith, BJ, Possamai-Inesedy, A, Renzaho, AMN. Exploring the Role of Community Engagement in Improving the Health of Disadvantaged Populations: A Systematic Review. *Global Health Action*. 2015; 8(1):29842.
298. Mulligan, K. Strengthening Community Connections: The Future of Public Health Is at the Neighbourhood Scale. Toronto, ON: University of Toronto, Dalla Lana School of Public Health; 2022.
299. Markkanen, S, Anger-Kraavi, A. Social Impacts of Climate Change Mitigation Policies and Their Implications for Inequality. *Climate Policy*. 2019; 19(7):827-44.
300. Semenza, JC. Lateral Public Health: Advancing Systemic Resilience to Climate Change. *The Lancet Regional Health – Europe*. 2021; 9:100231.
301. Khalafzai, M-AK, McGee, TK, Parlee, B. Spring Flooding and Recurring Evacuations of Kashechewan First Nation, Northern Ontario, Canada. *International Journal of Disaster Risk Reduction*. 2021; 63:102443.

302. Beverly, JL, Bothwell, P. Wildfire Evacuations in Canada 1980–2007. *Natural Hazards*. 2011; 59(1):571-96.
303. Ahmed, T, Geebu, R, Thompson, S. Assessing Land Loss from Flooding in the Lake St. Martin Basin in Manitoba, Canada. *Journal of Geoscience and Environment Protection*. 2019; 7:171-80.
304. Munro, A, Kovats, RS, Rubin, GJ, Waite, TD, Bone, A, Armstrong, B, *et al*. Effect of Evacuation and Displacement on the Association between Flooding and Mental Health Outcomes: A Cross-Sectional Analysis of UK Survey Data. *The Lancet Planetary Health*. 2017; 1(4):e134-e41.
305. Ryan, B, Johnston, KA, Taylor, M, McAndrew, R. Community Engagement for Disaster Preparedness: A Systematic Literature Review. *International Journal of Disaster Risk Reduction*. 2020; 49:101655.
306. McGee, TK, Christianson, A, Mottershead, K, Asfaw, H. Advice for Emergency Managers from the First Nations Wildfire Evacuation Partnership. *HazNet*. 2018.
307. National Collaborating Centres for Public Health, Yumagulova, L, Yellow Old WomanMunro D, DE. Health and Social Impacts of Long-Term Evacuation Due to Natural Disasters in First Nations Communities: A Summary of Lessons for Public Health. National Collaborating Centres for Public Health; 2021.
308. Christianson, AC, McGee, TK, Whitefish Lake First, N. Wildfire Evacuation Experiences of Band Members of Whitefish Lake First Nation 459, Alberta, Canada. *Natural Hazards*. 2019; 98(1):9-29.
309. Asfaw, HW, McGee, TK, Christianson, AC. Indigenous Elders' Experiences, Vulnerabilities and Coping during Hazard Evacuation: The Case of the 2011 Sandy Lake First Nation Wildfire Evacuation. *Society & Natural Resources*. 2020; 33(10):1273-91.
310. Montesanti, S, Fitzpatrick, K, Azimi, T, McGee, T, Fayant, B, Albert, L. Exploring Indigenous Ways of Coping after a Wildfire Disaster in Northern Alberta, Canada. *Qualitative Health Research*. 2021; 31(8):1472-85.
311. Mottershead, KD, McGee, TK, Christianson, A. Evacuating a First Nation Due to Wildfire Smoke: The Case of Dene Tha' First Nation. *International Journal of Disaster Risk Science*. 2020; 11(3):274-86.
312. Chakraborty, L, Thistlethwaite, J, Minano, A, Henstra, D, Scott, D. Leveraging Hazard, Exposure, and Social Vulnerability Data to Assess Flood Risk to Indigenous Communities in Canada. *International Journal of Disaster Risk Science*. 2021; 12(6):821-38.
313. Thistlethwaite, J, Minano, A, Henstra, D, Scott, D. Indigenous Reserve Lands in Canada Face High Flood Risk. *Centre for International Governance Innovation*; 2020.
314. Harper, SL, Sambo Dorough, D, Petrsek MacDonald, J, Cunsolo, A, King, N. Climate Change and Inuit Health: Research Does Not Match Risks Posed. *One Earth*. 2021; 4(12):1656-60.
315. Halseth, R, Murdock, L. Supporting Indigenous Self-Determination in Health: Lessons Learned from a Review of Best Practices in Health Governance in Canada and Internationally. Prince George, BC: National Collaborating Centre for Indigenous Health; 2020.
316. Reed, G, Gobby, J, Sinclair, R, Ivey, R, Matthews, HD. Indigenizing Climate Policy in Canada: A Critical Examination of the Pan-Canadian Framework and the ZéN RoadMap. *Frontiers in Sustainable Cities*. 2021; 3.
317. Cohen, J. A Time for Optimism? Decolonizing the Determinants of Health. *Health and Human Rights Journal*. 2020.

318. Canadian Public Health Association. *Climate Change and Infectious Disease in Canada: Key Informant Interviews*. Ottawa, ON: Canadian Public Health Association; 2021.
319. Harper, SL, Cunsolo, A, Babujee, A, Coggins, S, De Jongh, E, Rusnak, T, *et al.* Trends and Gaps in Climate Change and Health Research in North America. *Environmental Research*. 2021; 199:111205.
320. Berrang-Ford, L, Sietsma, AJ, Callaghan, M, Minx, JC, Scheelbeek, PFD, Haddaway, NR, *et al.* Systematic Mapping of Global Research on Climate and Health: A Machine Learning Review. *The Lancet Planetary Health*. 2021; 5(8):e514-e25.
321. Berry, P, Enright, P, Varangu, L, Singh, S, Campagna, C, Gosselin, P, *et al.* Chapter 10: Adaptation and Health System Resilience. In: Berry P, Schnitter R, editors. *Health of Canadians in a Changing Climate: Advancing Our Knowledge for Action*. Ottawa, ON: Government of Canada; 2022.
322. Rocque, RJ, Beaudoin, C, Ndjaboue, R, Cameron, L, Poirier-Bergeron, L, Poulin-Rheault, R-A, *et al.* Health Effects of Climate Change: An Overview of Systematic Reviews. *BMJ Open*. 2021; 11(6):e046333.
323. Canadian Climate Institute. *The Health Costs of Climate Change: How Canada Can Adapt, Prepare, and Save Lives*. Canadian Climate Institute; 2021.
324. Fox, M, Zuidema, C, Bauman, B, Burke, T, Sheehan, M. Integrating Public Health into Climate Change Policy and Planning: State of Practice Update. *International Journal of Environmental Research and Public Health*. 2019; 16(18).
325. Aylward, B, Cunsolo, A, Vriezen, R, Harper, SL. Climate Change Is Impacting Mental Health in North America: A Systematic Scoping Review of the Hazards, Exposures, Vulnerabilities, Risks and Responses. *International Review of Psychiatry*. 2022; 34(1):34-50.
326. Berrang-Ford, L, Siders, AR, Lesnikowski, A, Fischer, AP, Callaghan, MW, Haddaway, NR, *et al.* A Systematic Global Stocktake of Evidence on Human Adaptation to Climate Change. *Nature Climate Change*. 2021; 11(11):989-1000.
327. World Health Organization. *COP26 Special Report on Climate Change and Health: The Health Argument for Climate Action*. Geneva: World Health Organization; 2021.
328. World Health Organization. *Mental Health and Climate Change: Policy Brief*. World Health Organization; 2022.
329. Berry, P, Schnitter, R, Noor, J. Chapter 1: Climate Change and Health Linkages. In: Berry P, Schnitter R, editors. *Health of Canadians in a Changing Climate: Advancing Our Knowledge for Action*. Ottawa, ON: Government of Canada; 2022.
330. Moulton, AD, Schramm, PJ. Climate Change and Public Health Surveillance: Toward a Comprehensive Strategy. *Journal of Public Health Management and Practice*. 2017; 23(6).
331. Bordier, M, Uea-Anuwong, T, Binot, A, Hendrikx, P, Goutard, FL. Characteristics of One Health Surveillance Systems: A Systematic Literature Review. *Preventive Veterinary Medicine*. 2020; 181:104560.
332. Tick-Borne Diseases and Climate Change - Climate Change and Tick-Borne Diseases: A One Health Approach in Alberta, British Columbia and Saskatchewan. British Columbia Centre for Disease Control; Available from: <http://www.bccdc.ca/our-services/programs/tick-borne-diseases-and-climate-change#Overview>.
333. Olds, HT, Corsi, SR, Dila, DK, Halmo, KM, Bootsma, MJ, McLellan, SL. High Levels of Sewage Contamination Released from Urban Areas after Storm Events: A Quantitative Survey with Sewage Specific Bacterial Indicators. *PLOS Medicine*. 2018; 15(7):e1002614.

334. Wang, Y, McBean, E, Gharabaghi, B. Increased Risks of Waterborne Disease Outbreaks in Northern Ontario Due to Climate Change. *Journal of Water Management Modeling*. 2018;8.
335. Gosselin, P, Bustinza, R, Jeffers, S, Gachon, P, Bussi eres, L, Gosselin, D, *et al.* Supreme: An Integrated Heat Health Warning System for Quebec. *Climate Services for Health*; 2018.
336. Hicke, JA, Lucatello, S, Mortsch, LD. Chapter 14: North America. In: P rtner H-O, Roberts DC, Adams H, Adler C, Aldunce P, Ali E, *et al.*, editors. *Climate Change 2022: Impacts, Adaptation and Vulnerability*. Cambridge, UK: Cambridge University Press; 2021.
337. Ebi, KL, Berry, P, Hayes, K, Boyer, C, Sellers, S, Enright, PM, *et al.* Stress Testing the Capacity of Health Systems to Manage Climate Change-Related Shocks and Stresses. *International Journal of Environmental Research and Public Health*. 2018; 15(11).
338. Healey Akearok, G, Holzman, S, Kunnuk, J, Kuppaq, N, Martos, Z, Healey, C, *et al.* Identifying and Achieving Consensus on Health-Related Indicators of Climate Change in Nunavut. *Journal of the Arctic Institute of North America*. 2019; 72(3):215-335.
339. Sheffield, PE, Landrigan, PJ. Global Climate Change and Children’s Health: Threats and Strategies for Prevention. *Environmental Health Perspectives*. 2011; 119(3):291-8.
340. Public Health Agency of Canada. *Moving Forward on a Pan-Canadian Health Data Strategy*. Government of Canada; 2022.
341. Canadian Public Health Association. *Position Statement: Climate Change and Human Health*. Ottawa, ON: Canadian Public Health Association 2019.
342. Canadian Institute for Health Information. *In Pursuit of Health Equity: Defining Stratifiers for Measuring Health Inequality – a Focus on Age, Sex, Gender, Income, Education and Geographic Location*. Ottawa, ON: Canadian Institute for Health Information; 2018.
343. Blair, A, El-Samra, A, Chakravartty, D, Steensma, C, Bird, M, Jackson, B. *How to Integrate Intersectionality Theory in Quantitative Health Equity Analysis? A Rapid Review and Checklist of Promising Practices*. Ottawa, ON: Public Health Agency of Canada; 2022.
344. Eykelbosh, A. *The CanDR2 Network: Improving Disaster Health Outcomes and Resilience through Data and Research*. National Collaborating Centre for Environmental Health; 2019.
345. Malilay, J, Heumann, M, Perrotta, D, Wolkin, AF, Schnall, AH, Podgornik, MN, *et al.* The Role of Applied Epidemiology Methods in the Disaster Management Cycle. *American Journal of Public Health*. 2014; 104(11):2092-102.
346. van Bavel, B, Ford, LB, Harper, SL, Ford, J, Elsey, H, Lwasa, S, *et al.* Contributions of Scale: What We Stand to Gain from Indigenous and Local Inclusion in Climate and Health Monitoring and Surveillance Systems. *Environmental Research Letters*. 2020; 15(8):083008.
347. National Collaborating Centre for Indigenous Health. *Climate Change and Indigenous Peoples’ Health in Canada (Reprinted with Permission from P. Berry & R. Schnitter [Eds.], Health of Canadians in a Changing Climate: Advancing Our Knowledge for Action [Chapter 2] Government of Canada)*. Prince George, British Columbia: National Collaborating Centre for Indigenous Health; 2022.
348. McGregor, D. Traditional Knowledge and Water Governance: The Ethic of Responsibility. *AlterNative: An International Journal of Indigenous Peoples*. 2014; 10(5):493-507.
349. Tagalik, S. *Inuit Qaujimagatuqangit: The Role of Indigenous Knowledge in Supporting Wellness in Inuit Communities in Nunavut*. Prince George, BC: National Collaborating Centre for Aboriginal Health; 2012.

350. Battiste, M. Nourishing the Learning Spirit: Living Our Way to New Thinking. Canadian Education Association; 2010.
351. Wilder, BT, O'Meara, C, Monti, L, Nabhan, GP. The Importance of Indigenous Knowledge in Curbing the Loss of Language and Biodiversity. *BioScience*. 2016; 66(6):499-509.
352. Task Force on Aboriginal Languages and Cultures. Towards a New Beginning: A Foundational Report for a Strategy to Revitalize First Nation, Inuit and Métis Languages and Cultures. Ottawa, ON: Canadian Heritage; 2005.
353. Windchief, S, Ryan, KE. The Sharing of Indigenous Knowledge through Academic Means by Implementing Self-Reflection and Story. *AlterNative: An International Journal of Indigenous Peoples*. 2018; 15(1):82-9.
354. Latulippe, N, Klenk, N. Making Room and Moving Over: Knowledge Co-Production, Indigenous Knowledge Sovereignty and the Politics of Global Environmental Change Decision-Making. *Current Opinion in Environmental Sustainability*. 2020; 42:7-14.
355. Updates from the Field: Tla'amin Nation's Climate Action Project. First Nations Health Authority; 2022; Available from: <https://www.fnha.ca/about/news-and-events/news/updates-from-the-field-tlaamin-nations-climate-action-project>.
356. Impact Assessment Agency of Canada. Indigenous Knowledge Policy Framework for Project Reviews and Regulatory Decisions – Draft for Discussion. Government of Canada; 2021.
357. Ford, JD, Cameron, L, Rubis, J, Maillet, M, Nakashima, D, Willox, AC, *et al*. Including Indigenous Knowledge and Experience in IPCC Assessment Reports. *Nature Climate Change*. 2016; 6(4):349-53.
358. Hillier, SA, Taleb, A, Chaccour, E, Aenishaenslin, C. Examining the Concept of One Health for Indigenous Communities: A Systematic Review. *One Health*. 2021; 12:100248.
359. Cassola, A. Moving Forward from the COVID-19 Pandemic: 10 Opportunities for Strengthening Canada's Public Health Systems. Ottawa, ON: CIHR Institute of Population and Public Health; 2022.
360. Austin, SE, Ford, JD, Berrang-Ford, L, Biesbroek, R, Tosun, J, Ross, NA. Intergovernmental Relations for Public Health Adaptation to Climate Change in the Federalist States of Canada and Germany. *Global Environmental Change*. 2018; 52:226-37.
361. Commissioner of the Environment and Sustainable Development to the Parliament of Canada. Report 5—Lessons Learned from Canada's Record on Climate Change. Office of the Auditor General of Canada; 2021.
362. Scott, D. Federalism, the Environment and the Charter in Canada. In: *Special Lectures 2017 – Canada at 150: The Charter and the Constitution*. Toronto, ON: Law Society of Upper Canada; 2018. p. 188-201.
363. Machalaba, C, Romanelli, C, Stoett, P, Baum, SE, Bouley, TA, Daszak, P, *et al*. Climate Change and Health: Transcending Silos to Find Solutions. *Annals of Global Health*. 2015; 81(3):445-58.
364. Austin, SE, Ford, JD, Berrang-Ford, L, Biesbroek, R, Ross, NA. Enabling Local Public Health Adaptation to Climate Change. *Social Science & Medicine*. 2019; 220:236-44.
365. Negev, M, Zea-Reyes, L, Caputo, L, Weinmayr, G, Potter, C, de Nazelle, A. Barriers and Enablers for Integrating Public Health Cobenefits in Urban Climate Policy. *Annual Review of Public Health*. 2022; 43(1):255-70.

366. de Nazelle, A, Roscoe, CJ, Roca-Barcel , A, Sebag, G, Weinmayr, G, Dora, C, *et al.* Urban Climate Policy and Action through a Health Lens-An Untapped Opportunity. *International Journal of Environmental Research and Public Health.* 2021; 18(23).
367. Karlsson, M, Alfredsson, E, Westling, N. Climate Policy Co-Benefits: A Review. *Climate Policy.* 2020; 20(3):292-316.
368. Choi, C, Berry, P, Smith, A. The Climate Benefits, Co-Benefits, and Trade-Offs of Green Infrastructure: A Systematic Literature Review. *Journal of Environmental Management.* 2021; 291:112583.
369. Diallo, T. Tools and Methods for Integrating Health into Climate Change Adaptation and Mitigation Policies and Strategies. *National Collaborating Centre for Healthy Public Policy;* 2021.
370. Dannenberg, AL. Health Impact Assessment: A Process for Determining Potential Health Effects of Proposed Policies and Projects. In: Levy BS, Patz JA, editors. *Climate Change and Public Health.* New York, NY: Oxford University Press; 2015.
371. Dannenberg, AL, Rogerson, B, Rudolph, L. Optimizing the Health Benefits of Climate Change Policies Using Health Impact Assessment. *Journal of Public Health Policy.* 2020; 41(2):139-54.
372. Diallo, T, Cantoreggi, N, Simos, J. Co-bénéfices pour la santé des politiques urbaines relatives au changement climatique à l'échelon local : L'exemple de Genève. *Environnement, Risques & Santé.* 2016; 15(4):332-40.
373. Diallo, T, Cantoreggi, N, Simos, J, Christie, DPTH. Is HIA the Most Effective Tool to Assess the Impact on Health of Climate Change Mitigation Policies at the Local Level? A Case Study in Geneva, Switzerland. *Global Health Promotion.* 2017; 24(2):5-15.
374. Houghton, A. Health Impact Assessments a Tool for Designing Climate Change Resilience into Green Building and Planning Projects. *Journal of Green Building.* 2011; 6(2):66-87.
375. Perez, L, Trüeb, S, Cowie, H, Keuken, MP, Mudu, P, Ragetti, MS, *et al.* Transport-Related Measures to Mitigate Climate Change in Basel, Switzerland: A Health-Effectiveness Comparison Study. *Environment International.* 2015; 85:111-9.
376. Tobollik, M, Keuken, M, Sabel, C, Cowie, H, Tuomisto, J, Sarigiannis, D, *et al.* Health Impact Assessment of Transport Policies in Rotterdam: Decrease of Total Traffic and Increase of Electric Car Use. *Environmental Research.* 2016; 146:350-8.
377. Awuor, L, Meldrum, R, Liberda, EN. Institutional Engagement Practices as Barriers to Public Health Capacity in Climate Change Policy Discourse: Lessons from the Canadian Province of Ontario. *International Journal of Environmental Research and Public Health.* 2020; 17(17).
378. Ministère de la Santé et des Services sociaux. Plan d'action interministériel 2022-2025 de la politique gouvernementale de prévention en santé. Un projet d'envergure pour améliorer la santé et la qualité de vie de la population. *Gouvernement du Québec;* 2022.
379. Frumkin, H, McMichael, AJ. Climate Change and Public Health: Thinking, Communicating, Acting. *American Journal of Preventive Medicine.* 2008; 35(5):403-10.
380. Climate and Sustainability. Federation of Canadian Municipalities; 2022; Available from: <https://fcm.ca/en/focus-areas/climate-and-sustainability>.
381. C40 Cities. C40 Cities Climate Leadership Group, Inc.; 2022; Available from: <https://www.c40.org/>.

382. Richardson, GRA. *Adapting to Climate Change: An Introduction for Canadian Municipalities*. Ottawa, ON: Natural Resources Canada; 2010.
383. Prairie Climate Centre. *Climate Atlas of Canada: A Resource for Environmental Public Health*. National Collaborating Centre for Environment Health; 2020.
384. United 4 Smart Sustainable Cities: A UN Initiative. Geneva: International Telecommunication Union; 2021.
385. Reckien, D, Salvia, M, Pietrapertosa, F, Simoes, SG, Olazabal, M, De Gregorio Hurtado, S, *et al.* Dedicated Versus Mainstreaming Approaches in Local Climate Plans in Europe. *Renewable and Sustainable Energy Reviews*. 2019; 112:948-59.
386. Healthy Built Environment. *Island Health*; Available from: <https://www.islandhealth.ca/learn-about-health/environment/healthy-built-environment>.
387. Public Health and Planning Co-Creating 15-Minute Neighbourhoods in Ottawa. *Canadian Health Association for Sustainability & Equity*; Available from: <https://chasecanada.org/2022/06/24/public-health-and-planning-co-creating-15-minute-neighbourhoods-in-ottawa/>.
388. Rossa-Roccor, V, Giang, A, Kershaw, P. Framing Climate Change as a Human Health Issue: Enough to Tip the Scale in Climate Policy? *The Lancet Planetary Health*. 2021; 5(8):e553-e9.
389. Masuda, J, McLaren, L, Poland, B. COP26: What Is the Message for Public Health? *Canadian Journal of Public Health*. 2022; 113(1):1-5.
390. Hancock, T, McLaren, L. Putting the Horse Back in Front of the Cart: A Critical Reflection on the CIHR-IPPH Dialogue on the Future of Canada's Public Health Systems. *Canadian journal of public health*. 2021; 112(5):791-6.
391. Kamwa Ngné, A, Morrison, V. *Public Policy Competencies for Public Health: A Review of the Literature*. National Collaborating Centre for Healthy Public Policy; 2021.
392. Krieger, N. Climate Crisis, Health Equity, and Democratic Governance: The Need to Act Together. *Journal of Public Health Policy*. 2020; 41(1):4-10.
393. Carroll, WK, Daub, S, Gunster, S. Chapter 11: Regime of Obstruction: Fossil Capitalism and the Many Facets of Climate Denial in Canada. In: Tindall D, Stoddart MCJ, Dunlap RE, editors. *Handbook of Anti-Environmentalism*. Gloucester, UK: Edward Elgar Publishing Limited; 2022. p. 216–33.
394. *The Program of Applied Research on Climate Action in Canada. Longitudinal Study: Wave 1*. Impact Canada; 2022.
395. Begum, RA, Lempert, R, Ali, E, Benjaminsen, TA, Bernauer, T, Cramer, W, *et al.* Chapter 1: Point of Departure and Key Concepts. In: Pörtner H-O, Roberts DC, Adams H, Adler C, Aldunce P, Ali E, *et al.*, editors. *Climate Change 2022: Impacts, Adaptation and Vulnerability*. Cambridge, UK: Cambridge University Press; 2022. p. 3-77.
396. New, M, Reckien, D, Viner, D, Adler, C, Cheong, S-M, Conde, C, *et al.* Chapter 17: Decision-Making Options for Managing Risk. In: Pörtner H-O, Roberts DC, Adams H, Adler C, Aldunce P, Ali E, *et al.*, editors. *Climate Change 2022: Impacts, Adaptation and Vulnerability*. Cambridge, UK: Cambridge University Press; 2022.
397. *We Need a New Era of Public Health for Our Human Planet*. London School of Hygiene & Tropical Medicine; Available from: <https://www.lshtm.ac.uk/research/centres/centre-climate-change-and-planetary-health>.

398. Gasparrini, A, Masselot, P, Scortichini, M, Schneider, R, Mistry, MN, Sera, F, *et al.* Small-Area Assessment of Temperature-Related Mortality Risks in England and Wales: A Case Time Series Analysis. *The Lancet Planetary Health.* 2022; 6(7):e557-e64.
399. ClimateADAPT. European Climate and Health Observatory - Strategic Priorities and Key Actions for 2021 and 2022. ClimateADAPT; 2021.
400. About the European Climate and Health Observatory. European Climate and Health Observatory; Available from: <https://climate-adapt.eea.europa.eu/observatory/About/about-the-observatory/>.
401. Eckelman, MJ, Sherman, JD, MacNeill, AJ. Life Cycle Environmental Emissions and Health Damages from the Canadian Healthcare System: An Economic-Environmental-Epidemiological Analysis. *PLOS Medicine.* 2018; 15(7):e1002623.
402. Xie, E, Howard, C, Buchman, S, Miller, FA. Acting on Climate Change for a Healthier Future. *Canadian Family Physician.* 2021; 67(10):725.
403. Salas, RN, Maibach, E, Pencheon, D, Watts, N, Frumkin, H. A Pathway to Net Zero Emissions for Healthcare. *British Medical Journal.* 2020; 371:m3785.
404. Tennison, I, Roschnik, S, Ashby, B, Boyd, R, Hamilton, I, Oreszczyn, T, *et al.* Health Care's Response to Climate Change: A Carbon Footprint Assessment of the NHS in England. *The Lancet Planetary Health.* 2021; 5(2):e84-e92.
405. World Health Organization. COP26 Health Programme. World Health Organization.
406. World Health Organization. WHO Guidance for Climate Resilient and Environmentally Sustainable Health Care Facilities. Geneva: World Health Organization; 2020.
407. Ribesse, J, Varangu, L. Module 6 – Taking Action on Climate Change at Health Facilities. In: Perrotta K, editor. *Climate Change Toolkit for Health Professionals: Canadian Association of Physicians for the Environment*; 2019.
408. Public Health Physicians of Canada. Five Tests and Treatments to Question. *Choosing Wisely Canada*; 2020.
409. UHN Breaks Ground on World's Largest Raw Wastewater Energy Transfer System. UHN Foundation; 2022.
410. Environment and Climate Change Canada. 2030 Emissions Reduction Plan: Canada's Next Steps for Clean Air and a Strong Economy. Gatineau, QC: Environment and Climate Change Canada; 2022.
411. World Health Organization. Facing the Future: Opportunities and Challenges for 21st-Century Public Health in Implementing the Sustainable Development Goals and the Health 2020 Policy Framework. World Health Organization; 2018.
412. Cox, RS, Niederer, S, Forssman, V, Sikorski, L. Climate Adaptation Competency Framework. *Adaptation Learning Network*; 2021.
413. Jagals, P, Ebi, K. Core Competencies for Health Workers to Deal with Climate and Environmental Change. *International Journal of Environmental Research and Public Health.* 2021; 18(8).
414. Papadopoulos, A, Pons, W, Young, I. Tomorrow's Healthy Environments: 30 Years Later. *Environmental Health Review.* 2021; 64(1):11-3.
415. DeJarnett, N. Joining Forces with Environmental Health Professionals. *Journal of Public Health Management and Practice.* 2021; 27(6).

416. McKelvey, L, BCIT School of Health Sciences Environmental Health, Heacock, H. Environmental Health Officers and Climate Change Adaptation in British Columbia. BCIT Environmental Public Health Journal. 2017.
417. Castleden, H, Lin, J, Darrach, M. The Public Health Emergency of Climate Change: How/Are Canadian Post-Secondary Public Health Sciences Programs Responding? Canadian Journal of Public Health. 2020; 111(6):836-44.
418. Shea, B, Knowlton, K, Shaman, J. Assessment of Climate-Health Curricula at International Health Professions Schools. JAMA Network Open. 2020; 3(5):e206609-e.
419. Shaman, J, Knowlton, K. The Need for Climate and Health Education. American Journal of Public Health. 2017; 108(S2):S66-S7.
420. Roser-Renouf, C, Maibach, EW, Li, J. Adapting to the Changing Climate: An Assessment of Local Health Department Preparations for Climate Change-Related Health Threats, 2008-2012. PLOS ONE. 2016; 11(3):e0151558.
421. Levison, MM, Butler, AJ, Rebellato, S, Armstrong, B, Whelan, M, Gardner, C. Development of a Climate Change Vulnerability Assessment Using a Public Health Lens to Determine Local Health Vulnerabilities: An Ontario Health Unit Experience. International Journal of Environmental Research and Public Health. 2018; 15(10).
422. Silverman, GS. Systematic Lack of Educational Preparation in Addressing Climate Change as a Major Public Health Challenge. American Journal of Public Health. 2019; 109(2):242-3.
423. Castleden, H, Darrach, M, Lin, J. Public Health Moves to Innocence and Evasion? Graduate Training Programs' Engagement in Truth and Reconciliation for Indigenous Health. Canadian Journal of Public Health. 2022; 113(2):211-21.
424. Hunt, S. Review of Core Competencies for Public Health: An Aboriginal Public Health Perspective. Prince George, British Columbia: National Collaborating Centre for Aboriginal Health; 2015.
425. Government of Canada. Summary of Evidence Supporting COVID-19 Public Health Measures. Government of Canada; 2022.
426. National Advisory Committee on Immunization. Interim Guidance on Planning Considerations for a Fall 2022 COVID-19 Vaccine Booster Program in Canada. Ottawa, ON: Government of Canada; 2022.
427. Government of Canada. COVID-19 Epidemiology Update. Government of Canada; 2022.
428. Statistics Canada. Provisional Death Counts and Excess Mortality, January 2020 to April 2022. Statistics Canada; 2022.
429. Public Health Agency of Canada. Surveillance Indicators Report - Week Ending July 22, 2022. Public Health Agency of Canada; 2022.
430. Public Health Agency of Canada. Statement from the Chief Public Health Officer of Canada on January 28, 2022. Government of Canada; 2022.
431. Sigal, A, Milo, R, Jassat, W. Estimating Disease Severity of Omicron and Delta SARS-CoV-2 Infections. Nature Reviews Immunology. 2022; 22(5):267-9.
432. Moore, DL. Position Statement: COVID-19 Vaccine for Children and Adolescents. Canadian Paediatric Society; 2022.

433. National Advisory Committee on Immunization. Recommendation on the Use of the Pfizer-Biontech COVID-19 Vaccine (10 Mcg) in Children 5-11 Years of Age. Public Health Agency of Canada; 2021.
434. Government of Canada. Vaccines for Children: COVID-19. Government of Canada; 2022.
435. Taquet, M, Sillett, R, Zhu, L, Mendel, J, Campplisson, I, Dercon, Q, *et al.* Neurological and Psychiatric Risk Trajectories after SARS-CoV-2 Infection: An Analysis of 2-Year Retrospective Cohort Studies Including 1 284 437 Patients. *The Lancet Psychiatry*. 2022.
436. Government of Canada. COVID-19 Vaccination in Canada. Government of Canada; 2022.
437. COVID-19 Immunity Task Force. The Eighth Wave: Challenges and Predictions for an Uncertain Future. Government of Canada; 2022.
438. Public Health Agency of Canada, Statistics Canada. Preliminary Dataset on Confirmed Cases of COVID-19, Public Health Agency of Canada. Statistics Canada; 2022.
439. Government of Ontario. Updated Eligibility for PCR Testing and Case and Contact Management Guidance in Ontario. Government of Ontario; 2021.
440. Government of New Brunswick. New Testing Measures in Effect / Registration Now Required for Rapid-Test Kits. Government of New Brunswick; 2022.
441. Public Health Agency of Canada. Statement from the Chief Public Health Officer of Canada on May 6, 2022. Government of Canada; 2022.
442. Cabinet du premier ministre. COVID-19 Pandemic - Additional Measures Will Come into Force Tomorrow. Gouvernement du Québec; 2021.
443. Public Health Agency of Canada. Government of Canada Will Remove Pre-Entry Test Requirement for Fully Vaccinated Travellers on April 1. Government of Canada; 2022.
444. Treasury Board of Canada Secretariat. Suspension of the Vaccine Mandates for Domestic Travellers, Transportation Workers and Federal Employees. Government of Canada; 2022.
445. Health Canada. COVID-19: Prevention and Risks. Government of Canada; 2022.
446. Public Health Agency of Canada. Statement from the Council of Chief Medical Officers of Health (CCMOH) on the Next Phase of the COVID-19 Pandemic Response. Government of Canada; 2022.
447. National Advisory Committee on Immunization. NACI Updated Guidance on Booster COVID-19 Vaccine Doses in Canada. Government of Canada; 2021.
448. Health Canada. Health Canada Authorizes Use of Comirnaty (the Pfizer-Biontech COVID-19 Vaccine) in Children 5 to 11 Years of Age. Government of Canada; 2021.
449. Public Health Agency of Canada. Remarks from the Chief Public Health Officer, June 30, 2022. Government of Canada; 2022.
450. Public Health Agency of Canada. Summary of National Advisory Committee on Immunization (NACI) Statement of June 29, 2022: Interim Guidance on Planning Considerations for a Fall 2022 COVID-19 Vaccine Booster Program in Canada. Government of Canada; 2022.
451. National Advisory Committee on Immunization. Recommendations on the Use of Moderna Spikevax COVID-19 Vaccine in Children 6 Months to 5 Years of Age. Government of Canada; 2022.
452. Ontarians Aged 18+ Eligible for Second Booster Shot. Government of Ontario; 2022.

453. COVID-19 Vaccines and Treatments Portal. Government of Canada; 2022; Available from: <https://covid-vaccine.canada.ca/>.
454. Pan American Health Organization. Ongoing Living Update of COVID-19 Therapeutic Options: Summary of Evidence: Rapid Review. Pan American Health Organization; 2022.
455. Government of Canada. Considerations for the Use of Nirmatrelvir/Ritonavir (Brand Name Paxlovid) to Treat COVID-19. Government of Canada; 2022.
456. Health Canada. Health Canada Authorizes Evusheld for the Prevention of COVID-19 in Immune Compromised Adults and Children Government of Canada; 2022.
457. Idzerda, L, Gariépy, G, Corrin, T, Tarasuk, V, McIntyre, L, Neil-Sztramko, S, *et al.* Evidence Synthesis – What Is Known About the Prevalence of Household Food Insecurity in Canada during the COVID-19 Pandemic: A Systematic Review. Health Promotion and Chronic Disease Prevention in Canada. 2022; 42(5):177-87.
458. Watt, J, Colley, RC. Youth—but Not Adults—Reported Less Physical Activity during the COVID-19 Pandemic. Statistics Canada; 2021.
459. Special Advisory Committee on the Epidemic of Opioid Overdoses. Opioid- and Stimulant-Related Harms in Canada. Ottawa, ON: Public Health Agency of Canada; 2022.
460. Public Health Agency of Canada. Joint Statement from the Co-Chairs of the Special Advisory Committee on the Epidemic of Opioid Overdoses – Latest National Data on Substance-Related Harms. Government of Canada; 2022.
461. Canadian Institute for Health Information. Patients in Canada Continued to Experience Longer Wait Times for Surgery during COVID-19 Pandemic. Canadian Institute for Health Information; 2022.
462. Canadian Institute for Health Information. Wait Times for Priority Procedures in Canada. Canadian Institute for Health Information; 2022.
463. Public Health Agency of Canada. Weekly Influenza Reports. Government of Canada; 2022.
464. Moreau, G. Police-Reported Crime Statistics in Canada, 2021. Statistics Canada; 2022.
465. Aho, J, Lybeck, C, Tetteh, A, Issa, C, Kouyoumdjian, F, Wong, J, *et al.* Rising Syphilis Rates in Canada, 2011–2020. Canada Communicable Disease Report. 2022; 48(2/3):52-60.
466. Health Canada. Map of Canadian Mental Health during the COVID-19 Pandemic. Government of Canada; 2022.
467. Canadian Paediatric Surveillance Program. CPSP 2021 Results. Ottawa, ON: Canadian Paediatric Society; In Press.
468. Prokopenko, E, Kevins, C. Vulnerabilities Related to COVID-19 among LGBTQ2+ Canadians. Statistics Canada; 2020.
469. Government of Canada. Social Inequalities in COVID-19 Deaths in Canada. Government of Canada; 2022.
470. Public Health Agency of Canada. Chief Public Health Officer of Canada's Report on the State of Public Health in Canada 2020: From Risk to Resilience – an Equity Approach to COVID-19. Ottawa, ON: Public Health Agency of Canada; 2020.
471. Gupta, S, Aitken, N. COVID-19 Mortality among Racialized Populations in Canada and Its Association with Income. Statistics Canada; 2022.

472. Government of Canada. Post COVID-19 Condition (Long COVID). Government of Canada; 2022.
473. Domingo, FR, Waddell, LA, Cheung, AM, Cooper, CL, Belcourt, VJ, Zuckermann, AME, *et al.* Prevalence of Long-Term Effects in Individuals Diagnosed with COVID-19: An Updated Living Systematic Review. medRxiv. 2021:2021.06.03.21258317.
474. Chen, C, Hauptert, SR, Zimmermann, L, Shi, X, Fritsche, LG, Mukherjee, B. Global Prevalence of Post-Coronavirus Disease 2019 (COVID-19) Condition or Long COVID: A Meta-Analysis and Systematic Review. *The Journal of Infectious Diseases*. 2022;jjac136.
475. Ayoubkhani, D, King, S, Pawelek, P. Prevalence of Ongoing Symptoms Following Coronavirus (COVID-19) Infection in the UK: 4 August 2022. Office for National Statistics; 2022.
476. Antonelli, M, Pujol, JC, Spector, TD, Ourselin, S, Steves, CJ. Risk of Long COVID Associated with Delta Versus Omicron Variants of SARS-CoV-2. *The Lancet*. 2022; 399(10343):2263-4.
477. Ayoubkhani, D, Bosworth, M. Self-Reported Long COVID after Infection with the Omicron Variant in the UK: 18 July 2022. Office for National Statistics; 2022.
478. Wulf Hanson, S, Abbafati, C, Aerts, JG, Al-Aly, Z, Ashbaugh, C, Ballouz, T, *et al.* A Global Systematic Analysis of the Occurrence, Severity, and Recovery Pattern of Long COVID in 2020 and 2021. medRxiv. 2022:2022.05.26.22275532.
479. Al-Aly, Z, Bowe, B, Xie, Y. Outcomes of SARS-CoV-2 Reinfection [Pre-Print]. *Nature Portfolio*. 2022.
480. Public Health Agency of Canada. Emerging Evidence on COVID-19: Evidence Brief on the Associations and Safety of COVID-19 Vaccination and Post COVID-19 Condition. Government of Canada; 2022.
481. Rajan, S, Khunti, K, Alwan, N, Steves, C, MacDermott, N, Morsella, A, *et al.* In the Wake of the Pandemic: Preparing for Long COVID. Copenhagen, Denmark: European Observatory on Health Systems and Policies; 2021.
482. Bach, K. New Data Shows Long COVID Is Keeping as Many as 4 Million People out of Work. Brookings; 2021.
483. Carazo, S, Skowronski, DM, Laforce, R, Jr., Talbot, D, Falcone, EL, Laliberté, D, *et al.* Physical, Psychological, and Cognitive Profile of Post-COVID Conditions in Healthcare Workers, Quebec, Canada. *Open Forum Infectious Diseases*. 2022; 9(8):ofac386.
484. Canadian COVID-19 Antibody and Health Survey (CCAHS) – Cycle 2. Statistics Canada; 2022; Available from: <https://www.statcan.gc.ca/en/survey/household/5339>.
485. Canada - Post COVID Care Centers. Survivor Corps; 2022; Available from: <https://www.survivorcorps.com/pccc-canada>.
486. Ritchie, H, Mathieu, E, Rodés-Guirao, L, Appel, C, Giattino, C, Ortiz-Ospina, E, *et al.* Coronavirus Pandemic (COVID-19). *Our World in Data*; 2020; Available from: <https://ourworldindata.org/coronavirus>.
487. Ogden, NH, Turgeon, P, Fazil, A, Clark, J, Gabriele-Rivet, V, Tam, T, *et al.* Counterfactuals of Effects of Vaccination and Public Health Measures on COVID-19 Cases in Canada: What Could Have Happened? *Canada Communicable Disease Report*. 2022; 48(7/8):292–302.
488. Woolf, SH, Masters, RK, Aron, LY. Changes in Life Expectancy between 2019 and 2020 in the US and 21 Peer Countries. *JAMA Network Open*. 2022; 5(4):e227067-e.
489. Statistics Canada. Deaths, 2020. Statistics Canada; 2022.

490. National Center for Health Statistics. Life Expectancy in the U.S. Dropped for the Second Year in a Row in 2021. Centers for Disease Control and Prevention; 2022.
491. Razak, F, Shin, S, Naylor, CD, Slutsky, AS. Canada's Response to the Initial 2 Years of the COVID-19 Pandemic: A Comparison with Peer Countries. Canadian Medical Association Journal. 2022; 194(25):E870.
492. Coutts, J. Half of Our Nurses Are Thinking of Quitting: How Can We Keep Them Healthy, Happy and Helping Patients? St. John's, NL: Registered Nurses' Union; 2022.
493. Canadian Medical Association. Canada's Health System is on Life Support: Health Workers Call for Urgent Mobilization to Address Shortages, Burnout and Backlog Issues. Canadian Medical Association; 2022.
494. Climate Change. World Health Organization; Available from: https://www.who.int/health-topics/climate-change#tab=tab_1.